

MATERIAL SAFETY DATA SHEET

Cholesterol Assay Buffer (10X)

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 04/04/2006
Revision: 04/03/2006

Date Created: 04/23/2004

1. Product and Company Identification

Product Code: 10008052
Product Name: Cholesterol Assay Buffer (10X)
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Potassium chloride	7447-40-7	3.728 %	No data.	No data.	No data.
2. Water	7732-18-5	80.619 %	No data.	No data.	No data.
3. Cholic acid	81-25-4	2.043 %	No data.	No data.	No data.
4. Potassium phosphate	7778-77-0	13.61 %	No data.	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. Potassium chloride	TS8050000	No data.	No data.	No data.	No data.
2. Water	ZC0110000	No data.	No data.	No data.	No data.
3. Cholic acid	FZ9350000	No data.	No data.	No data.	No data.
4. Potassium phosphate	TC6615500	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
LD 50/LC 50: Please refer to Section 11.
Signs and Symptoms Of Exposure: Exposure can cause coughing, choking, and tightness of the chest.
Medical Conditions Generally Aggravated By Exposure: Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

4. First Aid Measures

Emergency and First Aid Procedures:
If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

MATERIAL SAFETY DATA SHEET

Cholesterol Assay Buffer (10X)

Page: 2
Printed: 04/04/2006
Revision: 04/03/2006

5. Fire Fighting Measures

Flash Pt:	No data.
Explosive Limits:	LEL: No data. UEL: No data.
Fire Fighting Instructions:	As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards:	Emits toxic fumes under fire conditions.
Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media:	No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. After removal, ventilate contaminated area and flush thoroughly with water.
---	---

7. Handling and Storage

Hazard Label Information:	Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Handling:	Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Storing:	Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information:	Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood
Respiratory Equipment (Specify Type):	No data available.
Eye Protection:	Safety glasses
Protective Gloves:	Latex disposable gloves
Other Protective Clothing:	Lab coat
Engineering Controls (Ventilation etc.):	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
Work/Hygienic/Maintenance Practices:	Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States:	<input type="checkbox"/> Gas <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	No data.
Flash Pt:	No data. Method:
Explosive Limits:	LEL: No data. UEL: No data.
Specific Gravity (Water = 1):	No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate (vs Butyl Acetate=1):	No data.

MATERIAL SAFETY DATA SHEET

Cholesterol Assay Buffer (10X)

Page: 3
Printed: 04/04/2006
Revision: 04/03/2006

Solubility in Water: No data.
Percent Volatile: No data.
Corrosion Rate: No data.
pH: No data.
Appearance and Odor: A clear, colorless solution

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: No data available.
Incompatibility - Materials To Avoid: strong acids
 strong oxidizing agents
Hazardous Decomposition Or Byproducts: hydrogen chloride gas
 phosphorous oxides
 potassium oxides
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Chronic Toxicological Effects: Cholic acid - Investigated as a mutagen.
 KCl - Investigated as a mutagen.

 Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.
 See actual entry in RTECS for complete information.
 Cholic acid RTECS Number: FZ9350000
 Potassium phosphate RTECS Number: TS8050000
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Potassium chloride	7447-40-7	No	No	No	No
2. Water	7732-18-5	No	No	No	No
3. Cholic acid	81-25-4	No	No	No	No
4. Potassium phosphate	7778-77-0	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Potassium chloride	7447-40-7	No	No	No	No
2. Water	7732-18-5	No	No	No	No
3. Cholic acid	81-25-4	No	No	No	No

MATERIAL SAFETY DATA SHEET
Cholesterol Assay Buffer (10X)

Page: 4
Printed: 04/04/2006
Revision: 04/03/2006

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
4. Potassium phosphate	7778-77-0	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

Cholesterol Standard

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 04/04/2006
Revision: 04/03/2006

Date Created: 04/03/2006

1. Product and Company Identification

Product Code: 10008053
Product Name: Cholesterol Standard
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Standard

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. (+)-Dihydroxcholesterol	80-97-7	0.388 %	No data.	No data.	No data.
2. Ethyl alcohol	64-17-5	99.612 %	8H TWA:1000 ppm (1900 mg/m3)	1000 ppm	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. (+)-Dihydroxcholesterol	FZ6350000	No data.	No data.	No data.	No data.
2. Ethyl alcohol	KQ6300000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Potential Health Effects (Acute and Chronic): The hazards identified with this product are those associated with the solvent(s).
Long term repeated oral exposure to ethanol may result in the development of progressive liver injury with fibrosis.
Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
Repeated exposure may cause skin dryness or cracking.
Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the CNS system of the fetus, producing a collection of effects which together constitute fetal alcohol syndrome. These include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioral disorders and small size head.
The toxicological properties of this compound have not been fully evaluated.

Signs and Symptoms Of Exposure: Exposure may cause: Dizziness, drowsiness, headache, nausea, and vomiting.

Medical Conditions Generally Aggravated By Exposure: Repeated exposure to ethanol may aggravate liver injury produced from other causes.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt:	14.00 C Method Used: TCC
Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C
Fire Fighting Instructions:	As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in ethanol.
Flammable Properties and Hazards:	Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Flammable liquid. Vapors can travel to a source of ignition and flash back.
Hazardous Combustion Products:	carbon dioxide carbon monoxide
Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media:	No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. After removal, ventilate contaminated area and flush thoroughly with water.
---	---

7. Handling and Storage

Hazard Label Information:	Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Handling:	Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Do not reuse this container. Keep away from sources of ignition. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Storing:	Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information:	Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood
Respiratory Equipment (Specify Type):	No data available.
Eye Protection:	Safety glasses
Protective Gloves:	Latex disposable gloves
Other Protective Clothing:	Lab coat
Engineering Controls (Ventilation etc.):	Good general ventilation should be sufficient to control airborne levels.
Work/Hygienic/Maintenance Practices:	Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	No data.
Flash Pt:	14.00 C Method: TCC

MATERIAL SAFETY DATA SHEET

Cholesterol Standard

Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C
Specific Gravity (Water = 1): No data.
Vapor Pressure (vs. Air or mm Hg): 44.6 MM_HG at 20.0 C
Vapor Density (vs. Air = 1): No data.
Evaporation Rate (vs Butyl Acetate=1): No data.
Solubility in Water: No data.
Percent Volatile: No data.
Corrosion Rate: No data.
pH: No data.
Appearance and Odor: A clear, colorless solution

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: No data available.
Incompatibility - Materials To Avoid: strong inorganic acids
strong oxidizing agents
Hazardous Decomposition Or Byproducts: carbon dioxide
carbon monoxide
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: Ethyl alcohol
DOT Hazard Class: 3
DOT Hazard Label: FLAMMABLE LIQUID
UN/NA Number: 1170
DOT Packing Group: II
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. (+)-Dihydroxcholesterol	80-97-7	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. (+)-Dihydroxcholesterol	80-97-7	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

Cholesterol Detector

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 04/04/2006
Revision: 04/03/2006

Date Created: 04/03/2006

1. Product and Company Identification

Product Code: 10008054
Product Name: Cholesterol Detector
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. 10-acetyl-3,7-dihydroxyphenoxazine	NA	100.0 %	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: No data available.
Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
Vacuum or sweep up material and place in disposal container.
Avoid raising dust.
After removal, ventilate contaminated area and flush thoroughly with water.

MATERIAL SAFETY DATA SHEET

Cholesterol Detector

Page: 3
Printed: 04/04/2006
Revision: 04/03/2006

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. 10-acetyl-3,7-dihydroxyphenoxazine	NA	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. 10-acetyl-3,7-dihydroxyphenoxazine	NA	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET
Cholesterol Assay Horseradish Peroxidase

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 04/04/2006
Revision: 04/03/2006

Date Created: 04/03/2006

1. Product and Company Identification

Product Code: 10008055
Product Name: Cholesterol Assay Horseradish Peroxidase
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Cholesterol Assay Horseradish Peroxidase	NA	100.0 %	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: No data available.
Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
Vacuum or sweep up material and place in disposal container.
Avoid raising dust.
After removal, ventilate contaminated area and flush thoroughly with water.

MATERIAL SAFETY DATA SHEET
Cholesterol Assay Horseradish Peroxidase

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Cholesterol Assay Horseradish Peroxidase	NA	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Cholesterol Assay Horseradish Peroxidase	NA	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

Cholesterol Oxidase

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 04/04/2006
Revision: 04/03/2006

Date Created: 04/03/2006

1. Product and Company Identification

Product Code: 10008056
Product Name: Cholesterol Oxidase
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Cholesterol Oxidase	NA	100.0 %	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: No data available.
Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
Vacuum or sweep up material and place in disposal container.
Avoid raising dust.
After removal, ventilate contaminated area and flush thoroughly with water.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Cholesterol Oxidase	NA	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Cholesterol Oxidase	NA	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Cholesterol Esterase

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 04/04/2006
Revision: 04/03/2006

Date Created: 04/03/2006

1. Product and Company Identification

Product Code: 10008057
Product Name: Cholesterol Esterase
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Cholesterol Esterase	NA	100.0 %	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.
 May be harmful by inhalation, ingestion, or skin absorption.
 May cause eye, skin, or respiratory system irritation.
 The toxicological properties of this compound have not been fully evaluated.
Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
 If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
 In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
 In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: No data available.
Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
 Vacuum or sweep up material and place in disposal container.
 Avoid raising dust.
 After removal, ventilate contaminated area and flush thoroughly with water.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Cholesterol Esterase	NA	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Cholesterol Esterase	NA	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

Cholesterol Assay Kit Dimethyl Sulfoxide

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 04/04/2006
Revision: 04/03/2006

Date Created: 04/03/2006

1. Product and Company Identification

Product Code: 10008058
Product Name: Cholesterol Assay Kit Dimethyl Sulfoxide
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Dimethyl sulfoxide, anhydrous	67-68-5	100.0 %	No data.	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. Dimethyl sulfoxide, anhydrous	PV6210000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. Dimethyl sulfoxide is readily absorbed through skin and may carry such materials into the body.
Irritating to the skin, eyes, nose, throat, and respiratory tract.
Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
LD 50/LC 50: Please refer to Section 11
Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: 87.00 C Method Used: CC
Explosive Limits: LEL: 3.5% at 25.0 C UEL: 42% at 25.0 C
Autoignition Pt: 301.00 C
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Note: combustible as diluted in dimethyl sulfoxide

MATERIAL SAFETY DATA SHEET

Cholesterol Assay Kit Dimethyl Sulfoxide

Page: 2
Printed: 04/04/2006
Revision: 04/03/2006

Flammable Properties and Hazards:	Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Those vapors include formaldehyde, methyl mercaptan, and sulfur dioxide. Combustible liquid. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. May cause exothermic reaction when combined with certain chemicals. On mixing with potassium permanganate it will flash instantaneously. Reacts violently with other acids. Vapors can travel to a source of ignition and flash back.
Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media:	No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. After removal, ventilate contaminated area and flush thoroughly with water. Avoid release into the environment - very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
---	--

7. Handling and Storage

Hazard Label Information:	Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Handling:	Avoid breathing (dust, vapor, mist, gas). Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. Dimethyl sulfoxide is readily absorbed through skin and may carry such materials into the body. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Do not reuse this container. Hygroscopic. Keep away from sources of ignition. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Storing:	Keep tightly closed. Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information:	Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood
Respiratory Equipment (Specify Type):	No data available.
Eye Protection:	Safety glasses
Protective Gloves:	Latex disposable gloves
Other Protective Clothing:	Lab coat
Engineering Controls (Ventilation etc.):	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
Work/Hygienic/Maintenance Practices:	Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Wash thoroughly after handling.

MATERIAL SAFETY DATA SHEET
Cholesterol Assay Kit Dimethyl Sulfoxide

Page: 3
Printed: 04/04/2006
Revision: 04/03/2006

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid
Melting Point: No data.
Boiling Point: No data.
Autoignition Pt: 301.00 C
Flash Pt: 87.00 C Method: CC
Explosive Limits: LEL: 3.5% at 25.0 C UEL: 42% at 25.0 C
Specific Gravity (Water = 1): No data.
Vapor Pressure (vs. Air or mm Hg): 0.42 MM_HG at 20.0 C
Vapor Density (vs. Air = 1): No data.
Evaporation Rate (vs Butyl Acetate=1): No data.
Solubility in Water: No data.
Percent Volatile: No data.
Corrosion Rate: No data.
pH: No data.
Appearance and Odor: A clear, colorless solution

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: protect from moisture
Incompatibility - Materials To Avoid: acid chlorides
acid halides
cyanuric chloride
diborane
iodine pentafluoride
magnesium perchlorate
methyl bromide
nitrogen periodate
perchloric acid
periodic acid
phosphorus halides
phosphorus trichloride
phosphorus trioxide
potassium permanganate
silicon tetrachloride
silver fluoride
sodium hydride
strong acids
strong oxidizing agents
strong reducing agents
thionyl chloride
Hazardous Decomposition Or Byproducts: carbon dioxide
carbon monoxide
formaldehyde
methyl mercaptan
sulfur dioxide
sulfur oxides
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information:

Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. Dimethyl sulfoxide is readily absorbed through skin and may carry such materials into the body.

The toxicological effects of this compound have not been thoroughly studied.

DMSO - Toxicity Data:

Inhalation (rat) LC50:40,250 ppm

Oral (rat) LD50:3,300 mg/kg

Skin (rat) LD50:40,000 mg/kg

Subcutaneous (rat) LD50:12 g/kg

Intravenous (rat) LD50:5,360 mg/kg

Skin (rabbit) LD50:>5,000 mg/kg

Oral (mouse) LD50:7,920 mg/kg

Subcutaneous (mouse) LD50:14 g/kg

Skin (mouse) LD50:50,000 mg/kg

Intraperitoneal (mouse) LD50:2,500 mg/kg

Oral (dog) LD50:>10,000 mg/kg

DMSO - Target Organ Data:

Effects on embryo or fetus (fetal death)

Effects on embryo or fetus (fetotoxicity)

Effects on fertility (abortion)

Effects on fertility (litter size)

Effects on fertility (pre-implantation mortality)

Effects on fertility (post-implantation mortality)

Specific developmental abnormalities (central nervous system)

Specific developmental abnormalities (musculoskeletal system)

Specific developmental abnormalities (craniofacial, including nose and tongue)

Specific developmental abnormalities (other developmental abnormalities)

Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

See actual entry in RTECS for complete information.

DMSO RTECS Number: PV6210000

Carcinogenicity/Other Information:

No data available.

Carcinogenicity:

NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information:

Avoid release into the environment - very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method:

Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: Combustible liquid, n.o.s.

DOT Hazard Class: Combustible liquid

DOT Hazard Label: Combustible liquid, n.o.s.

UN/NA Number: 1993

Additional Transport Information:

Transport in accordance with local, state, and federal regulations.

MATERIAL SAFETY DATA SHEET
Cholesterol Assay Kit Dimethyl Sulfoxide

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Dimethyl sulfoxide, anhydrous	67-68-5	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Dimethyl sulfoxide, anhydrous	67-68-5	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.