

# MATERIAL SAFETY DATA SHEET

## Eicosanoid Affinity Column Buffer (5X)

Page: 1

Cayman Chemical Company  
1180 E. Ellsworth Rd.  
Ann Arbor, MI 48108

Printed: 03/10/2010  
Revision: 02/22/2010  
Supersedes Revision: 11/05/2009  
Date Created: 09/25/1998

### 1. Product and Company Identification

**Product Code:** 400220  
**Product Name:** Eicosanoid Affinity Column Buffer (5X)  
**Manufacturer Information**  
**Company Name:** Cayman Chemical Company  
**Emergency Contact:** Cayman Chemical Company (800)364-9897  
**Information:** Cayman Chemical Company (734)971-3335

### 2. Hazards Identification

**Emergency Overview:** Harmful.  
**Route(s) of Entry:** Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection  
**Health Hazards (Acute and Chronic):** Harmful if swallowed.  
Material causes eye irritation.  
Material may be irritating to the mucous membranes and upper respiratory tract.  
May be harmful by inhalation or skin absorption.  
May cause skin, or respiratory system irritation.  
The toxicological properties of this product have not been fully evaluated.  
**Signs and Symptoms Of Exposure:** No data available.

### 3. Composition/Information on Ingredients

| Hazardous Components (Chemical Name) | CAS #      | Concentration | EC#       | RTECS #   |
|--------------------------------------|------------|---------------|-----------|-----------|
| 1. Potassium phosphate, dibasic      | 7758-11-4  | 6.65 %        | 231-834-5 | NA        |
| 2. Potassium phosphate, Monobasic    | 7778-77-0  | 1.61 %        | 231-913-4 | TC6615500 |
| 3. Sodium chloride                   | 7647-14-5  | 14.6 %        | 231-598-3 | VZ4725000 |
| 4. Sodium azide                      | 26628-22-8 | 0.25 %        | 247-852-1 | VY8050000 |

### 4. First Aid Measures

**Emergency and First Aid Procedures:** If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.  
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.  
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.  
In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

### 5. Fire Fighting Measures

**Flash Pt:** No data.  
**Explosive Limits:** LEL: No data. UEL: No data.  
**Special Fire Fighting Procedures:** As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.  
**Unusual Fire and Explosion Hazards:** No data available.  
**Hazardous Combustion Products:** No data available.  
**Suitable Extinguishing Media:** Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.  
Use water spray to cool fire-exposed containers.

# MATERIAL SAFETY DATA SHEET

## Eicosanoid Affinity Column Buffer (5X)

Page: 2  
 Printed: 03/10/2010  
 Revision: 02/22/2010  
 Supersedes Revision: 11/05/2009

**Unsuitable Extinguishing Media:** A solid water stream may be inefficient.

### 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Avoid release into the environment.  
 Avoid breathing vapors and provide adequate ventilation.  
 As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).  
 Absorb spill with inert material (e.g. dry sand or earth), then place in a proper chemical waste container.

### 7. Handling and Storage

**Hazard Label Information:** Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.  
 Wash thoroughly after handling

**Precautions To Be Taken in Handling:** Avoid breathing (dust, vapor, mist, gas).  
 Avoid prolonged or repeated exposure.

**Precautions To Be Taken in Storing:** Keep tightly closed.  
 Store at correct temperature.

### 8. Exposure Controls/Personal Protection

| Hazardous Components (Chemical Name) | CAS #      | OSHA PEL | ACGIH TWA        | Other Limits |
|--------------------------------------|------------|----------|------------------|--------------|
| 1. Potassium phosphate, dibasic      | 7758-11-4  | No data. | No data.         | No data.     |
| 2. Potassium phosphate, Monobasic    | 7778-77-0  | No data. | No data.         | No data.     |
| 3. Sodium chloride                   | 7647-14-5  | No data. | No data.         | No data.     |
| 4. Sodium azide                      | 26628-22-8 | No data. | CEIL: 0.29 mg/m3 | No data.     |

**Protective Equipment Summary - Hazard Label Information:** Compatible chemical-resistant gloves Eye wash station in work area Lab coat Safety glasses Safety shower in work area Vent Hood

**Respiratory Equipment (Specify Type):** NIOSH approved respirator, as conditions warrant.

**Eye Protection:** Safety glasses

**Protective Gloves:** Compatible chemical-resistant gloves

**Other Protective Clothing:** Lab coat

**Ventilation:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

**Work/Hygienic/Maintenance Practices:** Do not take internally.  
 Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.  
 Wash thoroughly after handling.

### 9. Physical and Chemical Properties

**Physical States:**  Gas  Liquid  Solid

**Melting Point:** No data.

**Boiling Point:** No data.

**Autoignition Pt:** No data.

**Flash Pt:** No data.

**Explosive Limits:** LEL: No data. UEL: No data.

**Specific Gravity (Water = 1):** No data.

**Bulk density:** No data.

**Vapor Pressure (vs. Air or mm Hg):** No data.

**Vapor Density (vs. Air = 1):** No data.

**Evaporation Rate (vs Butyl Acetate=1):** No data.

**Solubility in Water:** No data.

**Percent Volatile:** No data.

**Heat Value:** No data.

**MATERIAL SAFETY DATA SHEET**  
**Eicosanoid Affinity Column Buffer (5X)**

Page: 3  
 Printed: 03/10/2010  
 Revision: 02/22/2010  
 Supercedes Revision: 11/05/2009

**Particle Size:** No data.  
**Corrosion Rate:** No data.  
**pH:** No data.  
**Appearance and Odor:** No data available.

### 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid - Instability:** No data available.  
**Incompatibility - Materials To Avoid:** acids  
 heavy metals may form extremely explosive azides  
 metals  
 strong oxidizing agents  
**Hazardous Decomposition Or Byproducts:** carbon dioxide  
 carbon monoxide  
 hydrogen chloride gas  
 phosphorus oxides  
 potassium oxides  
 sodium oxides  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]  
**Conditions To Avoid - Hazardous Reactions:** No data available.

### 11. Toxicological Information

**:** The toxicological effects of this product have not been thoroughly studied.  
**Carcinogenicity/Other Information:** No data available.  
**Carcinogenicity:** NTP? No IARC Monographs? No OSHA Regulated? No

### 12. Ecological Information

**:** Avoid release into the environment.  
 Runoff from fire control or dilution water may cause pollution.

### 13. Disposal Considerations

**Waste Disposal Method:** Dispose in accordance with local, state, and federal regulations.

### 14. Transport Information

**LAND TRANSPORT (US DOT)**  
**DOT Proper Shipping Name** Not dangerous goods.  
**LAND TRANSPORT (European ADR/RID)**  
**ADR/RID Proper Shipping Name** Not dangerous goods.  
**AIR TRANSPORT (ICAO/IATA)**  
**ICAO/IATA Proper Shipping Name** Not dangerous goods.  
**Additional Transport Information:** Transport in accordance with local, state, and federal regulations.

### 15. Regulatory Information

**European Community Hazard Symbol codes** Xn: Harmful  
**European Community Risk and Safety Phrases**  
 R22 - Harmful if swallowed.  
 R32 - Contact with acid liberates very toxic gas.  
 R36/37/38 - Irritating to eyes, respiratory system and skin.  
 R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.  
 S61 - Avoid release to the environment. Refer to special instructions / safety data sheets.

**US EPA SARA Title III**

| Hazardous Components (Chemical Name) | CAS #     | Sec.302 (EHS) | Sec.304 RQ | Sec.313 (TRI) | Sec.110 |
|--------------------------------------|-----------|---------------|------------|---------------|---------|
| 1. Potassium phosphate, dibasic      | 7758-11-4 | No            | No         | No            | No      |

**MATERIAL SAFETY DATA SHEET**  
**Eicosanoid Affinity Column Buffer (5X)**

Page: 4  
Printed: 03/10/2010  
Revision: 02/22/2010  
Supercedes Revision: 11/05/2009

| Hazardous Components (Chemical Name) | CAS #      | Sec.302 (EHS) | Sec.304 RQ  | Sec.313 (TRI) | Sec.110 |
|--------------------------------------|------------|---------------|-------------|---------------|---------|
| 2. Potassium phosphate, Monobasic    | 7778-77-0  | No            | No          | No            | No      |
| 3. Sodium chloride                   | 7647-14-5  | No            | No          | No            | No      |
| 4. Sodium azide                      | 26628-22-8 | Yes 500 LB    | Yes 1000 LB | Yes           | No      |

**US EPA CAA, CWA, TSCA**

| Hazardous Components (Chemical Name) | CAS #      | EPA CAA     | EPA CWA NPDES | EPA TSCA  | HPV/LPV |
|--------------------------------------|------------|-------------|---------------|-----------|---------|
| 1. Potassium phosphate, dibasic      | 7758-11-4  | HAP, ODC () | No            | Inventory |         |
| 2. Potassium phosphate, Monobasic    | 7778-77-0  | HAP, ODC () | No            | Inventory |         |
| 3. Sodium chloride                   | 7647-14-5  | HAP, ODC () | No            | Inventory |         |
| 4. Sodium azide                      | 26628-22-8 | HAP, ODC () | No            | Inventory |         |

**16. Other Information**

**Company Policy or Disclaimer**

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

# MATERIAL SAFETY DATA SHEET

## Eicosanoid Affinity Column Elution Solution

Page: 1

Cayman Chemical Company  
1180 E. Ellsworth Rd.  
Ann Arbor, MI 48108

Printed: 03/10/2010  
Revision: 02/22/2010  
Supersedes Revision: 11/05/2009  
Date Created: 09/25/1998

### 1. Product and Company Identification

**Product Code:** 400230  
**Product Name:** Eicosanoid Affinity Column Elution Solution  
**Manufacturer Information**  
**Company Name:** Cayman Chemical Company  
**Emergency Contact:** Cayman Chemical Company (800)364-9897  
**Information:** Cayman Chemical Company (734)971-3335

### 2. Hazards Identification

**Emergency Overview:** Highly Flammable.  
Target Organ(s): blood, central nervous system, eyes, liver, reproductive system, respiratory system, skin.  
The hazards identified with this product are those associated with the solvent(s).

**Route(s) of Entry:** Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

**Health Hazards (Acute and Chronic):** Material may be irritating to the mucous membranes and upper respiratory tract.  
May cause eye, skin, or respiratory system irritation.  
May be harmful by inhalation, ingestion, or skin absorption.  
The toxicological properties of this product have not been fully evaluated.

**LD 50 / LC 50:** Please refer to Section 11.

**Signs and Symptoms Of Exposure:** Irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic effects.

### 3. Composition/Information on Ingredients

| Hazardous Components (Chemical Name) | CAS #   | Concentration | EC#       | RTECS #   |
|--------------------------------------|---------|---------------|-----------|-----------|
| 1. Ethyl alcohol                     | 64-17-5 | 95.0 %        | 200-578-6 | KQ6300000 |

### 4. First Aid Measures

**Emergency and First Aid Procedures:** If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.  
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.  
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.  
In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

### 5. Fire Fighting Measures

**Flash Pt:** 14.00 C Method Used: Closed Cup

**Explosive Limits:** LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C

**Autoignition Pt:** 363.00 C

**Special Fire Fighting Procedures:** As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.  
Note: Flammable as diluted in ethanol.

**Unusual Fire and Explosion Hazards:** Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.  
Container explosion may occur under fire conditions.  
Emits toxic fumes under fire conditions.  
Sensitive to static discharge.  
Vapors can travel to a source of ignition and flash back.

# MATERIAL SAFETY DATA SHEET

## Eicosanoid Affinity Column Elution Solution

Page: 2  
Printed: 03/10/2010  
Revision: 02/22/2010  
Supercedes Revision: 11/05/2009

**Hazardous Combustion Products:** No data available.  
**Suitable Extinguishing Media:** Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.  
Use water spray to cool fire-exposed containers.  
**Unsuitable Extinguishing Media:** A solid water stream may be inefficient.

### 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Avoid release into the environment.  
Avoid breathing vapors and provide adequate ventilation.  
Remove all sources of ignition.  
As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).  
Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

### 7. Handling and Storage

**Hazard Label Information:** Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.  
Wash thoroughly after handling  
**Precautions To Be Taken in Handling:** Avoid breathing (dust, vapor, mist, gas).  
Avoid prolonged or repeated exposure.  
Keep away from sources of ignition.  
Prevent the build up of electrostatic charge.  
**Precautions To Be Taken in Storing:** Keep away from heat, sparks, and flame.  
Keep tightly closed.  
Store at correct temperature.

### 8. Exposure Controls/Personal Protection

| Hazardous Components (Chemical Name) | CAS #   | OSHA PEL                     | ACGIH TLV | Other Limits |
|--------------------------------------|---------|------------------------------|-----------|--------------|
| 1. Ethyl alcohol                     | 64-17-5 | 8H TWA:1000 ppm (1900 mg/m3) | 1000 ppm  | No data.     |

**Protective Equipment Summary - Hazard Label Information:** Compatible chemical-resistant gloves Eye wash station in work area Lab coat Safety glasses Safety shower in work area Vent Hood  
**Respiratory Equipment (Specify Type):** NIOSH approved respirator, as conditions warrant.  
**Eye Protection:** Safety glasses  
**Protective Gloves:** Compatible chemical-resistant gloves  
**Other Protective Clothing:** Lab coat  
**Ventilation:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.  
**Work/Hygienic/Maintenance Practices:** Do not take internally.  
Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.  
Wash thoroughly after handling.

### 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [ X ] Liquid [ ] Solid  
**Melting Point:** No data.  
**Boiling Point:** No data.  
**Autoignition Pt:** 363.00 C  
**Flash Pt:** 14.00 C Method Used: Closed Cup  
**Explosive Limits:** LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C  
**Specific Gravity (Water = 1):** No data.  
**Bulk density:** No data.  
**Vapor Pressure (vs. Air or mm Hg):** 43 MM\_HG at 20.0 C  
**Vapor Density (vs. Air = 1):** No data.

# MATERIAL SAFETY DATA SHEET

## Eicosanoid Affinity Column Elution Solution

Page: 3  
Printed: 03/10/2010  
Revision: 02/22/2010  
Supercedes Revision: 11/05/2009

**Evaporation Rate (vs Butyl Acetate=1):** No data.  
**Solubility in Water:** No data.  
**Percent Volatile:** No data.  
**Heat Value:** No data.  
**Particle Size:** No data.  
**Corrosion Rate:** No data.  
**pH:** No data.  
**Appearance and Odor:** No data available.

### 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid - Instability:** heat, flames and sparks  
**Incompatibility - Materials To Avoid:** alkali metals  
ammonia  
peroxides  
strong oxidizing agents  
**Hazardous Decomposition Or Byproducts:** carbon dioxide  
carbon monoxide  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]  
**Conditions To Avoid - Hazardous Reactions:** No data available.

### 11. Toxicological Information

**:** The toxicological effects of this product have not been thoroughly studied.

**Chronic Toxicological Effects:** Ethanol - Toxicity Data: Oral LD50 (rat): 7,060 mg/kg; Inhalation LC50 (rat): 10 h - 20,000 ppm;  
Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit) 20mg (24h) moderate;  
Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.  
See actual entry in RTECS for complete information.  
Ethanol RTECS Number: KQ6300000

**Carcinogenicity/Other Information:** No data available.  
**Carcinogenicity:** NTP? No IARC Monographs? No OSHA Regulated? No

### 12. Ecological Information

**:** Avoid release into the environment.  
Runoff from fire control or dilution water may cause pollution.

### 13. Disposal Considerations

**Waste Disposal Method:** Dispose in accordance with local, state, and federal regulations.

### 14. Transport Information

**LAND TRANSPORT (US DOT)**  
**DOT Proper Shipping Name:** Ethyl alcohol solution  
**DOT Hazard Label:** FLAMMABLE LIQUID  
**UN/NA Number:** 1170  
**Packing Group:** II

**LAND TRANSPORT (European ADR/RID)**  
**ADR/RID Proper Shipping Name:** Ethyl alcohol solution  
**UN Number:** 1170  
**Packing Group:** II  
**DOT Hazard Class:** 3

**AIR TRANSPORT (ICAO/IATA)**  
**ICAO/IATA Proper Shipping Name:** Ethyl alcohol solution

# MATERIAL SAFETY DATA SHEET

## Eicosanoid Affinity Column Elution Solution

Page: 4  
Printed: 03/10/2010  
Revision: 02/22/2010  
Supercedes Revision: 11/05/2009

**UN Number:** 1170  
**Packing Group:** II  
**IATA Classification:** 3  
**Additional Transport Information:** Transport in accordance with local, state, and federal regulations.

### 15. Regulatory Information

**European Community Hazard Symbol codes** F: Highly Flammable

**European Community Risk and Safety Phrases**

- R11 - Highly flammable.
- S7 - Keep container tightly closed.
- S16 - Keep away from sources of ignition.

**US EPA SARA Title III**

| Hazardous Components (Chemical Name) | CAS #   | Sec.302 (EHS) | Sec.304 RQ | Sec.313 (TRI) | Sec.110 |
|--------------------------------------|---------|---------------|------------|---------------|---------|
| 1. Ethyl alcohol                     | 64-17-5 | No            | No         | No            | No      |

**US EPA CAA, CWA, TSCA**

| Hazardous Components (Chemical Name) | CAS #   | EPA CAA     | EPA CWA NPDES | EPA TSCA  | HPV/LPV |
|--------------------------------------|---------|-------------|---------------|-----------|---------|
| 1. Ethyl alcohol                     | 64-17-5 | HAP, ODC () | No            | Inventory |         |

### 16. Other Information

**Company Policy or Disclaimer**

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

# MATERIAL SAFETY DATA SHEET

## 8-Isoprostane Affinity Column

Page: 1

Cayman Chemical Company  
1180 E. Ellsworth Rd.  
Ann Arbor, MI 48108

Printed: 03/10/2010  
Revision: 02/22/2010  
Supersedes Revision: 11/05/2009  
Date Created: 04/23/2009

### 1. Product and Company Identification

**Product Code:** 10010366  
**Product Name:** 8-Isoprostane Affinity Column  
**Manufacturer Information**  
**Company Name:** Cayman Chemical Company  
**Emergency Contact:** Cayman Chemical Company (800)364-9897  
**Information:** Cayman Chemical Company (734)971-3335  
**Synonyms:** 8-iso Prostaglandin F2.alpha. Affinity Column; 8-epi Prostaglandin F2.alpha. Affinity Column;

### 2. Hazards Identification

**Emergency Overview:** Harmful.  
**Route(s) of Entry:** Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection  
**Health Hazards (Acute and Chronic):** Harmful if swallowed.  
Material causes eye irritation.  
Material may be irritating to the mucous membranes and upper respiratory tract.  
May be harmful by inhalation or skin absorption.  
May cause skin, or respiratory system irritation.  
The toxicological properties of this product have not been fully evaluated.  
**Signs and Symptoms Of Exposure:** No data available.

### 3. Composition/Information on Ingredients

| Hazardous Components (Chemical Name) | CAS #      | Concentration | EC#       | RTECS #   |
|--------------------------------------|------------|---------------|-----------|-----------|
| 1. 8-Isoprostane Affinity Sorbent    | NA         | 50.0 %        | NA        | NA        |
| 2. Potassium phosphate, dibasic      | 7758-11-4  | 1.33 %        | 231-834-5 | NA        |
| 3. Potassium phosphate, Monobasic    | 7778-77-0  | 0.32 %        | 231-913-4 | TC6615500 |
| 4. Sodium chloride                   | 7647-14-5  | 2.92 %        | 231-598-3 | VZ4725000 |
| 5. Sodium azide                      | 26628-22-8 | 0.05 %        | 247-852-1 | VY8050000 |

### 4. First Aid Measures

**Emergency and First Aid Procedures:** If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.  
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.  
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.  
In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

### 5. Fire Fighting Measures

**Flash Pt:** No data.  
**Explosive Limits:** LEL: No data. UEL: No data.  
**Special Fire Fighting Procedures:** As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.  
**Unusual Fire and Explosion Hazards:** No data available.  
**Hazardous Combustion Products:** No data available.

# MATERIAL SAFETY DATA SHEET

## 8-Isoprostane Affinity Column

Page: 2  
 Printed: 03/10/2010  
 Revision: 02/22/2010  
 Supersedes Revision: 11/05/2009

**Suitable Extinguishing Media:** Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.  
 Use water spray to cool fire-exposed containers.

**Unsuitable Extinguishing Media:** A solid water stream may be inefficient.

### 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Avoid release into the environment.  
 Avoid breathing vapors and provide adequate ventilation.  
 As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).  
 Absorb spill with inert material (e.g. dry sand or earth), then place in a proper chemical waste container.

### 7. Handling and Storage

**Hazard Label Information:** Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.  
 Wash thoroughly after handling

**Precautions To Be Taken in Handling:** Avoid breathing (dust, vapor, mist, gas).  
 Avoid prolonged or repeated exposure.

**Precautions To Be Taken in Storing:** Keep tightly closed.  
 Store at correct temperature.

### 8. Exposure Controls/Personal Protection

| Hazardous Components (Chemical Name) | CAS #      | OSHA PEL | ACGIH TWA        | Other Limits |
|--------------------------------------|------------|----------|------------------|--------------|
| 1. 8-Isoprostane Affinity Sorbent    | NA         | No data. | No data.         | No data.     |
| 2. Potassium phosphate, dibasic      | 7758-11-4  | No data. | No data.         | No data.     |
| 3. Potassium phosphate, Monobasic    | 7778-77-0  | No data. | No data.         | No data.     |
| 4. Sodium chloride                   | 7647-14-5  | No data. | No data.         | No data.     |
| 5. Sodium azide                      | 26628-22-8 | No data. | CEIL: 0.29 mg/m3 | No data.     |

**Protective Equipment Summary - Hazard Label Information:** Compatible chemical-resistant gloves Eye wash station in work area Lab coat Safety glasses Safety shower in work area Vent Hood

**Respiratory Equipment (Specify Type):** NIOSH approved respirator, as conditions warrant.

**Eye Protection:** Safety glasses

**Protective Gloves:** Compatible chemical-resistant gloves

**Other Protective Clothing:** Lab coat

**Ventilation:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

**Work/Hygienic/Maintenance Practices:** Do not take internally.  
 Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.  
 Wash thoroughly after handling.

### 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [ ] Liquid [ ] Solid

**Melting Point:** No data.

**Boiling Point:** No data.

**Autoignition Pt:** No data.

**Flash Pt:** No data.

**Explosive Limits:** LEL: No data. UEL: No data.

**Specific Gravity (Water = 1):** No data.

**Bulk density:** No data.

**Vapor Pressure (vs. Air or mm Hg):** No data.

**Vapor Density (vs. Air = 1):** No data.

**Evaporation Rate (vs Butyl Acetate=1):** No data.

# MATERIAL SAFETY DATA SHEET

## 8-Isoprostane Affinity Column

Page: 3

Printed: 03/10/2010

Revision: 02/22/2010

Supercedes Revision: 11/05/2009

**Solubility in Water:** No data.  
**Percent Volatile:** No data.  
**Heat Value:** No data.  
**Particle Size:** No data.  
**Corrosion Rate:** No data.  
**pH:** No data.  
**Appearance and Odor:** No data available.

### 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid - Instability:** No data available.  
**Incompatibility - Materials To Avoid:** acids  
heavy metals may form extremely explosive azides  
metals  
strong oxidizing agents  
**Hazardous Decomposition Or Byproducts:** carbon dioxide  
carbon monoxide  
hydrogen chloride gas  
phosphorus oxides  
potassium oxides  
sodium oxides  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]  
**Conditions To Avoid - Hazardous Reactions:** No data available.

### 11. Toxicological Information

**:** The toxicological effects of this product have not been thoroughly studied.  
**Carcinogenicity/Other Information:** No data available.  
**Carcinogenicity:** NTP? No IARC Monographs? No OSHA Regulated? No

### 12. Ecological Information

**:** Avoid release into the environment.  
Runoff from fire control or dilution water may cause pollution.

### 13. Disposal Considerations

**Waste Disposal Method:** Dispose in accordance with local, state, and federal regulations.

### 14. Transport Information

**LAND TRANSPORT (US DOT)**  
**DOT Proper Shipping Name** Not dangerous goods.  
**LAND TRANSPORT (European ADR/RID)**  
**ADR/RID Proper Shipping Name** Not dangerous goods.  
**AIR TRANSPORT (ICAO/IATA)**  
**ICAO/IATA Proper Shipping Name** Not dangerous goods.  
**Additional Transport Information:** Transport in accordance with local, state, and federal regulations.

### 15. Regulatory Information

**European Community Hazard Symbol codes** Xn: Harmful

#### European Community Risk and Safety Phrases

R22 - Harmful if swallowed.  
R32 - Contact with acid liberates very toxic gas.  
R36/37/38 - Irritating to eyes, respiratory system and skin.  
R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

# MATERIAL SAFETY DATA SHEET

## 8-Isoprostane Affinity Column

Page: 4

Printed: 03/10/2010

Revision: 02/22/2010

Supercedes Revision: 11/05/2009

S61 - Avoid release to the environment. Refer to special instructions / safety data sheets.

### US EPA SARA Title III

| Hazardous Components (Chemical Name) | CAS #      | Sec.302 (EHS) | Sec.304 RQ  | Sec.313 (TRI) | Sec.110 |
|--------------------------------------|------------|---------------|-------------|---------------|---------|
| 1. 8-Isoprostane Affinity Sorbent    | NA         | No            | No          | No            | No      |
| 2. Potassium phosphate, dibasic      | 7758-11-4  | No            | No          | No            | No      |
| 3. Potassium phosphate, Monobasic    | 7778-77-0  | No            | No          | No            | No      |
| 4. Sodium chloride                   | 7647-14-5  | No            | No          | No            | No      |
| 5. Sodium azide                      | 26628-22-8 | Yes 500 LB    | Yes 1000 LB | Yes           | No      |

### US EPA CAA, CWA, TSCA

| Hazardous Components (Chemical Name) | CAS #      | EPA CAA     | EPA CWA NPDES | EPA TSCA  | HPV/LPV |
|--------------------------------------|------------|-------------|---------------|-----------|---------|
| 1. 8-Isoprostane Affinity Sorbent    | NA         | HAP, ODC () | No            | No        |         |
| 2. Potassium phosphate, dibasic      | 7758-11-4  | HAP, ODC () | No            | Inventory |         |
| 3. Potassium phosphate, Monobasic    | 7778-77-0  | HAP, ODC () | No            | Inventory |         |
| 4. Sodium chloride                   | 7647-14-5  | HAP, ODC () | No            | Inventory |         |
| 5. Sodium azide                      | 26628-22-8 | HAP, ODC () | No            | Inventory |         |

## 16. Other Information

### Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.