



## MATERIAL SAFETY DATA SHEET

This form complies with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.  
 IDENTITY (As Used on Label and List): **5-OxoETE-d7**

### SECTION I - Product Identification 5-OxoETE-d7

Manufacturer Name and Address:	Telephone #s:	Dates:
Cayman Chemical Company	(800)364-9897	Date Entered: 07/24/2000
1180 E. Ellsworth Rd.		Last Revision: 07/24/2000
Ann Arbor, MI. 48108	(734)971-3335	MSDS Printed: 07/24/2000

Synonyms:  
 5-oxo-6E,8Z,11Z,14Z-eicosatetraenoic-6,8,9,11,12,14,15-d7 acid; 5-KETE-d7  
 Chemical Family: Oxo Fatty Acid  
 Hazard Label: Health: 2  
 Molecular Formula: C<sub>20</sub>H<sub>32</sub>O<sub>3</sub> Flammability: 2, Molecular Weight: 325.50 Reactivity: 0

### SECTION II - Hazardous Ingredients/Identity Information 5-OxoETE-d7

Hazardous Components (Specific Chemical Identity/Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Limits	Percentage
5-OxoETE-d7	NA				100.0

### SECTION III - Physical/Chemical Characteristics 5-OxoETE-d7

Boiling Point: NE or NA Specific Gravity (Water = 1): NE or NA Melting Point: NE or NA Vapor Pressure (mm Hg): . . . NE or NA Vapor Density (Air=1): . . . NE or NA Physical States: [ ] Gas Evaporation Rate: . . . . . NE or NA [ X ] Liquid (Butyl Acetate=1) [ ] Solid Solubility In Water: . . . . . >0.8 mg/ml\* at 25.0 C \*PBS pH 7.2, sol. in EtOH, DMSO, & DMF Percent Volatile: . . . . . NE or NA Appearance and Odor:  
 A clear, colorless solution

### SECTION IV - Fire and Explosion Hazard Data 5-OxoETE-d7

Flash Pt: NE or NA Method Used: See note below  
Explosive Limits: LEL: UEL:  
Autoignition Pt: NE or NA Extinguishing Media:  
Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.  
Special Fire Fighting Procedures:  
Note: Flammable as diluted in ethanol.  
Unusual Fire and Explosion Hazards:

---

## SECTION V - Reactivity Data 5-OxoETE-d7

---

Stability: Unstable [ ] Stable [ X ]  
Conditions To Avoid - Instability:

Incompatibility - Materials To Avoid:

Hazardous Decomposition Or Byproducts:

Hazardous Polymerization: May occur [ ] Will not occur [ X ]  
Conditions To Avoid - Hazardous Polymerization:

---

## SECTION VI - Health Hazard Data 5-OxoETE-d7

---

Route(s) of Entry: Inhalation? Yes , Skin? Yes , Eyes? Yes , Ingestion? Yes , Other:  
Health Hazards (Acute and Chronic):  
Contact may cause skin or eye irritation.  
The toxicological properties of this compound have not been fully evaluated.  
Carcinogenicity: NTP? No , IARC Monographs? No , OSHA Regulated? No  
Carcinogenicity/Other Information:

Recommended Exposure Limits: LD 50/LC 50:  
Signs and Symptoms Of Exposure:  
Irritating to the skin, eyes, nose, throat, and respiratory tract.  
Medical Conditions Generally Aggravated By Exposure:

Emergency and First Aid Procedures:  
If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.  
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention.  
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.  
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

---

## SECTION VII - Precautions for Safe Handling and Use 5-OxoETE-d7

---

Steps To Be Taken In Case Material Is Released Or Spilled:  
Absorb the liquid and scrub the area with detergent and water.  
After removal, ventilate contaminated area and flush thoroughly with water.

