

Product Information



Precoated (Mouse Anti-Rabbit IgG) EIA 96 Well Strip Plates Catalog No. 400004

COMMENTS

Each plate is coated with the Mouse Anti-Rabbit IgG antibody. This Material Safety Data Sheet (MSDS) is for the antibody only. A MSDS on this material is not required as this substance is a naturally occurring animal product. However, we do recommend the following minimum precautions when using this substance:

- Do NOT get in eyes, on skin, or on clothing.
- Do NOT take internally.
- Wear protective gloves and safety glasses.
- Keep container closed.
- Store at correct temperature.
- Do NOT reuse this container.
- Do NOT release this material to the environment; dispose of by incineration in accordance with federal, state, and local regulations.
- Wash thoroughly after handling.

WARNING: This material should be considered hazardous until information to the contrary becomes available. This product is not intended or approved for human or veterinary use. Use of this product for human or animal testing is extremely hazardous and may result in disease, severe injury, or death.

The above information is believed to be correct but should only be used as a guide. Cayman Chemical disclaims any express or implied warranty as to the accuracy of the above information and shall not be held liable for any direct, incidental, or consequential damages resulting from reliance on the above information.

Copyright Cayman Chemical Company
Revision Date: 6/24/2005

Cayman Chemical

Mailing address
1180 E. Ellsworth Road
Ann Arbor, MI
48108 USA

Phone
(800) 364-9897
(734) 971-3335

Fax
(734) 971-3640

E-Mail
custserv@caymanchem.com

Web
www.caymanchem.com

MATERIAL SAFETY DATA SHEET

Tween 20

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 12/01/2005
Revision: 06/27/2005
Supersedes Revision: 11/29/2004
Date Created: 06/27/1996

1. Product and Company Identification

Product Code: 400035
Product Name: Tween 20
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
CAS Number: 9005-64-5
RTECS #: TR7400000

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Polyoxyethylene (20) sorbitan monolaurate (Tween 20)	9005-64-5	100.0 %	No data.	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. Polyoxyethylene (20) sorbitan monolaurate (Tween 20)	TR7400000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
LD 50/LC 50: Please refer to Section 11
Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures:
If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: 232.00 C
Explosive Limits: LEL: No data. UEL: No data.
Autoignition Pt: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: Emits toxic fumes under fire conditions.

MATERIAL SAFETY DATA SHEET

Tween 20

Page: 2

Printed: 12/01/2005

Revision: 06/27/2005

Supercedes Revision: 11/29/2004

Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media:	No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. After removal, ventilate contaminated area and flush thoroughly with water.
---	---

7. Handling and Storage

Hazard Label Information:	Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Handling:	Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Do not reuse this container. Keep away from sources of ignition. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Storing:	Keep tightly closed. Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information:	Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood
Respiratory Equipment (Specify Type):	No data available.
Eye Protection:	Safety glasses
Protective Gloves:	Latex disposable gloves
Other Protective Clothing:	Lab coat
Engineering Controls (Ventilation etc.):	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
Work/Hygienic/Maintenance Practices:	Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States:	<input type="checkbox"/> Gas <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	No data.
Flash Pt:	232.00 C Method:
Explosive Limits:	LEL: No data. UEL: No data.
Specific Gravity (Water = 1):	1.095 at 25.0 C
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate (vs Butyl Acetate=1):	No data.
Solubility in Water:	No data.
Percent Volatile:	N.A.
Corrosion Rate:	No data.
Formula:	C58H114O26
Molecular Weight:	1227.54

pH: No data.
Appearance and Odor: A clear, yellow viscous liquid

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: No data available.
Incompatibility - Materials To Avoid: strong oxidizing agents
Hazardous Decomposition Or Byproducts: carbon dioxide
carbon monoxide
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.

Irritation Data:
Skin (human): 15 mg/3D-I mild

Toxicity Data:
Oral LD50 (rat):36700 ul/kg
Intraperitoneal LD50 (rat):3850 mg/kg
Intravenous LD50 (rat):770 mg/kg
Oral LD50 (mouse):>33 gm/kg
Intraperitoneal LD50 (mouse):2640 mg/kg
Intravenous LD50 (mouse):1420 mg/kg
Oral LD50 (hamster):18 ml/kg

Chronic Toxicological Effects: Target organ data:
Specific developmental abnormalities (musculoskeletal system)
Specific developmental abnormalities (other developmental abnormalities)

Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.
See actual entry in RTECS for complete information.
Tween RTECS Number: TR7400000

Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)
DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Polyoxyethylene (20) sorbitan monolaurate (Tween 20)	9005-64-5	No	No	No	No

US EPA CAA, CWA, TSCA

MATERIAL SAFETY DATA SHEET

Tween 20

Page: 4

Printed: 12/01/2005

Revision: 06/27/2005

Supercedes Revision: 11/29/2004

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Polyoxyethylene (20) sorbitan monolaurate (Tween 20)	9005-64-5	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

Methoxylamine HCl

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 04/29/2005
Revision: 04/28/2005
Supersedes Revision: 07/12/2004
Date Created: 05/20/1998

1. Product and Company Identification

Product Code: 400036
Product Name: Methoxylamine HCl
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other
CAS Number: 593-56-6
RTECS #: NC3980000

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Methoxylamine hydrochloride	593-56-6	100.0 %	No data.	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. Methoxylamine hydrochloride	NC3980000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Corrosive, causes burns.
Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract, eyes, and skin.
Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
Possible mutagen.
The toxicological properties of this compound have not been fully evaluated.
LD 50/LC 50: Please refer to Section 11
Signs and Symptoms Of Exposure: Burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.

MATERIAL SAFETY DATA SHEET

Methoxyamine HCl

Page: 3

Printed: 04/29/2005

Revision: 04/28/2005

Supercedes Revision: 07/12/2004

Solubility in Water: No data.
Percent Volatile: No data.
Corrosion Rate: No data.
Formula: CH5NO.HCl
Molecular Weight: 83.50
pH: No data.
Appearance and Odor: A crystalline solid

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: Protect from moisture.
Incompatibility - Materials To Avoid: acid anhydrides
acid chlorides
oxidizing agents
strong bases
Hazardous Decomposition Or Byproducts: carbon dioxide
carbon monoxide
hydrogen chloride gas
nitrogen oxides
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Chronic Toxicological Effects: Investigated as a mutagen.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)
DOT Proper Shipping Name: Corrosive solid, acidic, organic, n.o.s.
DOT Hazard Class: 8
DOT Hazard Label: CORROSIVE
UN/NA Number: 3261
DOT Packing Group: II
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Methoxyamine hydrochloride	593-56-6	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Methoxyamine hydrochloride	593-56-6	No	No	No	No

SARA (Superfund Amendments and Reauthorization Act of 1986) Lists:

MATERIAL SAFETY DATA SHEET

Methoxylamine HCl

Page: 4

Printed: 04/29/2005

Revision: 04/28/2005

Supercedes Revision: 07/12/2004

Sec.302: EPA SARA Title III Section 302 Extremely Hazardous Chemical with TPQ. * indicates 10000 LB TPQ if not volatile.
Sec.304: EPA SARA Title III Section 304: CERCLA Reportable + Sec.302 with Reportable Quantity. ** indicates statutory RQ.
Sec.313: EPA SARA Title III Section 313 Toxic Release Inventory. Note: -Cat indicates a member of a chemical category.
Sec.110: EPA SARA 110 Superfund Site Priority Contaminant List

TSCA (Toxic Substances Control Act) Lists:

5A(2): Chemical Subject to Significant New Rules (SNURS)
6A: Commercial Chemical Control Rules
8A: Toxic Substances Subject To Information Rules on Production
8A CAIR: Comprehensive Assessment Information Rules - (CAIR)
8A PAIR: Preliminary Assessment Information Rules - (PAIR)
8C: Records of Allegations of Significant Adverse Reactions
8D: Health and Safety Data Reporting Rules
8D TERM: Health and Safety Data Reporting Rule Terminations

Other Important Lists:

CWA NPDES: EPA Clean Water Act NPDES Permit Chemical
CAA HAP: EPA Clean Air Act Hazardous Air Pollutant
CAA ODC: EPA Clean Air Act Ozone Depleting Chemical (1=CFC, 2=HCFC)
CA PROP 65: California Proposition 65

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

Sodium Acetate

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 04/29/2005
Revision: 04/28/2005
Supersedes Revision: 07/12/2004
Date Created: 05/20/1998

1. Product and Company Identification

Product Code: 400037
Product Name: Sodium Acetate
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other
CAS Number: 127-09-3
RTECS #: AJ4300010

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Acetic acid, sodium salt	127-09-3	100.0 %	5 mg/m3	10 mg/m3	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. Acetic acid, sodium salt	AJ4300010	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
LD 50/LC 50: Please refer to Section 11.
Signs and Symptoms Of Exposure: Abdominal pain, nausea, vomiting.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: > 250.00 C Method Used: TCC
Explosive Limits: LEL: No data. UEL: No data.
Autoignition Pt: 600.00 C
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: Emits toxic fumes under fire conditions.
Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.

Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear a government approved respirator and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
 Vacuum or sweep up material and place in disposal container.
 Avoid raising dust.
 After removal, ventilate contaminated area and flush thoroughly with water.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.
 Wash thoroughly after handling.

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).
 Avoid contact with eyes, skin, and clothing.
 Avoid prolonged or repeated exposure.
 Do not reuse this container.
 Use with adequate ventilation.
 Wash thoroughly after handling.

Precautions To Be Taken in Storing: Keep tightly closed.
 Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information: Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): No data available.

Eye Protection: Safety glasses

Protective Gloves: Latex disposable gloves

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.
 Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
 Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [] Liquid [X] Solid

Melting Point: No data.

Boiling Point: No data.

Autoignition Pt: 600.00 C

Flash Pt: > 250.00 C Method: TCC

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate (vs Butyl Acetate=1): No data.

Solubility in Water: No data.

Percent Volatile: No data.

Corrosion Rate: No data.

Formula: C2H3O2.Na

Molecular Weight: 82.00

pH: No data.

MATERIAL SAFETY DATA SHEET

Sodium Acetate

Page: 3

Printed: 04/29/2005

Revision: 04/28/2005

Supercedes Revision: 07/12/2004

Appearance and Odor: A crystalline solid

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: protect from moisture

Incompatibility - Materials To Avoid: strong oxidizing agents

Hazardous Decomposition Or Byproducts: carbon dioxide
carbon monoxide

Hazardous Polymerization: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.

Irritation data:
Skin (rabbit): 500 mg 24H mild irritation effect
Eyes (rabbit): 10 mg 24H mild irritation effect

Toxicity data:
Oral LD50 (rat): 3530 mg/kg
Inhalation LC50 (rat): >30,000 mg/kg
Oral LD50 (mouse): 6891 mg/kg
Subcutaneous LD50 (mouse): 3200 mg/kg
Skin LD50 (rabbit): >10,000 mg/kg

Chronic Toxicological Effects: Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information.

Carcinogenicity/Other Information: No data available.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: No data available.

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Acetic acid, sodium salt	127-09-3	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Acetic acid, sodium salt	127-09-3	No	No	No	No

SARA (Superfund Amendments and Reauthorization Act of 1986) Lists:

Sec.302: EPA SARA Title III Section 302 Extremely Hazardous Chemical with TPQ. * indicates 10000 LB TPQ if not volatile.

Sec.304: EPA SARA Title III Section 304: CERCLA Reportable + Sec.302 with Reportable Quantity. ** indicates statutory RQ.

Sec.313: EPA SARA Title III Section 313 Toxic Release Inventory. Note: -Cat indicates a member of a chemical category.

Sec.110: EPA SARA 110 Superfund Site Priority Contaminant List

TSCA (Toxic Substances Control

Act) Lists:

- 5A(2):** Chemical Subject to Significant New Rules (SNURS)
- 6A:** Commercial Chemical Control Rules
- 8A:** Toxic Substances Subject To Information Rules on Production
- 8A CAIR:** Comprehensive Assessment Information Rules - (CAIR)
- 8A PAIR:** Preliminary Assessment Information Rules - (PAIR)
- 8C:** Records of Allegations of Significant Adverse Reactions
- 8D:** Health and Safety Data Reporting Rules
- 8D TERM:** Health and Safety Data Reporting Rule Terminations

Other Important Lists:

- CWA NPDES:** EPA Clean Water Act NPDES Permit Chemical
- CAA HAP:** EPA Clean Air Act Hazardous Air Pollutant
- CAA ODC:** EPA Clean Air Act Ozone Depleting Chemical (1=CFC, 2=HCFC)
- CA PROP 65:** California Proposition 65

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

EIA Tracer Dye

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 12/01/2005
Revision: 04/28/2005
Supersedes Revision: 11/29/2004
Date Created: 04/04/2003

1. Product and Company Identification

Product Code: 400040
Product Name: EIA Tracer Dye
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. EIA Tracer Dye	NA	0.0 -100.0 %	No data.	No data.	No data.
2. Sodium hydroxide	1310-73-2	0.0 -100.0 %	8H TWA:2 mg/m3	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. EIA Tracer Dye	NA	No data.	No data.	No data.	No data.
2. Sodium hydroxide	WB4900000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Corrosive, causes severe burns.
Harmful if swallowed, inhaled, or absorbed through the skin.
Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract, eyes, and skin.
The toxicological properties of this compound have not been fully evaluated.
Toxic
LD 50/LC 50: Please refer to Section 11.
Signs and Symptoms Of Exposure: Inhalation may result in spasm, inflammation, and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema.
Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
Do not give direct mouth-to-mouth if victim ingested or inhaled this substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

MATERIAL SAFETY DATA SHEET

EIA Tracer Dye

Page: 2

Printed: 12/01/2005

Revision: 04/28/2005

Supercedes Revision: 11/29/2004

5. Fire Fighting Measures

Flash Pt:	No data.
Explosive Limits:	LEL: No data. UEL: No data.
Autoignition Pt:	No data.
Fire Fighting Instructions:	As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Exothermic in contact with water.
Flammable Properties and Hazards:	Emits toxic and corrosive fumes under fire conditions.
Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, or dry chemical spray when fighting fires involving this material. Use extinguishing media appropriate to surrounding fire conditions. DO NOT USE WATER.
Unsuitable Extinguishing Media:	No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. After removal, ventilate contaminated area and flush thoroughly with water.
---	---

7. Handling and Storage

Hazard Label Information:	Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Handling:	Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Storing:	Keep tightly closed. Store at correct temperature.
Other Precautions:	Contact with aluminum, tin and zinc liberates hydrogen gas. Contact with nitromethane and other similar nitro compounds causes formation of shock-sensitive salts.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information:	Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood
Respiratory Equipment (Specify Type):	Government approved respirator as conditions warrant.
Eye Protection:	Safety glasses
Protective Gloves:	Latex disposable gloves
Other Protective Clothing:	Lab coat
Engineering Controls (Ventilation etc.):	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
Work/Hygienic/Maintenance Practices:	Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Melting Point:	No data.

MATERIAL SAFETY DATA SHEET

EIA Tracer Dye

Page: 3

Printed: 12/01/2005

Revision: 04/28/2005

Supercedes Revision: 11/29/2004

Boiling Point:	No data.
Autoignition Pt:	No data.
Flash Pt:	No data. Method:
Explosive Limits:	LEL: No data. UEL: No data.
Specific Gravity (Water = 1):	No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate (vs Butyl Acetate=1):	No data.
Solubility in Water:	No data.
Percent Volatile:	No data.
Corrosion Rate:	No data.
pH:	No data.
Appearance and Odor:	A clear, colorless solution.

10. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	absorbs carbon dioxide from air
Incompatibility - Materials To Avoid:	chlorinated solvents organic materials strong acids strong oxidizing agents
Hazardous Decomposition Or Byproducts:	No data available.
Hazardous Polymerization:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization:	No data available.

11. Toxicological Information

Toxicological Information:	The toxicological effects of this compound have not been thoroughly studied.
	NaOH - Irritation Data: Eye (monkey): 1%/24H severe Skin (rabbit): 500 mg/24H severe Eye (rabbit): 400 ug mild Eye (rabbit): 1% severe Eye (rabbit): 50 ug/24H severe Eye (rabbit): 1mg/24H severe Eye (rabbit): 1mg/30S rinse severe
	NaOH - Toxicity Data: Intraperitoneal LD50 (mouse): 40 mg/kg
Chronic Toxicological Effects:	Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information. NaOH RTECS Number: WB4900000
Carcinogenicity/Other Information:	No data available.
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information:	Runoff from fire control or dilution water may cause pollution.
--------------------------------	---

13. Disposal Considerations

Waste Disposal Method:	Dispose in accordance with local, state and federal regulations.
-------------------------------	--

MATERIAL SAFETY DATA SHEET

EIA Tracer Dye

Page: 4

Printed: 12/01/2005

Revision: 04/28/2005

Supercedes Revision: 11/29/2004

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: Sodium hydroxide solution
DOT Hazard Class: 8
DOT Hazard Label: CORROSIVE
UN/NA Number: UN1824
DOT Packing Group: II
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. EIA Tracer Dye	NA	No	No	No	No
2. Sodium hydroxide	1310-73-2	No	Yes 1000 LB	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. EIA Tracer Dye	NA	No	No	No	No
2. Sodium hydroxide	1310-73-2	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

EIA Antiserum Dye

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 12/01/2005
Revision: 04/28/2005
Supersedes Revision: 11/29/2004
Date Created: 04/04/2003

1. Product and Company Identification

Product Code: 400042
Product Name: EIA Antiserum Dye
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. EIA Antiserum Dye	NA	0.0 -100.0 %	No data.	No data.	No data.
2. Sodium chloride	7647-14-5	0.0 -100.0 %	No data.	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. EIA Antiserum Dye	NA	No data.	No data.	No data.	No data.
2. Sodium chloride	VZ4725000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material may be irritating to mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Autoignition Pt: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: No data available.
Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.

MATERIAL SAFETY DATA SHEET

EIA Antiserum Dye

Page: 2

Printed: 12/01/2005

Revision: 04/28/2005

Supercedes Revision: 11/29/2004

Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.
After removal, ventilate contaminated area and flush thoroughly with water.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.
Wash thoroughly after handling.

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).
Avoid contact with eyes, skin, and clothing.
Avoid prolonged or repeated exposure.
Do not reuse this container.
Use with adequate ventilation.
Wash thoroughly after handling.

Precautions To Be Taken in Storing: Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information: Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): No data available.

Eye Protection: Safety glasses

Protective Gloves: Latex disposable gloves

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.
Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Melting Point: No data.

Boiling Point: No data.

Autoignition Pt: No data.

Flash Pt: No data. Method:

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate (vs Butyl Acetate=1): No data.

Solubility in Water: No data.

Percent Volatile: No data.

Corrosion Rate: No data.

pH: No data.

Appearance and Odor: A clear, colorless solution.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: No data available.

MATERIAL SAFETY DATA SHEET

EIA Antiserum Dye

Page: 3
 Printed: 12/01/2005
 Revision: 04/28/2005
 Supersedes Revision: 11/29/2004

Incompatibility - Materials To Avoid: No data available.
Hazardous Decomposition Or Byproducts: No data available.
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)
DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. EIA Antiserum Dye	NA	No	No	No	No
2. Sodium chloride	7647-14-5	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. EIA Antiserum Dye	NA	No	No	No	No
2. Sodium chloride	7647-14-5	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.
 DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

Ellman's Reagent

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 12/01/2005
Revision: 06/27/2005
Supersedes Revision: 12/06/2004
Date Created: 06/27/1996

1. Product and Company Identification

Product Code: 400050
Product Name: Ellman's Reagent
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Ellman's Reagent	NA	0.0 -100.0 %	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Irritant.
Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
Signs and Symptoms Of Exposure: Ingestion of large amounts causes vomiting and diarrhea.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Autoignition Pt: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: Emits toxic and corrosive fumes under fire conditions.
Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
Vacuum or sweep up material and place in disposal container.
Avoid raising dust.
After removal, ventilate contaminated area and flush thoroughly with water.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.
Wash thoroughly after handling.

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).
Avoid contact with eyes, skin, and clothing.
Avoid prolonged or repeated exposure.
Do not reuse this container.
Hygroscopic.
Use with adequate ventilation.
Wash thoroughly after handling.

Precautions To Be Taken in Storing: Keep tightly closed.
Protect from light.
Protect from moisture.
Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information: Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): No data available.

Eye Protection: Safety glasses

Protective Gloves: Latex disposable gloves

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.
Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [] Liquid [X] Solid

Melting Point: No data.

Boiling Point: No data.

Autoignition Pt: No data.

Flash Pt: No data. Method:

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate (vs Butyl Acetate=1): No data.

Solubility in Water: No data.

Percent Volatile: No data.

Corrosion Rate: No data.

pH: No data.

Appearance and Odor: A lyophilized powder

10. Stability and Reactivity

Stability:	Unstable [<input type="checkbox"/>] Stable [<input checked="" type="checkbox"/>]
Conditions To Avoid - Instability:	protect from light protect from moisture
Incompatibility - Materials To Avoid:	strong bases strong oxidizing agents
Hazardous Decomposition Or Byproducts:	carbon dioxide carbon monoxide hydrogen chloride gas hydrogen iodide nitrogen oxides sodium/sodium oxides sulfur oxides
Hazardous Polymerization:	Will occur [<input type="checkbox"/>] Will not occur [<input checked="" type="checkbox"/>]
Conditions To Avoid - Hazardous Polymerization:	No data available.

11. Toxicological Information

Toxicological Information:	The toxicological effects of this compound have not been thoroughly studied.
Chronic Toxicological Effects:	Sodium Chloride - Target organ data: Behaviorial (change in motor activity) Behaviorial (convulsions or effect on seizure threshold) Behaviorial (muscle contraction or spasticity) Behaviorial (somnia) (sic) Cardiac (other changes) Effects on embryo (fetal death) Effects on embryo or fetus (fetotoxicity) Effects on fertility (pre-implantation mortality) Effects on fertility (post-implantation mortality) Endocrine (estrogenic) Maternal effects (other effects on female) Maternal effects (ovaries, fallopian tubes) Nutritional and gross metabolic (changes in: NA) Sense organs and special senses (other eye effects) Specific developmental abnormalities (musculoskeletal system) Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete Information. Sodium Chloride RTECS Number: VZ4725000
Carcinogenicity/Other Information:	No data available.
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information:	Runoff from fire control or dilution water may cause pollution.
--------------------------------	---

13. Disposal Considerations

Waste Disposal Method:	Dispose in accordance with local, state and federal regulations.
-------------------------------	--

14. Transport Information

LAND TRANSPORT (US DOT)	
DOT Proper Shipping Name:	No data available.
Additional Transport Information:	Transport in accordance with local, state, and federal regulations.

MATERIAL SAFETY DATA SHEET

Ellman's Reagent

Page: 4

Printed: 12/01/2005

Revision: 06/27/2005

Supercedes Revision: 12/06/2004

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Ellman's Reagent	NA	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Ellman's Reagent	NA	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET
EIA Buffer Concentrate (10X)

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 12/01/2005
Revision: 04/28/2005
Supersedes Revision: 02/13/2005
Date Created: 06/27/1996

1. Product and Company Identification

Product Code: 400060
Product Name: EIA Buffer Concentrate (10X)
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Potassium phosphate, dibasic	7758-11-4	13.3 %	No data.	No data.	No data.
2. Potassium phosphate	7778-77-0	3.21 %	No data.	No data.	No data.
3. Sodium azide	26628-22-8	0.1 %	No data.	No data.	No data.
4. Sodium chloride	7647-14-5	23.4 %	No data.	No data.	No data.
5. Ethylenediamine Tetraacetic Acid	60-00-4	0.38 %	No data.	No data.	No data.
6. Serum Albumin	9048-46-8	1.0 %	No data.	No data.	No data.
7. Water	7732-18-5	58.61 %	No data.	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. Potassium phosphate, dibasic	NA	No data.	No data.	No data.	No data.
2. Potassium phosphate	TC6615500	No data.	No data.	No data.	No data.
3. Sodium azide	VY8050000	No data.	No data.	No data.	No data.
4. Sodium chloride	VZ4725000	No data.	No data.	No data.	No data.
5. Ethylenediamine Tetraacetic Acid	AH4025000	No data.	No data.	No data.	No data.
6. Serum Albumin	MT6446000	No data.	No data.	No data.	No data.
7. Water	ZC0110000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Irritant.
Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
LD 50/LC 50: Please refer to Section 11
Signs and Symptoms of Exposure: Ingestion of large amounts causes vomiting and diarrhea.

4. First Aid Measures

Emergency and First Aid Procedures:
If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt:	No data.
Explosive Limits:	LEL: No data. UEL: No data.
Autoignition Pt:	No data.
Fire Fighting Instructions:	As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards:	Emits toxic fumes under fire conditions.
Hazardous Combustion Products:	carbon dioxide carbon monoxide hydrogen chloride gas sodium/sodium oxides
Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media:	No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Wear a government approved respirator and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. After removal, ventilate contaminated area and flush thoroughly with water.
---	--

7. Handling and Storage

Hazard Label Information:	Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Handling:	Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Storing:	Keep tightly closed. Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information:	Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood
Respiratory Equipment (Specify Type):	Government approved respirator as conditions warrant.
Eye Protection:	Safety glasses
Protective Gloves:	Latex disposable gloves
Other Protective Clothing:	Lab coat
Engineering Controls (Ventilation etc.):	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
Work/Hygienic/Maintenance Practices:	Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	No data.

EIA Buffer Concentrate (10X)

Flash Pt:	No data. Method:
Explosive Limits:	LEL: No data. UEL: No data.
Specific Gravity (Water = 1):	No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate (vs Butyl Acetate=1):	No data.
Solubility in Water:	No data.
Percent Volatile:	No data.
Corrosion Rate:	No data.
pH:	No data.
Appearance and Odor:	A clear, colorless solution

10. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	No data available.
Incompatibility - Materials To Avoid:	strong oxidizing agents
Hazardous Decomposition Or Byproducts:	carbon dioxide carbon monoxide hydrogen chloride gas sodium/sodium oxides
Hazardous Polymerization:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization:	No data available.

11. Toxicological Information

Toxicological Information:	The toxicological effects of this compound have not been thoroughly studied.
	NaCl - Irritation data: Skin (rabbit): 50 mg/24H mild Skin (rabbit): 500 mg/24H mild Eye (rabbit): 100 mg mild Eye (rabbit): 100mg/24H moderate Eye (rabbit): 10 mg moderate
	KH2PO4 -Toxicity data: Skin LD50 (rabbit): >4640 mg/kg
	NaCl -Toxicity data: Oral LDLO (man): 1000 mg/kg Oral LD50 (rat): 3000 mg/kg Inhalation LD50 (rat): >42000 mg/m3/hr Oral LD50 (mouse): 4000 mg/kg Intraperitoneal LD50 (mouse): 2602 mg/kg Subcutaneous LD50 (mouse): 3000 mg/kg Intravenous LD50 (mouse): 645 mg/kg Skin LD50 (rabbit): >10000mg/kg
Chronic Toxicological Effects:	NaCl - Target organ data: Behavioral (somnia) (sic) Behavioral (convulsions or effect on seizure threshold) Behavioral (change in motor activity) Behavioral (muscle contraction or spasticity) Cardiac (other changes) Effects on embryo or fetus (fetal death) Effects on embryo or fetus (fetotoxicity) Effects on fertility (pre-implantation mortality) Effects on fertility (post-implantation mortality)

MATERIAL SAFETY DATA SHEET
EIA Buffer Concentrate (10X)

Effects on fertility (abortion)
 Endocrine (estrogenic)
 Maternal effects (ovaries, fallopian tubes)
 Maternal effects (other effects on female)
 Nutritional and gross metabolic (changes in: NA)
 Sense organs and special senses (other eye effects)
 Specific developmental abnormalities (musculoskeletal system)

Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.
 See actual entry in RTECS for complete information.
 KH₂PO₄ RTECS Number: TC6615500
 NaCl RTECS Number: VZ4725000

Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)
DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Potassium phosphate, dibasic	7758-11-4	No	No	No	No
2. Potassium phosphate	7778-77-0	No	No	No	No
3. Sodium azide	26628-22-8	Yes 500 LB	Yes 1000 LB	Yes	No
4. Sodium chloride	7647-14-5	No	No	No	No
5. Ethylenediamine Tetraacetic Acid	60-00-4	No	Yes 5000 LB	No	No
6. Serum Albumin	9048-46-8	No	No	No	No
7. Water	7732-18-5	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Potassium phosphate, dibasic	7758-11-4	No	No	No	No
2. Potassium phosphate	7778-77-0	No	No	No	No
3. Sodium azide	26628-22-8	No	No	No	No
4. Sodium chloride	7647-14-5	No	No	No	No
5. Ethylenediamine Tetraacetic Acid	60-00-4	No	No	No	No
6. Serum Albumin	9048-46-8	No	No	No	No
7. Water	7732-18-5	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.
DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

Wash Buffer Concentrate (400X)

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 12/01/2005
Revision: 04/28/2005
Supercedes Revision: 11/29/2004
Date Created: 06/27/1996

1. Product and Company Identification

Product Code: 400062
Product Name: Wash Buffer Concentrate (400X)
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Other

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Potassium phosphate, dibasic	7758-11-4	53.2 %	No data.	No data.	No data.
2. Potassium phosphate	7778-77-0	12.85 %	No data.	No data.	No data.
3. Water	7732-18-5	33.95 %	No data.	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. Potassium phosphate, dibasic	NA	No data.	No data.	No data.	No data.
2. Potassium phosphate	TC6615500	No data.	No data.	No data.	No data.
3. Water	ZC0110000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
LD 50/LC 50: KH₂PO₄ - Skin LD50 (rabbit): >4640 mg/kg
Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Autoignition Pt: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

MATERIAL SAFETY DATA SHEET

Wash Buffer Concentrate (400X)

Page: 3
 Printed: 12/01/2005
 Revision: 04/28/2005
 Supercedes Revision: 11/29/2004

pH: No data.
Appearance and Odor: A clear, colorless solution

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: No data available.
Incompatibility - Materials To Avoid: strong oxidizing agents
Hazardous Decomposition Or Byproducts: carbon dioxide
 carbon monoxide
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)
DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Potassium phosphate, dibasic	7758-11-4	No	No	No	No
2. Potassium phosphate	7778-77-0	No	No	No	No
3. Water	7732-18-5	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Potassium phosphate, dibasic	7758-11-4	No	No	No	No
2. Potassium phosphate	7778-77-0	No	No	No	No
3. Water	7732-18-5	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET
Prostaglandin D2-MOX AChE Express Tracer

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 01/10/2006
Revision: 01/06/2006
Supersedes Revision: 07/12/2004
Date Created: 02/04/2004

1. Product and Company Identification

Product Code: 400150
Product Name: Prostaglandin D2-MOX AChE Express Tracer
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA Tracer
Synonyms: PGD2-MOX EIA Express Tracer

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Prostaglandin D2-MOX AChE Express Tracer	NA	100.0 %	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
Signs and Symptoms Of Exposure: Irritating to the skin, eyes, nose, throat, and respiratory tract.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Autoignition Pt: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: No data available.
Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media: No data available.

MATERIAL SAFETY DATA SHEET

Prostaglandin D2-MOX AChE Express Tracer

Page: 3
 Printed: 01/10/2006
 Revision: 01/06/2006
 Supersedes Revision: 07/12/2004

Hazardous Decomposition Or Byproducts: No data available.

Hazardous Polymerization: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.

Carcinogenicity/Other Information: No data available.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: No data available.

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Prostaglandin D2-MOX AChE Express Tracer	NA	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Prostaglandin D2-MOX AChE Express Tracer	NA	No	No	No	No

Regulatory Information: Regulatory information on this product is not available.

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET
Prostaglandin D2-MOX Express EIA Antiserum

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 01/06/2006
Revision: 01/06/2006

Date Created: 01/06/2006

1. Product and Company Identification

Product Code: 400152
Product Name: Prostaglandin D2-MOX Express EIA Antiserum
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: EIA - Antisera

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Prostaglandin D2-MOX Express EIA Antiserum	NA	100.0 %	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this compound have not been fully evaluated.
Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Autoignition Pt: No data.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Flammable Properties and Hazards: No data available.
Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
 Vacuum or sweep up material and place in disposal container.
 Avoid raising dust.
 After removal, ventilate contaminated area and flush thoroughly with water.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.
 Wash thoroughly after handling.

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).
 Avoid contact with eyes, skin, and clothing.
 Avoid prolonged or repeated exposure.
 Do not reuse this container.
 Use with adequate ventilation.
 Wash thoroughly after handling.

Precautions To Be Taken in Storing: Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information: Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): No data available.

Eye Protection: Safety glasses

Protective Gloves: Latex disposable gloves

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.
 Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
 Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: Gas Liquid Solid

Melting Point: No data.

Boiling Point: No data.

Autoignition Pt: No data.

Flash Pt: No data. Method:

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate (vs Butyl Acetate=1): No data.

Solubility in Water: No data.

Percent Volatile: No data.

Corrosion Rate: No data.

pH: No data.

Appearance and Odor: A lyophilized powder

10. Stability and Reactivity

Stability: Unstable Stable

Conditions To Avoid - Instability: No data available.

MATERIAL SAFETY DATA SHEET

Prostaglandin D2-MOX Express EIA Antiserum

Page: 3
Printed: 01/06/2006
Revision: 01/06/2006

Incompatibility - Materials To Avoid: No data available.
Hazardous Decomposition Or Byproducts: No data available.
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: No data available.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Prostaglandin D2-MOX Express EIA Antiserum	NA	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Prostaglandin D2-MOX Express EIA Antiserum	NA	No	No	No	No

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.
 DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET
Prostaglandin D2-MOX Express EIA Standard

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 01/06/2006
Revision: 01/06/2006
Supersedes Revision: 07/12/2004
Date Created: 02/06/2004

1. Product and Company Identification

Product Code: 400154
Product Name: Prostaglandin D2-MOX Express EIA Standard
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: Prostaglandins

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Prostaglandin D2-MOX Express EIA Standard	NA	0.0 -0.001 %	No data.	No data.	No data.
2. Ethyl alcohol	64-17-5	0.0 -99.999 %	8H TWA:1000ppm (1900 mg/m3)	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. Prostaglandin D2-MOX Express EIA Standard	NA	No data.	No data.	No data.	No data.
2. Ethyl alcohol	KQ6300000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Potential Health Effects (Acute and Chronic): The hazards identified with this product are those associated with the solvent(s).
Long term repeated oral exposure to ethanol may result in the development of progressive liver injury with fibrosis.
Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
Repeated exposure may cause skin dryness or cracking.
Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the CNS system of the fetus, producing a collection of effects which together constitute fetal alcohol syndrome. These include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioral disorders and small size head.
The toxicological properties of this compound have not been fully evaluated.

Signs and Symptoms Of Exposure: Exposure may cause: Dizziness, drowsiness, headache, nausea, and vomiting.

Medical Conditions Generally Aggravated By Exposure: Repeated exposure to ethanol may aggravate liver injury produced from other causes.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

MATERIAL SAFETY DATA SHEET
Prostaglandin D2-MOX Express EIA Standard

Page: 2
Printed: 01/06/2006
Revision: 01/06/2006
Supercedes Revision: 07/12/2004

5. Fire Fighting Measures

Flash Pt: 14.00 C Method Used: TCC

Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C

Autoignition Pt: No data.

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Note: Flammable as diluted in ethanol.

Flammable Properties and Hazards: Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.
Container explosion may occur under fire conditions.
Emits toxic fumes under fire conditions.
Flammable liquid.
Vapors can travel to a source of ignition and flash back.

Hazardous Combustion Products: carbon dioxide
carbon monoxide

Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.

Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.
After removal, ventilate contaminated area and flush thoroughly with water.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.
Wash thoroughly after handling.

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).
Avoid contact with eyes, skin, and clothing.
Avoid prolonged or repeated exposure.
Do not reuse this container.
Keep away from sources of ignition.
Use with adequate ventilation.
Wash thoroughly after handling.

Precautions To Be Taken in Storing: Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information: Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): No data available.

Eye Protection: Safety glasses

Protective Gloves: Latex disposable gloves

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Good general ventilation should be sufficient to control airborne levels.

Work/Hygienic/Maintenance Practices: Do not take internally.
Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Melting Point: No data.

Boiling Point: No data.

Autoignition Pt: No data.

MATERIAL SAFETY DATA SHEET

Prostaglandin D2-MOX Express EIA Standard

Page: 3
 Printed: 01/06/2006
 Revision: 01/06/2006
 Supersedes Revision: 07/12/2004

Flash Pt: 14.00 C Method: TCC

Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C

Specific Gravity (Water = 1): No data.

Vapor Pressure (vs. Air or mm Hg): 44.6 MM_HG at 20.0 C

Vapor Density (vs. Air = 1): No data.

Evaporation Rate (vs Butyl Acetate=1): No data.

Solubility in Water: No data.

Percent Volatile: No data.

Corrosion Rate: No data.

pH: No data.

Appearance and Odor: A clear, colorless solution

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: No data available.

Incompatibility - Materials To Avoid: strong inorganic acids
strong oxidizing agents

Hazardous Decomposition Or Byproducts: carbon dioxide
carbon monoxide

Hazardous Polymerization: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.

Carcinogenicity/Other Information: No data available.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: Ethyl alcohol

DOT Hazard Class: 3

DOT Hazard Label: Flammable Liquid

UN/NA Number: 1170

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Prostaglandin D2-MOX Express EIA Standard	NA	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Prostaglandin D2-MOX Express EIA Standard	NA	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	No	No

Regulatory Information: Regulatory information on this product is not available.

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Page: 1

MATERIAL SAFETY DATA SHEET
Prostaglandin D2 Express Methoximating
Control

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 01/06/2006
Revision: 01/06/2006
Supersedes Revision: 07/12/2004
Date Created: 02/06/2004

1. Product and Company Identification

Product Code: 400155
Product Name: Prostaglandin D2 Express Methoximating Control
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Chemical Family: Prostaglandins

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Percentage	OSHA PEL	ACGIH TLV	Other Limits
1. Prostaglandin D2 Express Methoximating Control	NA	0.0 -0.001 %	No data.	No data.	No data.
2. Ethyl alcohol	64-17-5	0.0 -99.999 %	8H TWA:1000ppm (1900 mg/m3)	No data.	No data.
Hazardous Components (Chemical Name)	RTECS #	OSHA STEL	OSHA CEIL	ACGIH STEL	ACGIH CEIL
1. Prostaglandin D2 Express Methoximating Control	NA	No data.	No data.	No data.	No data.
2. Ethyl alcohol	KQ6300000	No data.	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Potential Health Effects (Acute and Chronic): The hazards identified with this product are those associated with the solvent(s).
Long term repeated oral exposure to ethanol may result in the development of progressive liver injury with fibrosis.
Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
Repeated exposure may cause skin dryness or cracking.
Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the CNS system of the fetus, producing a collection of effects which together constitute fetal alcohol syndrome. These include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioral disorders and small size head.
The toxicological properties of this compound have not been fully evaluated.

Signs and Symptoms Of Exposure: Exposure may cause: Dizziness, drowsiness, headache, nausea, and vomiting.

Medical Conditions Generally Aggravated By Exposure: Repeated exposure to ethanol may aggravate liver injury produced from other causes.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

MATERIAL SAFETY DATA SHEET
Prostaglandin D2 Express Methoximating
Control

Page: 2
Printed: 01/06/2006
Revision: 01/06/2006
Supercedes Revision: 07/12/2004

5. Fire Fighting Measures

Flash Pt:	14.00 C Method Used: TCC
Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C
Autoignition Pt:	No data.
Fire Fighting Instructions:	As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in ethanol.
Flammable Properties and Hazards:	Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Flammable liquid. Vapors can travel to a source of ignition and flash back.
Hazardous Combustion Products:	carbon dioxide carbon monoxide
Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material.
Unsuitable Extinguishing Media:	No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. After removal, ventilate contaminated area and flush thoroughly with water.
---	---

7. Handling and Storage

Hazard Label Information:	Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Handling:	Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Do not reuse this container. Keep away from sources of ignition. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Storing:	Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary - Hazard Label Information:	Eye wash station in work area Lab coat Latex disposable gloves Safety glasses Safety shower in work area Vent Hood
Respiratory Equipment (Specify Type):	No data available.
Eye Protection:	Safety glasses
Protective Gloves:	Latex disposable gloves
Other Protective Clothing:	Lab coat
Engineering Controls (Ventilation etc.):	Good general ventilation should be sufficient to control airborne levels.
Work/Hygienic/Maintenance Practices:	Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	No data.

MATERIAL SAFETY DATA SHEET
Prostaglandin D2 Express Methoximating
Control

Page: 3
 Printed: 01/06/2006
 Revision: 01/06/2006
 Supercedes Revision: 07/12/2004

Flash Pt: 14.00 C Method: TCC
Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C
Specific Gravity (Water = 1): No data.
Vapor Pressure (vs. Air or mm Hg): 44.6 MM_HG at 20.0 C
Vapor Density (vs. Air = 1): No data.
Evaporation Rate (vs Butyl Acetate=1): No data.
Solubility in Water: No data.
Percent Volatile: No data.
Corrosion Rate: No data.
pH: No data.
Appearance and Odor: A clear, colorless solution

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: No data available.
Incompatibility - Materials To Avoid: strong inorganic acids
 strong oxidizing agents
Hazardous Decomposition Or Byproducts: carbon dioxide
 carbon monoxide
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization: No data available.

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)
DOT Proper Shipping Name: Ethyl alcohol
DOT Hazard Class: 3
DOT Hazard Label: Flammable liquid
UN/NA Number: 1170
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Prostaglandin D2 Express Methoximating Control	NA	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Prostaglandin D2 Express Methoximating Control	NA	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	No	No

MATERIAL SAFETY DATA SHEET
Prostaglandin D2 Express Methoximating
Control

Page: 4
Printed: 01/06/2006
Revision: 01/06/2006
Supercedes Revision: 07/12/2004

Regulatory Information:

Regulatory information on this product is not available.

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.