

MATERIAL SAFETY DATA SHEET

LPO Assay FTS Reagent 1

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 06/15/2010
Revision: 06/10/2010
Supersedes Revision: 05/02/2006
Date Created: 01/28/1998

1. Product and Company Identification

Product Code: 705010
Product Name: LPO Assay FTS Reagent 1
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Synonyms: FTS Reagent 1;

2. Hazards Identification

Emergency Overview: Avoid contact and inhalation.
Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection
Health Hazards (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this product have not been fully evaluated.
Signs and Symptoms Of Exposure: No data available.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration	EC#	RTECS #
1. Ferrous sulfate	7782-63-0	0.126 %	NA	NO8510000
2. Hydrochloric acid	7647-01-0	1.673 %	231-595-7	MW4025000
3. Water	7732-18-5	98.201 %	231-791-2	ZC0110000

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Special Fire Fighting Procedures: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Unusual Fire and Explosion Hazards: No data available.
Hazardous Combustion Products: No data available.
Suitable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.
Use water spray to cool fire-exposed containers.
Unsuitable Extinguishing Media: A solid water stream may be inefficient.

MATERIAL SAFETY DATA SHEET

LPO Assay FTS Reagent 1

Page: 2
 Printed: 06/15/2010
 Revision: 06/10/2010
 Supersedes Revision: 05/02/2006

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Avoid release into the environment.
 Avoid breathing vapors and provide adequate ventilation.
 As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
 Absorb spill with inert material (e.g. dry sand or earth), then place in a proper chemical waste container.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.
 Wash thoroughly after handling

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).
 Avoid prolonged or repeated exposure.

Precautions To Be Taken in Storing: Keep tightly closed.
 Store at correct temperature.

8. Exposure Controls/Personal Protection

Hazardous Components (Chemical Name)	CAS #	OSHA TWA	ACGIH TWA	Other Limits
1. Ferrous sulfate	7782-63-0	No data.	No data.	No data.
2. Hydrochloric acid	7647-01-0	CEIL: 5 ppm	CEIL: 2 ppm)	No data.
3. Water	7732-18-5	No data.	No data.	No data.

Protective Equipment Summary - Hazard Label Information: Compatible chemical-resistant gloves Eye wash station in work area Lab coat Safety glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): NIOSH approved respirator, as conditions warrant.

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.
 Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
 Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Melting Point: No data.

Boiling Point: No data.

Autoignition Pt: No data.

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): No data.

Bulk density: No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate (vs Butyl Acetate=1): No data.

Solubility in Water: No data.

Percent Volatile: No data.

Heat Value: No data.

Particle Size: No data.

Corrosion Rate: No data.

MATERIAL SAFETY DATA SHEET

LPO Assay FTS Reagent 1

Page: 3
 Printed: 06/15/2010
 Revision: 06/10/2010
 Supercedes Revision: 05/02/2006

pH: No data.
Appearance and Odor: No data available.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: No data available.
Incompatibility - Materials To Avoid: No data available.
Hazardous Decomposition Or Byproducts: No data available.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

: The toxicological effects of this product have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

: Avoid release into the environment.
 Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)
DOT Proper Shipping Name Not dangerous goods.
LAND TRANSPORT (European ADR/RID)
ADR/RID Shipping Name Not dangerous goods.
AIR TRANSPORT (ICAO/IATA)
ICAO/IATA Shipping Name Not dangerous goods.
Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes
 No data available.

European Community Risk and Safety Phrases
 S24/25 - Avoid contact with skin and eyes.
 S37/39 - Wear suitable gloves and eye/face protection.

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Ferrous sulfate	7782-63-0	No	Yes 1000 LB	No	No
2. Hydrochloric acid	7647-01-0	Yes 500 LB	Yes 5000 LB	Yes	No
3. Water	7732-18-5	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	HPV/LPV
1. Ferrous sulfate	7782-63-0	HAP, ODC ()	No	No	
2. Hydrochloric acid	7647-01-0	HAP, ODC ()	No	Inventory	
3. Water	7732-18-5	HAP, ODC ()	No	Inventory	

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.
DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

MATERIAL SAFETY DATA SHEET

LPO Assay FTS Reagent 2

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 06/15/2010
Revision: 06/10/2010
Supersedes Revision: 05/02/2006
Date Created: 01/28/1998

1. Product and Company Identification

Product Code: 705012
Product Name: LPO Assay FTS Reagent 2
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Synonyms: FTS Reagent 2;

2. Hazards Identification

Emergency Overview: Highly Flammable. Danger - Poison.
Toxic.
Target Organ(s): central nervous system, eyes, gastrointestinal tract, respiratory system, skin.
The hazards identified with this product are those associated with the solvent(s).

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Health Hazards (Acute and Chronic): Cannot be made nonpoisonous.
Irritating to eyes, respiratory system and skin.
Irritating to the mucous membranes and upper respiratory tract.
Harmful vapors.
Harmful if swallowed, inhaled, or absorbed through the skin.
May be fatal or cause blindness if swallowed.
The toxicological properties of this product have not been fully evaluated.

LD 50 / LC 50: Please refer to Section 11.

Signs and Symptoms Of Exposure: Overexposure may cause: dermatitis, headache, drowsiness, dizziness, nausea, vomiting, visual disturbance.
Methyl alcohol is a defatting agent and may cause skin to become dry and cracked.
Symptoms may be delayed.
Once methanol is absorbed into the body, it is very slowly eliminated.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration	EC#	RTECS #
1. Ammonium thiocyanate	1762-95-4	3.0 %	217-175-6	XK7875000
2. Methanol	67-56-1	97.0 %	200-659-6	PC1400000

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: 11.00 C Method Used: Closed Cup

Explosive Limits: LEL: 6% at 25.0 C UEL: 36% at 25.0 C

Autoignition Pt: 385.00 C

Special Fire Fighting Procedures: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
 Note: Flammable as diluted in methanol.

Unusual Fire and Explosion Hazards: Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.
 Container explosion may occur under fire conditions.
 Emits toxic fumes under fire conditions.
 Sensitive to static discharge.
 Vapors can travel to a source of ignition and flash back.

Hazardous Combustion Products: No data available.

Suitable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.
 Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media: A solid water stream may be inefficient.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Avoid release into the environment.
 Avoid breathing vapors and provide adequate ventilation.
 Remove all sources of ignition.
 As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
 Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.
 Wash thoroughly after handling

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).
 Avoid prolonged or repeated exposure.
 Keep away from sources of ignition.
 Prevent the build up of electrostatic charge.

Precautions To Be Taken in Storing: Keep away from heat, sparks, and flame.
 Keep tightly closed.
 Store at correct temperature.

8. Exposure Controls/Personal Protection

Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TWA	Other Limits
1. Ammonium thiocyanate	1762-95-4	No data.	No data.	No data.
2. Methanol	67-56-1	PEL: 200 ppm	TLV: 200 ppm STEL: 250 ppm	No data.

Protective Equipment Summary - Hazard Label Information: Compatible chemical-resistant gloves Eye wash station in work area Lab coat Safety glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): NIOSH approved respirator, as conditions warrant.

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.
 Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
 Wash thoroughly after handling.

MATERIAL SAFETY DATA SHEET

LPO Assay FTS Reagent 2

Page: 3

Printed: 06/15/2010

Revision: 06/10/2010

Supercedes Revision: 05/02/2006

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	385.00 C
Flash Pt:	11.00 C Method Used: Closed Cup
Explosive Limits:	LEL: 6% at 25.0 C UEL: 36% at 25.0 C
Specific Gravity (Water = 1):	No data.
Bulk density:	No data.
Vapor Pressure (vs. Air or mm Hg):	96 MM_HG at 20.0 C
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate (vs Butyl Acetate=1):	No data.
Solubility in Water:	No data.
Percent Volatile:	No data.
Heat Value:	No data.
Particle Size:	No data.
Corrosion Rate:	No data.
pH:	No data.
Appearance and Odor:	No data available.

10. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	heat, flames and sparks
Incompatibility - Materials To Avoid:	acids alkali metals reducing agents strong oxidizing agents
Hazardous Decomposition Or Byproducts:	carbon dioxide carbon monoxide
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. Toxicological Information

:	The toxicological effects of this product have not been thoroughly studied.
Chronic Toxicological Effects:	Methanol - Toxicity Data: Oral LD50 (rat): 5,628 mg/kg; Inhalation LC50 (rat): 64,000 ppm (4h); Skin LD50 (rabbit): 15,800 mg/kg; Irritation Data: Skin (rabbit): 20 mg (24h) moderate; Eyes (rabbit): 100 mg (24h) moderate; Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information. Methanol RTECS Number: PC1400000
Carcinogenicity/Other Information:	No data available.
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

:	Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.
---	--

13. Disposal Considerations

Waste Disposal Method:	Dispose in accordance with local, state, and federal regulations.
-------------------------------	---

MATERIAL SAFETY DATA SHEET
LPO Assay FTS Reagent 2

Page: 4
 Printed: 06/15/2010
 Revision: 06/10/2010
 Supersedes Revision: 05/02/2006

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name Methanol
DOT Hazard Class: 3 (6.1)
DOT Hazard Label: FLAMMABLE LIQUID, POISON
UN/NA Number: 1230
Packing Group: II

LAND TRANSPORT (European ADR/RID)

ADR/RID Shipping Name Methanol
UN Number: 1230
Packing Group: II

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Shipping Name Methanol
UN Number: 1230
Packing Group: II
IATA Classification: 3,6.1

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes F: Highly Flammable; T: Toxic

European Community Risk and Safety Phrases

- R11 - Highly flammable.
- R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.
- R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
- S7 - Keep container tightly closed.
- S16 - Keep away from sources of ignition.
- S36/37 - Wear suitable protective clothing and gloves.
- S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Ammonium thiocyanate	1762-95-4	No	Yes 5000 LB	No	No
2. Methanol	67-56-1	No	Yes 5000 LB	Yes	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	HPV/LPV
1. Ammonium thiocyanate	1762-95-4	HAP, ODC ()	No	Inventory	
2. Methanol	67-56-1	HAP, ODC ()	No	Inventory	

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

N.A.=Not available, N.P.=Not applicable, N.D.=Not determined, N.E.=Not established, N.R.=Not required

MATERIAL SAFETY DATA SHEET

Lipid Hydroperoxide Standard

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 06/15/2010
Revision: 06/10/2010
Supersedes Revision: 05/02/2006
Date Created: 01/08/1998

1. Product and Company Identification

Product Code: 705014
Product Name: Lipid Hydroperoxide Standard
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Synonyms: LPO Standard;

2. Hazards Identification

Emergency Overview: Highly Flammable.
Target Organ(s): blood, central nervous system, eyes, liver, reproductive system, respiratory system, skin.
The hazards identified with this product are those associated with the solvent(s).

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Health Hazards (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this product have not been fully evaluated.

LD 50 / LC 50: Please refer to Section 11.

Signs and Symptoms Of Exposure: Irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic effects.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration	EC#	RTECS #
1. 13(S)-HpODE	33964-75-9	0.002 %	NA	NA
2. Ethyl alcohol	64-17-5	99.998 %	200-578-6	KQ6300000

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: 14.00 C Method Used: Closed Cup
Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C
Autoignition Pt: 363.00 C
Special Fire Fighting Procedures: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
Note: Flammable as diluted in ethanol.

Lipid Hydroperoxide Standard

Unusual Fire and Explosion Hazards:	Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back.
Hazardous Combustion Products:	No data available.
Suitable Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers.
Unsuitable Extinguishing Media:	A solid water stream may be inefficient.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Avoid release into the environment. Avoid breathing vapors and provide adequate ventilation. Remove all sources of ignition. As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.
---	--

7. Handling and Storage

Hazard Label Information:	Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling
Precautions To Be Taken in Handling:	Avoid breathing (dust, vapor, mist, gas). Avoid prolonged or repeated exposure. Keep away from sources of ignition. Prevent the build up of electrostatic charge.
Precautions To Be Taken in Storing:	Keep away from heat, sparks, and flame. Keep tightly closed. Store at correct temperature.
Other Precautions:	Hygroscopic.

8. Exposure Controls/Personal Protection

Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TLV	Other Limits
1. 13(S)-HpODE	33964-75-9	No data.	No data.	No data.
2. Ethyl alcohol	64-17-5	1000 ppm	1000 ppm	No data.

Protective Equipment Summary - Hazard Label Information:	Compatible chemical-resistant gloves Eye wash station in work area Lab coat Safety glasses Safety shower in work area Vent Hood
Respiratory Equipment (Specify Type):	NIOSH approved respirator, as conditions warrant.
Eye Protection:	Safety glasses
Protective Gloves:	Compatible chemical-resistant gloves
Other Protective Clothing:	Lab coat
Ventilation:	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
Work/Hygienic/Maintenance Practices:	Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States:	<input type="checkbox"/> Gas <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	363.00 C
Flash Pt:	14.00 C Method Used: Closed Cup

Lipid Hydroperoxide Standard

Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C
Specific Gravity (Water = 1):	No data.
Bulk density:	No data.
Vapor Pressure (vs. Air or mm Hg):	43 MM_HG at 20.0 C
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate (vs Butyl Acetate=1):	No data.
Solubility in Water:	No data.
Percent Volatile:	No data.
Heat Value:	No data.
Particle Size:	No data.
Corrosion Rate:	No data.
Formula:	C18H32O4
Molecular Weight:	312.40
pH:	No data.
Appearance and Odor:	No data available.

10. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	heat, flames and sparks
Incompatibility - Materials To Avoid:	alkali metals ammonia peroxides strong oxidizing agents
Hazardous Decomposition Or Byproducts:	carbon dioxide carbon monoxide
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. Toxicological Information

:	The toxicological effects of this product have not been thoroughly studied.
Chronic Toxicological Effects:	Ethanol - Toxicity Data: Oral LD50 (rat): 7,060 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit) 20mg (24h) moderate; Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information. Ethanol RTECS Number: KQ6300000
Carcinogenicity/Other Information:	No data available.
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

:	Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.
---	--

13. Disposal Considerations

Waste Disposal Method:	Dispose in accordance with local, state, and federal regulations.
-------------------------------	---

14. Transport Information

LAND TRANSPORT (US DOT)	
DOT Proper Shipping Name	Ethyl alcohol solution
DOT Hazard Class:	3
DOT Hazard Label:	FLAMMABLE LIQUID
UN/NA Number:	1170

MATERIAL SAFETY DATA SHEET

Lipid Hydroperoxide Standard

Page: 4

Printed: 06/15/2010

Revision: 06/10/2010

Supercedes Revision: 05/02/2006

Packing Group:	II
LAND TRANSPORT (European ADR/RID)	
ADR/RID Shipping Name	Ethyl alcohol solution
UN Number:	1170
Packing Group:	II
AIR TRANSPORT (ICAO/IATA)	
ICAO/IATA Shipping Name	Ethyl alcohol solution
UN Number:	1170
Packing Group:	II
IATA Classification:	3
Additional Transport Information:	Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes F: Highly Flammable

European Community Risk and Safety Phrases

- R11 - Highly flammable.
- S7 - Keep container tightly closed.
- S16 - Keep away from sources of ignition.

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. 13(S)-HpODE	33964-75-9	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	HPV/LPV
1. 13(S)-HpODE	33964-75-9	HAP, ODC ()	No	No	
2. Ethyl alcohol	64-17-5	HAP, ODC ()	No	Inventory	

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

N.A.=Not available, N.P.=Not applicable, N.D.=Not determined, N.E.=Not established, N.R.=Not required

MATERIAL SAFETY DATA SHEET

LPO Assay Extract R

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 06/15/2010
Revision: 06/10/2010
Supersedes Revision: 05/02/2006
Date Created: 01/28/1998

1. Product and Company Identification

Product Code: 705016
Product Name: LPO Assay Extract R
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Synonyms: Extract R;

2. Hazards Identification

Emergency Overview: Corrosive.
Avoid contact and inhalation.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Health Hazards (Acute and Chronic): Causes burns.
Causes eye, skin, or respiratory system irritation.
Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.
The toxicological properties of this product have not been fully evaluated.

Signs and Symptoms Of Exposure: Eye contact may result in permanent damage and complete vision loss.
Ingestion may cause damage to the mouth, throat, and esophagus.
Inhalation may cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.
Inhalation may result in inflammation, edema, and chemical pneumonitis.
Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, skin, and digestive tract.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration	EC#
1. Extract R	NA	100.0 %	NA

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.
Explosive Limits: LEL: No data. UEL: No data.
Special Fire Fighting Procedures: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

MATERIAL SAFETY DATA SHEET

LPO Assay Extract R

Page: 3

Printed: 06/15/2010

Revision: 06/10/2010

Supercedes Revision: 05/02/2006

Heat Value: No data.
Particle Size: No data.
Corrosion Rate: No data.
pH: No data.
Appearance and Odor: A crystalline solid

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: moisture
Incompatibility - Materials To Avoid: oxidizing agents
Hazardous Decomposition Or Byproducts: phosphorus oxides
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

: The toxicological effects of this product have not been thoroughly studied.
Carcinogenicity/Other Information: No data available.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

: Avoid release into the environment.
Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s. (Extract R)
DOT Hazard Class: 8
DOT Hazard Label: CORROSIVE
UN/NA Number: 3260
Packing Group: III

LAND TRANSPORT (European ADR/RID)

ADR/RID Shipping Name Corrosive solid, acidic, inorganic, n.o.s. (Extract R)
UN Number: 3260
Packing Group: III

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Shipping Name Corrosive solid, acidic, inorganic, n.o.s. (Extract R)
UN Number: 3260
Packing Group: III
IATA Classification: 8

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes C: Corrosive

European Community Risk and Safety Phrases

R34 - Causes burns.
S20 - When using, do not eat or drink.
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)

US EPA SARA Title III

MATERIAL SAFETY DATA SHEET

LPO Assay Extract R

Page: 4

Printed: 06/15/2010

Revision: 06/10/2010

Supercedes Revision: 05/02/2006

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Extract R	NA	No	No	No	No
US EPA CAA, CWA, TSCA					
Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	HPV/LPV
1. Extract R	NA	HAP, ODC ()	No	No	

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

N.A.=Not available, N.P.=Not applicable, N.D.=Not determined, N.E.=Not established, N.R.=Not required

MATERIAL SAFETY DATA SHEET

LPO Assay Triphenylphosphine

Page: 1

Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108

Printed: 06/15/2010
Revision: 06/10/2010
Supersedes Revision: 05/02/2006
Date Created: 01/28/1998

1. Product and Company Identification

Product Code: 705018
Product Name: LPO Assay Triphenylphosphine
Manufacturer Information
Company Name: Cayman Chemical Company
Emergency Contact: Cayman Chemical Company (800)364-9897
Information: Cayman Chemical Company (734)971-3335
Synonyms: Triphenylphosphine;

2. Hazards Identification

Emergency Overview: Harmful.
Avoid contact and inhalation.
Target Organ(s): nerves.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Health Hazards (Acute and Chronic): Harmful if swallowed.
Material may be irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation or skin absorption.
May cause eye, skin, or respiratory system irritation.
The toxicological properties of this product have not been fully evaluated.

Signs and Symptoms Of Exposure: Exposure may cause sensitization.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration	EC#	RTECS #
1. Triphenylphosphine	603-35-0	100.0 %	210-036-0	SZ3500000

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.
In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Special Fire Fighting Procedures: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

Unusual Fire and Explosion Hazards: No data available.

Hazardous Combustion Products: No data available.

Suitable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.
Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media: A solid water stream may be inefficient.

MATERIAL SAFETY DATA SHEET

LPO Assay Triphenylphosphine

Page: 2

Printed: 06/15/2010

Revision: 06/10/2010

Supercedes Revision: 05/02/2006

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Avoid release into the environment.
Avoid raising and breathing dust, and provide adequate ventilation.
As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
Transfer to a proper chemical waste container for disposal.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.
Wash thoroughly after handling

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).
Avoid prolonged or repeated exposure.

Precautions To Be Taken in Storing: Keep tightly closed.
Store at correct temperature.

8. Exposure Controls/Personal Protection

Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TLV	Other Limits
1. Triphenylphosphine	603-35-0	No data.	No data.	No data.

Protective Equipment Summary - Hazard Label Information: Compatible chemical-resistant gloves Eye wash station in work area Lab coat Safety glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): NIOSH approved respirator, as conditions warrant.

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.
Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [] Liquid [X] Solid

Melting Point: No data.

Boiling Point: No data.

Autoignition Pt: No data.

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): No data.

Bulk density: No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate (vs Butyl Acetate=1): No data.

Solubility in Water: No data.

Percent Volatile: No data.

Heat Value: No data.

Particle Size: No data.

Corrosion Rate: No data.

pH: No data.

Appearance and Odor: A crystalline solid

MATERIAL SAFETY DATA SHEET

LPO Assay Triphenylphosphine

Page: 3
 Printed: 06/15/2010
 Revision: 06/10/2010
 Supersedes Revision: 05/02/2006

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: No data available.

Incompatibility - Materials To Avoid: oxidizing agents

Hazardous Decomposition Or Byproducts: carbon dioxide
carbon monoxide
phosphorus oxides

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

: The toxicological effects of this product have not been thoroughly studied.

Carcinogenicity/Other Information: No data available.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

: Avoid release into the environment.
Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)
DOT Proper Shipping Name Not dangerous goods.

LAND TRANSPORT (European ADR/RID)
ADR/RID Shipping Name Not dangerous goods.

AIR TRANSPORT (ICAO/IATA)
ICAO/IATA Shipping Name Not dangerous goods.

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes Xn: Harmful

European Community Risk and Safety Phrases

- R22 - Harmful if swallowed.
- R43 - May cause sensitization by skin contact.
- R53 - May cause long-term adverse effects in the aquatic environment.
- S36/37 - Wear suitable protective clothing and gloves.
- S60 - This material and its container must be disposed of as hazardous waste.

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Triphenylphosphine	603-35-0	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	HPV/LPV
1. Triphenylphosphine	603-35-0	HAP, ODC ()	No	Inventory	

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary clinical use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

N.A.=Not available, N.P.=Not applicable, N.D.=Not determined, N.E.=Not established, N.R.=Not required