PRODUCT INFORMATION



3,3'-Dithiodipropionic Acid di(N-hydroxysuccinimide ester) Item No. 33405

CAS Registry No.: Formal Name:	57757-57-0 1,1' <i>-bis</i> (2,5-dioxo-1-pyrrolidinyl)	
	ester 3,3'-dithiobis-propanoic acid	0,
Synonyms:	DSP, Lomant's Reagent, NSC	0 0
	328386	N N N
MF:	C ₁₄ H ₁₆ N ₂ O ₈ S ₂	
FW:	404.4	
Purity:	≥95%	0
Supplied as:	A crystalline solid	
Storage:	-20°C	
Stability:	≥4 years	
Information represents the product exceptions. Batch exception and tical require are previded on each contining		

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

3,3'-Dithiodipropionic acid di(N-hydroxysuccinimide ester) (DSP) is supplied as a crystalline solid. A stock solution may be made by dissolving the DSP in the solvent of choice, which should be purged with an inert gas. DSP is soluble in organic solvents such as DMSO and dimethyl formamide. The solubility of DSP in these solvents is approximately 30 mg/ml.

DSP is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, DSP should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. DSP has a solubility of approximately 0.20 mg/ml in a 1:4 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

DSP is an amine-reactive, cleavable, homobifunctional protein cross-linking reagent.¹⁻³ It has been used as a molecular ruler to determine protein tertiary and quaternary structure.² DSP has also been used as a component of self-assembled monolayers in gold-based biosensors.³

References

- 1. Lomant, A.J. and Fairbanks, G. Chemical probes of extended biological structures: Synthesis and properties of the cleavable protein cross-linking reagent [35S]dithiobis(succinimidyl propionate). J. Mol. Biol. 104(1), 243-261 (1976).
- 2. Green, N.S., Reisler, E., and Houk, K.N. Quantitative evaluation of the lengths of homobifunctional protein cross-linking reagents used as molecular rulers. Protein Sci. 10(7), 1293-1304 (2001).
- 3. Cabrita, J.F., Abrantes, L.M., and Viana, A.S. N-Hydroxysuccinimide-terminated self-assembled monolayers on gold for biomolecules immobilisation. Electrochimica Acta 50(10), 2117-2124 (2004).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/12/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM