

Printing date 06/05/2023

Revision date 06/05/2023

Page 1/12

1 Identification

- · Product identifier
- · Trade name: Leukotriene A4-d5 methyl ester
- · Article number: 10006197
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

 Classification of the substance or mixture 	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
Toxic to Reproduction 2	H361 Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity - Repeated Exposure 2	e H373 May cause damage to organs through prolonged or repeated exposure.
Aspiration Hazard 1	H304 May be fatal if swallowed and enters airways.
GHS09 Environment	
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects. (Contd. on page 2)

Printing date 06/05/2023

Revision date 06/05/2023

Safety Data Sheet acc. to OSHA HCS Trade name: Leukotriene A4-d5 methyl ester (Contd. from page 1) GHS07 Skin Irritation 2 H315 Causes skin irritation. H319 Causes serious eye irritation. Eve Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 GHS08 GHS09 · Signal word Danger · Hazard-determining components of labeling: Hexane · Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure. H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). P321 P331 Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P312 Call a poison center/doctor if you feel unwell. P314 Get medical advice/attention if you feel unwell.

(Contd. on page 3)

US

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

P362+P364 P332+P313 P337+P313 P370+P378 P391 P403+P233 P403+P235 P405	(Contd. from page 2) Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Collect spillage. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification s NFPA ratings (s	ystem:
Fire	lth = 2 = 3 activity = 0
· HMIS-ratings (se	cale 0 - 4)
FIRE 3 Fir	alth = 2 e = 3 activity = 0
• Other hazards • Results of PBT • PBT: Not applica • vPvB: Not applic	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous component 	ents:		
CAS: 110-54-3 RTECS: MN9275000		98.99%	
CAS: 121-44-8 RTECS: YE0175000	Triethylamine	1.0%	
· Other ingredients			
Leukotriene A4-d5 methyl ester		0.01%	

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

(Contd. on page 4)

^{- +)}

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- **Special hazards arising from the substance or mixture** 67-56-1During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Mount res Wear pro • Environn Do not all Inform res Do not all • Methods Absorb w Dispose o Ensure ac • Referenc See Secti See Secti See Secti	precautions, protective equipment and emergency procedures piratory protective device. tective equipment. Keep unprotected persons away. nental precautions: ow product to reach sewage system or any water course. spective authorities in case of seepage into water course or sewage system. ow to enter sewers/ surface or ground water. and material for containment and cleaning up: th liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus ontaminated material as waste according to section 13. dequate ventilation. e to other sections on 7 for information on safe handling. on 8 for information on personal protection equipment. on 13 for disposal information. e Action Criteria for Chemicals	st).
• PAC-1: 110-54-3	Hovana	260 ppm
		260 ppm
	Triethylamine	1 ppm
· PAC-2:		
110-54-3	Hexane	2900* ppm
121-44-8	Triethylamine	170 ppm
· PAC-3:		
110-54-3	Hexane	3600** ppm
121-44-8	Triethylamine	1,000 ppm
	104	

(Contd. on page 5)

(Contd. from page 3)

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

(Contd. from page 4)

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

Control parameters

• Components with limit values that require monitoring at the workplace:

110-54-3 Hexane

PEL Long-term value: 1800 mg/m³, 500 ppm

- REL Long-term value: 180 mg/m³, 50 ppm
- TLV Long-term value: 50 ppm Skin; BEI

121-44-8 Triethylamine

- PEL Long-term value: 100 mg/m³, 25 ppm
- TLV Short-term value: 1 ppm Long-term value: 0.5 ppm Skin, A4

· Ingredients with biological limit values:

110-54-3 Hexane

BEI 0.5 mg/L

Medium: urine Time: end of shift Parameter: 2.5-Hexanedione without hydrolysis

· Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

(Contd. from page 5)

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Liquid Color: According to product specification · Odor: Characteristic C21H27D5O3 · Structural Formula · Molecular Weight 337.5 g/mol · Odor threshold: Not determined. · Formulation A solution in hexane containing 1% triethylamine · pH-value: Not determined. · Change in condition Melting point/Melting range: -95 °C (-139 °F) 69 °C (156.2 °F) **Boiling point/Boiling range:** · Flash point: -26 °C (-14.8 °F) · Flammability (solid, gaseous): Highly flammable. 240 °C (464 °F) Auto igniting: Decomposition temperature: Not determined. (Contd. on page 7)

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

	(Contd. from page
· Ignition temperature:	Product is not selfigniting.
[.] Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.4 Vol %
· Vapor pressure at 20 °C (68 °F):	160 hPa (120 mm Hg)
Vapor pressure at 50 °C (122 °F):	540 hPa (405 mm Hg)
· Density at 20 °C (68 °F):	0.66 g/cm³ (5.5077 lbs/gal)
Relative density	Not determined.
[.] Vapor density	Not determined.
· Evaporation rate	Not determined.
 Solubility in / Miscibility with Water at 20 °C (68 °F): 	0.4 ~//
· · · · · ·	0.1 g/l
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
SOLUBILITY	Acetone: >50 μg/ml; DMF: >50 μg/ml; DMSO: >50 μg/m Ethanol: >50 μg/ml;PBS (pH 7.2): Insoluble & u
· Solvent content:	
Organic solvents:	99.0 %
VOC content:	99.99 %
	999.9 g/l / 8.34 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong acids, oxidizing agents
- Hazardous decomposition products: carbon dioxide, carbon monoxide, nitrogen oxides

(Contd. on page 8)

115

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

(Contd. from page 7)

ATE (Acute Toxicity Estimate) Oral LD50 46,000 mg/kg (rat) Dermal LD50 110,000 mg/kg Inhalative LC50/4 h 1,100 mg/l Inhalative Oral LD50 15,840 mg/kg (rat) Inhalative LC50/4 h 48,000 mg/m³ (rat) Irritation of eyes Irritation 10 mg (rabbit) mild Interperitoneal LDLO 9,100 mg/kg (rat) Data 10 mg (rabbit) mild Interperitoneal LDLO 9,100 mg/kg (rat) Dermal LD50 570 mg/kg (rat) Dermal LD50 570 mg/kg (rabbit) Primary irritant effect: on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicolical information: The product shows the following darsers according to internally approved calculation methods preparations:	 Acute toxicity: LD/LC50 values 	s that are relevant for	classification:		
OralLD5046,000 mg/kg (rat)DermalLD50110,000 mg/kgInhalativeLC50/4 h1,100 mg/l110-54-3 HexaneOralLD5015,840 mg/kg (rat)InhalativeLC50/4 h48,000 mg/m³ (rat)TCLO5,400 mg/m³ (rat)TCLO5,400 mg/m³ (rat)TCLO5,400 mg/m³ (rat)Irritation of eyesIrritationIrritation10 mg (rabbit)mildInterperitoneal LDLOData10 mg (rabbit)mild10 mg (rabbit)PermalLD50460 mg/kg (rat)DermalLD50570 mg/kg (ratbit)Primary irritant effect:on the skin: Irritant of skin and mucous membranes.on the skin: Irritant offect.Sensitization: No sensitizing effects known.Additional toxicological information:The product shows the following dangers according to internally approved calculation methods preparations:IrritantCarcinogenic categoriesIARC (International Agency for Research on Cancer)None of the ingredients is listed.NTP (National Toxicology Program)					
Inhalative LC50/4 h 1,100 mg/l 110-54-3 Hexare ID50 15,840 mg/kg (rat) Inhalative LC50/4 h 48,000 mg/m³ (rat) Inhalative LC50/4 h 48,000 mg/m³ (rat) Irritation of eyes Irritation 10 mg (rabbit) mild Interperitoneal LDLO 9,100 mg/kg (rat) Data 10 mg (rabbit) mild Interperitoneal LDLO 9,100 mg/kg (rat) Data 10 mg (rabbit) mild 10 mg (rabbit) mild Primary irritant effect: 570 mg/kg (rat) Oral LD50 570 mg/kg (rabbit) Primary irritant effect: on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicoligical information: The product shows the following damesers according to internally approved calculation methods preparations: Irritant Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) None of the ingredients is listed. NTP (National Toxicology Program)	•	• /	46,000 mg/kg (rat)		
110-54-3 Hexame Oral LD50 15,840 mg/kg (rat) Inhalative LC50/4 h 48,000 mg/m³ (rat) TCLO 5,400 mg/m³/10m (hmn) Irritation of eyes Irritation 10 mg (rabbit) mild Interperitoneal LDLO 9,100 mg/kg (rat) Data 10 mg (rabbit) mild 121-44-8 Triethylamine Oral LD50 460 mg/kg (rat) Dermal LD50 570 mg/kg (rabbit) Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the skin: Irritant offects on the skin: Irritant offects Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods preparations: Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) None of the ingredients is listed. VTP (National Toxicology Program)	Dermal	LD50	110,000 mg/kg		
Oral InhalativeLD5015,840 mg/kg (rat)InhalativeLC50/4 h48,000 mg/m³ (rat)InhalativeTCLO5,400 mg/m³/10m (hmn)Irritation of eyesIrritation10 mg (rabbit) mildInterperitoneal LDLO9,100 mg/kg (rat)Data10 mg (rabbit) mild10 mg (rabbit) mild121-44-8 TriethylamineOralLD50460 mg/kg (rat) 570 mg/kg (ratbit)DermalLD50570 mg/kg (rabbit)Primary irritant effect:on the skin: Irritant to skin and mucous membranes.on the skin: Irritating effect.Sensitization: No sensitizing effects known.Additional toxicological information:The product shows the following dangers according to internally approved calculation methods preparations: IrritantIRRC (International Agency for Research on Cancer)None of the ingredients is listed.• NTP (National Toxicology Program)	Inhalative	LC50/4 h	1,100 mg/l		
InhalativeLC 50/4 h48,000 mg/m³ (rat) TCLOTCLO5,400 mg/m³ (rat)TCLO5,400 mg/m³ (rat)Irritation of eyesIrritationIrritation10 mg (rabbit) mildInterperitoneal LDLO9,100 mg/kg (rat)Data10 mg (rabbit) mild121-44-8 Trieth/amineOralLD50460 mg/kg (rat)DermalLD50S70 mg/kg (rabbit)Primary irritant effect:on the skin: Irritation of skin and mucous membranes.on the skin: Irritating effect.Sensitizing effect.	110-54-3 Hexan	 e			
Irritation of eyes TCLO 5,400 mg/m³/10m (hmn) Irritation 10 mg (rabbit) mild Interperitoneal LDLO 9,100 mg/kg (rat) Data 10 mg (rabbit) mild 10 mg (rabbit) 121-44-8 Triethylamine 0 Oral LD50 460 mg/kg (rat) Dermal LD50 570 mg/kg (rabbit) Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods preparations: Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) None of the ingredients is listed. NTP (National Toxicology Program)	Oral	LD50	15,840 mg/kg (rat)		
Irritation of eyes Irritation 10 mg (rabbit) mild Interperitoneal LDLO 9,100 mg/kg (rat) Data 10 mg (rabbit) mild 121-44-8 Triethylamine 10 mg (rabbit) mild Oral LD50 460 mg/kg (rat) Dermal LD50 570 mg/kg (rabbit) Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the skin: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods preparations: Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) None of the ingredients is listed. NTP (National Toxicology Program)	Inhalative	LC50/4 h	48,000 mg/m³ (rat)		
mildInterperitoneal LDLO9,100 mg/kg (rat)Data9,100 mg/kg (rat)10 mg (rabbit) mild10 mg (rabbit)121-44-8 Triethylamine10 mg (rabbit)OralLD50460 mg/kg (rat)DermalLD50570 mg/kg (rabbit)Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the skin: Irritant geffect.570 mg/kg (rabbit)Sensitization: No sensitizing effects known. 		TCLO	5,400 mg/m³/10m (hmn)		
Data10 mg (rabbit) mild121-44-8 TriethylamineOralLD50460 mg/kg (rat)DermalLD50570 mg/kg (rabbit)Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect.570 mg/kg (rabbit)Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods preparations: IrritantCarcinogenic categoriesIARC (International Agency for Research on Cancer) None of the ingredients is listed.NTP (National Toxicology Program)	Irritation of eyes	Irritation			
121-44-8 Triethylamine Oral LD50 460 mg/kg (rat) Dermal LD50 570 mg/kg (rabbit) Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods preparations: Irritant - Carcinogenic categories IARC (International Agency for Research on Cancer) None of the ingredients is listed. • NTP (National Toxicology Program)		Interperitoneal LDLO	9,100 mg/kg (rat)		
Oral LD50 460 mg/kg (rat) Dermal LD50 570 mg/kg (rabbit) Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the skin: Irritating effect. sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods preparations: Irritant Carcinogenic categories IRRC (International Agency for Research on Cancer) None of the ingredients is listed.		Data			
Dermal LD50 570 mg/kg (rabbit) Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods preparations: Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) None of the ingredients is listed.	121-44-8 Triethy	ylamine			
 Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods preparations: Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) None of the ingredients is listed. NTP (National Toxicology Program) 	3 3 ()				
 on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods preparations: Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) None of the ingredients is listed. NTP (National Toxicology Program) 					
 IARC (International Agency for Research on Cancer) None of the ingredients is listed. NTP (National Toxicology Program) 	• on the skin: Irrit • on the eye: Irrita • Sensitization: N • Additional toxic The product sho preparations:	tant to skin and mucou ating effect. Io sensitizing effects ki cological information	nown.		
None of the ingredients is listed. • NTP (National Toxicology Program)	· Carcinogenic categories				
• NTP (National Toxicology Program)	· Carcinogenic c	IARC (International Agency for Research on Cancer)			
	-		None of the ingredients is listed.		
None of the ingredients is listed.	· IARC (Internatio	edients is listed.			
	• IARC (Internation None of the ingre				

· Toxicity

12 Ecological information

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 9)

US -

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

(Contd. from page 8)

- · Ecotoxical effects:
- Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.


13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.



Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

	(Contd. from page
· Label	3
· Class · Label	3 Flammable liquids 3
 Packing group DOT, IMDG, IATA 	II
· Environmental hazards:	Product contains environmentally hazardou substances: Hexane
· Marine pollutant:	Symbol (fish and tree)
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 33 F-E,S-D E
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
·IMDG	
 Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1208 HEXANES, 3, II, ENVIRONMENTALL HAZARDOUS

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 11)

⁻ US

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

	(Contd. from page
Section 313 (Specific toxic chemical listings):	
110-54-3 Hexane	
121-44-8 Triethylamine	
TSCA (Toxic Substances Control Act):	
110-54-3 Hexane	ACTIV
121-44-8 Triethylamine	ACTIV
Hazardous Air Pollutants	
110-54-3 Hexane	
121-44-8 Triethylamine	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
110-54-3 Hexane	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
110-54-3 Hexane	
TLV (Threshold Limit Value)	
121-44-8 Triethylamine	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of preparation / last revision 06/05/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Leukotriene A4-d5 methyl ester

(C HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
--	--