

Printing date 09/01/2021

Revision date 09/01/2021

Page 1/9

1 Identification

- · Product identifier
- · Trade name: (S)-(+)-MT-45 (hydrochloride)
- · Article number: 15128
- · CAS Number:
- 52694-54-9
- Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification


Classification	of the substance or mixture
Acute Tox. 4 Acute Tox. 4 Acute Tox. 4	H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled.
Aquatic Acute	2 H401 Toxic to aquatic life.
• Label element • GHS label element The substance	-

Printing date 09/01/2021

Revision date 09/01/2021

Trade name: (S)-(+)-MT-45 (hydrochloride)

(Contd. from page 1)



(Contd. on page 3)

Printing date 09/01/2021

Revision date 09/01/2021

Trade name: (S)-(+)-MT-45 (hydrochloride)

(Contd. from page 2)

4 First-aid measures

• Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

Protective Action Criteria for Chemicals

- **PAC-1:** Substance is not listed.
- **PAC-2:** Substance is not listed.
- · PAC-3: Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

US

Printing date 09/01/2021

Revision date 09/01/2021

Trade name: (S)-(+)-MT-45 (hydrochloride)

(Contd. from page 3)

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

Information on basic physica General Information	al and chemical properties	
Appearance:		
Form:	Solid	
Color:	Not determined.	
Odor:	Characteristic	
Structural Formula	C24H32N2 • 2HCI	

Printing date 09/01/2021

Revision date 09/01/2021

Trade name: (S)-(+)-MT-45 (hydrochloride)

	(Contd. from page
Molecular Weight	421.5 g/mol
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Product is not flammable.
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not determined.
Partition coefficient (n-octanol/wa	ater): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
SOLUBILITY	Chloroform: 1 mg/ml
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· RTECS Number TL3486610

(Contd. on page 6)

US

Printing date 09/01/2021

Revision date 09/01/2021

Trade name:	(S)-(+)-MT-45	(hydrochloride)
-------------	---------------	-----------------

· Acute	mation on toxicolog e toxicity: C50 values that are i	ical effects relevant for classification:
	LD50	274 mg/kg (mouse)
••••		8 mg/kg (rat)
	Subcutaneous LD50	
	Intravenous LD50	18,500 μg/kg (mouse)
· on th · on th · Sens	ary irritant effect: le skin: No irritant effe le eye: No irritating ef itization: No sensitizi tional toxicological i	ing effects known.

- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 09/01/2021

Revision date 09/01/2021

Trade name: (S)-(+)-MT-45 (hydrochloride)

(Contd. from page 6)

UN-Number	
DOT, IMDG, IATA	UN2811
UN proper shipping name	
DOT	Toxic solids, organic, n.o.s. ((S)-(+)-MT-4
	(hydrochloride))
IMDG	TOXIC SOLID, ORGANIC, N.O.S. ((S)-(+)-MT-4
ΙΑΤΑ	(hydrochloride)) Toxic solid, organic, n.o.s. ((S)-(+)-MT-4
	(hydrochloride))
Transport hazard class(es)	
DOT	
TOXIC	
6	
Class	6.1 Toxic substances
Label	6.1
IMDG, IATA	
6	
	C.4. Tavia autotana a
Class Label	6.1 Toxic substances 6.1
	0.1
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code):	: 60
EMS Number:	F-A,S-A
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 25 kg
	On cargo aircraft only: 100 kg
IMDG	F 00 -
Limited quantities (LQ) Excepted quantities (EQ)	500 g Code: E4
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 1 g
	Maximum net quantity per outer packaging: 500 g
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 m
	or 1 g, with an Excepted Quantity Code of

Printing date 09/01/2021

Revision date 09/01/2021

Trade name: (S)-(+)-MT-45 (hydrochloride)

	(Contd. from page 7)
	E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 2811 TOXIC SOLID, ORGANIC, N.O.S. ((S)-(+)- MT-45 (HYDROCHLORIDE)), 6.1, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is not listed.
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 09/01/2021 / -
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

(Contd. on page 9)

US

Printing date 09/01/2021

Revision date 09/01/2021

Trade name: (S)-(+)-MT-45 (hydrochloride)

(Contd. from page 8)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2