

Page 1/12

Safety Data Sheet acc. to OSHA HCS

Printing date 05/15/2023 Revision date 05/15/2023

1 Identification

- · Product identifier
- · Trade name: NBD-FTY720 phenoxy (hydrochloride)
- · Article number: 16841
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.

Acute Toxicity - Dermal 2 H310 Fatal in contact with skin.

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the

unborn child.

(Contd. on page 2)

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

(Contd. from page 1)

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs.

Specific Target Organ Toxicity - Repeated Exposure H372 Causes damage to the central nervous

system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms









GHS02 GHS06 GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Chloroform

Methanol

· Hazard statements

H225 Highly flammable liquid and vapor. H301+H331 Toxic if swallowed or if inhaled. H310 Fatal in contact with skin.

H310 Fatal in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H370 Causes damage to the central nervous system and the visual organs.

H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

(Contd. on page 3)

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

(Contd. from page 2) Rinse mouth. P330 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P361+P364 Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. P332+P313 If eye irritation persists: Get medical advice/attention. P337+P313 In case of fire: Use CO2, powder or water spray to extinguish. P370+P378 Store in a well-ventilated place. Keep container tightly closed. P403+P233 P403+P235 Store in a well-ventilated place. Keep cool. Store locked up. P405 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 3 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3 Fire = 3 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:				
CAS: 67-56-1 Methanol RTECS: PC1400000	49.95%			
CAS: 67-66-3 RTECS: FS9100000	49.95%			
· Other ingredients				
2319882-09-0 NBD-FTY720 phenoxy (hydrochloride)	0.1%			

(Contd. on page 4)

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

(Contd. from page 3)

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:

67-56-1 Methanol

530 ppm

(Contd. on page 5)

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

	67-66-3	Chloroform	(Contd. from page 4) 2 ppm
	· PAC-2:		
	67-56-1	Methanol	2,100 ppm
	67-66-3	Chloroform	64 ppm
Ī	· PAC-3:		
	67-56-1	Methanol	7200* ppm
	67-66-3	Chloroform	3,200 ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Com	ponents with limit values that require monitoring at the workp	lace:
67-5	6-1 Methanol	
PEL	Long-term value: 260 mg/m³, 200 ppm	
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI	
67-6	6-3 Chloroform	
PEL	Ceiling limit value: 240 mg/m³, 50 ppm	
REL	Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A	
TLV	Long-term value: 10 ppm A3	

(Contd. on page 6)

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

(Contd. from page 5)

· Ingredients with biological limit values:

67-56-1 Methanol

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic

(Contd. on page 7)

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

	(Contd. from page
Structural Formula	C23H31N5O6 • HCI
Molecular Weight	510.0 g/mol
· Odor threshold: · Formulation	Not determined.
	A solution in methanol:chloroform (1:1)
· pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	62 °C (143.6 °F)
· Flash point:	9.7 °C (49.5 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a
	vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)
· Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
· Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
SOLUBILITY	DMF: 20 mg/ml; DMSO: 10 mg/ml; Ethanol: 20 mg/m Ethanol:PBS(pH 7.2) (1:1): 0.5 mg/ml
Solvent content:	V / / 0
Organic solvents:	50.0 %
VOC content:	49.95 %
	499.5 g/l / 4.17 lb/gal
Solids content:	0.1 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 8)

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

(Contd. from page 7)

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents, reducing agents, oxidizing agents, strong bases
- · Hazardous decomposition products: carbon dioxide, carbon monoxide, phosgene gas

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 val	ues that are releva	ant for classification:	
ATE (Acute	ATE (Acute Toxicity Estimate)		
Oral	LD50	167 mg/kg	
Dermal	LD50	120 mg/kg	
Inhalative	LC50/4 h	3.05 mg/l	
67-56-1 Methanol			
-	1.050	400.4 // //	

67-56-1 Metr	67-56-1 Methanol		
Oral	LD50	100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting	
Dermal	LD50	300.1 mg/kg (rabbit) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)	
Inhalative	LC50/4 h	3.1 mg/l (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract.	
	•		

		Symptoms: Irritation symptoms in the respiratory tract.
67-66-3 Chlorof	orm	
Oral	LDLO	2,514 mg/kg (man)
	LD50	300 mg/kg (rat)
Dermal	LD50	>20 g/kg (rabbit)
	LD50	75 mg/kg (rat)
Inhalative	LC50	47,702 mg/m³/4h (rat)
	TCLO	5,000 mg/m³/7m (hmn)
Irritation of skin	Irritation	10 mg/24h (rabbit) mild
Irritation of eyes	Irritation	20 mg/24h (rabbit) moderate
	Intraperitoneal LD50	623 mg/kg (mouse)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eve: Irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 9)

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

(Contd. from page 8)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
67-66-3 Chloroform	2B
· NTP (National Toxicology Program)	
67-66-3 Chloroform	R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN1992
· UN proper shipping name · DOT	Flammable liquids, toxic, n.o.s. (Methanol)
	(Contd. on page

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

	(Contd. from page
IMDG IATA	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL) Flammable liquid, toxic, n.o.s. (METHANOL)
Transport hazard class(es)	
DOT	
FLAMMARIE LIQUID TOXIC TOXIC	
Class Label	3 Flammable liquids 3, 6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
IATA	
Class Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	336 F-E,S-D
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG	41
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2
Excepted qualitities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IATA	
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

	(Contd. from page 10)
	E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL), 3 (6.1), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara				
· Section	355 (extremely hazardous substances):			
67-66-3	Chloroform			
· Section	313 (Specific toxic chemical listings):			
67-56-1	Methanol			
67-66-3	Chloroform			
· TSCA (T	oxic Substances Control Act):			
67-56-1	Methanol	ACTIVE		
67-66-3	Chloroform	ACTIVE		
Hazardo	· Hazardous Air Pollutants			

- 67-56-1 Methanol
- 67-66-3 Chloroform
- Proposition 65
- · Chemicals known to cause cancer:
- 67-66-3 Chloroform
- · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

67-66-3 Chloroform

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

67-66-3 Chloroform

B2, L, NL

TLV (Threshold Limit Value)

67-66-3 Chloroform

А3

NIOSH-Ca (National Institute for Occupational Safety and Health)

67-66-3 Chloroform

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 05/15/2023 Revision date 05/15/2023

Trade name: NBD-FTY720 phenoxy (hydrochloride)

(Contd. from page 11)

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 05/15/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Acute Toxicity - Dermal 2: Acute toxicity - Category 2 Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 2: Carcinogenicity – Category 2

Toxic to Reproduction 2: Reproductive toxicity - Category 2

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1