

Printing date 03/16/2023

Revision date 03/16/2023

Page 1/11

1 Identification

- · Product identifier
- Trade name: Mitragynine (CRM)
- · Article number: 18567
- · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department • Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Specific Target Organ Toxicity - Single Exposure 1	H370 Causes damage to the central nervou system and the visual organs.

Printing date 03/16/2023

Revision date 03/16/2023

Trade name: Mitragynine (CRM)

•	(Contd. from page 1)
GHS07	
Sensitization - Skir	n 1 H317 May cause an allergic skin reaction.
· Label elements	
 GHS label element 	
•	ssified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogram	15
$\bigwedge \land$	$\wedge \wedge$
GHS02 GHS06	GHS07 GHS08
. . .	
• Signal word Dang	jer
• Hazard-determini	ng components of labeling:
Methanol	
Mitragynine	
· Hazard statement	
H225	Highly flammable liquid and vapor.
H301+H311+H331 H317	l Toxic if swallowed, in contact with skin or if inhaled. May cause an allergic skin reaction.
H370	Causes damage to the central nervous system and the visual organs.
· Precautionary sta	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260 P264	Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
F 303 F 301 F 333	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233 P403+P235	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.
P405+P255	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	(Contd. on page 3)

Printing date 03/16/2023

Revision date 03/16/2023

(Contd. from page 2)

Trade name: Mitragynine (CRM)

- Classification system:
- · NFPA ratings (scale 0 4)

Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH*2FIRE3FIRE3REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-56-1 RTECS: PC1400000	Methanol	99.9%
CAS: 4098-40-2 RTECS: NM3474000	Mitragynine	0.1%

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 4)

Printing date 03/16/2023

Revision date 03/16/2023

Trade name: Mitragynine (CRM)

(Contd. from page 3)

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-56-1 Methanol

PAC-2:	
67-56-1 Methanol	2,100 ppm
· PAC-3:	
67-56-1 Methanol	7200* ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires:
 Keep ignition sources away Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 5)

530 ppm

US

Printing date 03/16/2023

Revision date 03/16/2023

Trade name: Mitragynine (CRM)

· Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see section 7. · Control parameters · Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits. 67-56-1 Methanol PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI · Ingredients with biological limit values: 67-56-1 Methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

LIS

(Contd. from page 4)

Printing date 03/16/2023

Revision date 03/16/2023

Trade name: Mitragynine (CRM)

· Material of gloves

(Contd. from page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and c General Information 	chemical properties
 Appearance: Form: Color: Odor: Structural Formula Molecular Weight Odor threshold: Formulation 	Liquid According to product specification Alcohol-like C23H30N2O4 398.5 g/mol Not determined. A 1 mg/ml solution in methanol
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-98 °C (-144.4 °F) 64.7 °C (148.5 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
 Explosion limits: Lower: Upper: 	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
	(Contd. on page 7)

0

Printing date 03/16/2023

Revision date 03/16/2023

Trade name: Mitragynine (CRM)

	(Contd. from pag
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octand	ol/water): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	99.9 %
VOC content:	99.90 %
	999.0 g/l / 8.34 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- Hazardous decomposition products: carbon dioxide, carbon monoxide, carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

 LD/LC50 values that are relevant for classificat 	ion:
--	------

ATE (Acute Tox	cicity Estimate)		
Oral	LD50	100 mg/kg	
Dermal	LD50	300 mg/kg	
Inhalative	LC50/4 h	3 mg/l	
67-56-1 Methan	ol		
Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	1		(Contd. on page

US

Printing date 03/16/2023

Revision date 03/16/2023

Trade name: Mitragynine (CRM)

	Intraperitoneal TDLO	5 mg/kg (rat) (Contd. from page
	Intraperitoneal LD50	10,765 mg/kg (mouse)
	Subcutaneous LD50	143 mg/kg/human (mouse)
	Data	20 mg/24h (rabbit)
4098-40-2 Mitra	agynine	
	Intraperitoneal TDLO	5 mg/kg (mouse)
· on the eye: No	irritating effect.	
· Additional toxi	Sensitization possible th icological information: hows the following dan	-
 Sensitization: Additional toxi The product sh preparations: Toxic Irritant Carcinogenic of 	Sensitization possible th icological information: hows the following dan	gers according to internally approved calculation methods
 Sensitization: Additional toxi The product sh preparations: Toxic Irritant Carcinogenic of IARC (International Science) 	Sensitization possible th icological information: hows the following dan categories	gers according to internally approved calculation methods
 Sensitization: Additional toxi The product sh preparations: Toxic Irritant Carcinogenic of IARC (International None of the ing 	Sensitization possible th icological information: hows the following dan categories ional Agency for Resea	gers according to internally approved calculation methods
 Sensitization: Additional toxi The product sh preparations: Toxic Irritant Carcinogenic of IARC (International None of the ing NTP (National 	Sensitization possible th icological information: hows the following dan categories ional Agency for Resea redients is listed.	gers according to internally approved calculation methods
 Sensitization: Additional toxi The product sh preparations: Toxic Irritant Carcinogenic of IARC (International None of the ing NTP (National None of the ing 	Sensitization possible th icological information: hows the following dan categories ional Agency for Resea redients is listed. Toxicology Program)	gers according to internally approved calculation methods arch on Cancer)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

[–] ÚS

Revision date 03/16/2023

Trade name: Mitragynine (CRM)

• Uncleaned packagings:
 • Recommendation: Disposal must be made according to official regulations.
 • Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1230
UN proper shipping name DOT, IATA IMDG	Methanol solution METHANOL solution
Transport hazard class(es)	
DOT	
TOXIC 3 8	
Class	3 Flammable liquids
Label IMDG	3, 6.1
Class Label	3 Flammable liquids 3/6.1
IATA	5/0.1
Class Label	3 Flammable liquids 3 (6.1)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids 336 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

(Contd. from page 8)

Printing date 03/16/2023

Revision date 03/16/2023

Trade name: Mitragynine (CRM)

	(Contd. from page 9)
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

• TSCA (Toxic Substances Control Act):

67-56-1 Methanol

67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 11)

ACTIVE

US

Printing date 03/16/2023

Revision date 03/16/2023

Trade name: Mitragynine (CRM)

(Contd. from page 10)

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 03/16/2023

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Sensitization - Skin 1: Skin sensitisation - Category 1 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 * * Data compared to the previous version altered.