

Printing date 06/13/2022

Revision date 06/13/2022

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Ketamine (hydrochloride) (CRM)
- · Article number: 19389
- · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department • Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture
GHS02 Flame
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones
Acute Tox. 3 H301 Toxic if swallowed.
Acute Tox. 3 H311 Toxic in contact with skin.
Acute Tox. 3 H331 Toxic if inhaled.
GHS08 Health hazard
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.
(Contd. on page 2)

Printing date 06/13/2022

Revision date 06/13/2022

Trade name: Ketamine (hydrochloride) (CRM)

	(Contd. from page 1)
· Label elements	
· GHS label elem	
	lassified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogra	
• • • • • • • • • • • • • • • • • • •	
GHS02 GHS0	6 GHS08
C irculation of Dis	
• Signal word Da	
	ning components of labeling:
Methanol	
· Hazard stateme	
H225	Highly flammable liquid and vapor.
	31 Toxic if swallowed, in contact with skin or if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H370	Causes damage to the central nervous system and the visual organs.
• Precautionary s	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271 P280	Use only outdoors or in a well-ventilated area.
	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 P321	If swallowed: Immediately call a poison center/doctor.
P321 P330	Specific treatment (see on this label). Rinse mouth.
	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
F 303 F 30 F F 30	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
1001	regulations.
Classification s	•
• NFPA ratings (s	
▲ · · ·	
	alth = 0
	e = 3
Re:	activity = 0
▼ ▼	(Contra on more 2)
	(Contd. on page 3) US

Printing date 06/13/2022

Revision date 06/13/2022

Trade name: Ketamine (hydrochloride) (CRM)

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)



· Other hazards

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

 Dangerous compone 	ents:	
CAS: 67-56-1 RTECS: PC1400000	Methanol	99.9%
CAS: 1867-66-9 RTECS: GW1400000	Ketamine (hydrochloride)	0.1%

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

Printing date 06/13/2022

Revision date 06/13/2022

(Contd. from page 3)

Trade name: Ketamine (hydrochloride) (CRM)

Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals Protective Action Criteria for Chemicals
· PAC-1:
67-56-1 Methanol 530 ppm
· PAC-2:
67-56-1 Methanol 2,100 ppm
PAC-3:
67-56-1 Methanol 7200* ppm

7 Handling and storage

- Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

(Contd. on page 5)

US

Printing date 06/13/2022

Revision date 06/13/2022

Trade name: Ketamine (hydrochloride) (CRM)

(Contd. from page 4)

8 Exp	osure controls/personal protection
· Addi	tional information about design of technical systems: No further data; see item 7.
· Cont	rol parameters
	ponents with limit values that require monitoring at the workplace:
	following constituent is the only constituent of the product which has a PEL, TLV or other nmended exposure limit.
	s time, the remaining constituent has no known exposure limits.
67-5	6-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm
	Long-term value: 260 mg/m³, 200 ppm Skin
TLV	
	Long-term value: 200 ppm
	Skin; BEI
-	edients with biological limit values:
	S-1 Methanol
	15 mg/L
	Medium: urine Time: end of shift
	Parameter: Methanol (background, nonspecific)
	tional information: The lists that were valid during the creation were used as basis.
· Gene Keep Imme Wasl Store Avoid • Brea In ca expo	<pre>onal protective equipment: eral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. in hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer sure use respiratory protective device that is independent of circulating air. ection of hands:</pre>
	Protective gloves
Due prepa Sele degra	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the adation
The s quali subs	rial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of ty and varies from manufacturer to manufacturer. As the product is a preparation of severa tances, the resistance of the glove material can not be calculated in advance and has therefore to necked prior to the application.

(Contd. on page 6) US

Printing date 06/13/2022

Revision date 06/13/2022

(Contd. from page 5)

Trade name: Ketamine (hydrochloride) (CRM)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Alcohol-like
Structural Formula	C13H16CINO • HCI
Molecular Weight	274.2 g/mol
Odor threshold:	Not determined.
Formulation	A 1 mg/ml solution in methanol
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wat	or): Not determined

Printing date 06/13/2022

Revision date 06/13/2022

Trade name: Ketamine (hydrochloride) (CRM)

(0	Contd. from page 6)
Not determined.	
Not determined.	
99.9 %	
99.90 %	
999.0 g/l / 8.34 lb/gal	
0.1 %	
No further relevant information available.	
	Not determined. Not determined. 99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal 0.1 %

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: reducing agents, oxidizing agents
- · Hazardous decomposition products: carbon monoxide, carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

67-56-1 Methan	ol		
Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	
	Data	20 mg/24h (rabbit)	
1867-66-9 Ketar	nine (hydrochloride)	I	
Oral	LD50	477 mg/kg (rat)	
	LDLO	13,333 µg/kg (man)	

- US

Printing date 06/13/2022

Revision date 06/13/2022

(Contd. from page 7)

Trade name: Ketamine (hydrochloride) (CRM)

Intraperitoneal LD50	224 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 9)

Printing date 06/13/2022

Revision date 06/13/2022

Trade name: Ketamine (hydrochloride) (CRM)

(Contd. from page 8)

· UN-Number	
DOT, IMDG, IATA	UN1230
· UN proper shipping name	
· DOT, IATA · IMDG	Methanol solution METHANOL solution
· Transport hazard class(es)	
· DOT	
TOXIC 3	
Class	3 Flammable liquids
· Label	3, 6.1
· IMDG	
Class	3 Flammable liquids
· Label · IATA	3/6.1
· Class	3 Flammable liquids
· Label	3 (6.1)
· Packing group · DOT, IMDG, IATA	Ш
· Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemle	···· · · · · · · · · · · · · · · · · ·
Hazard identification number (Kemler EMS Number:	F-E,S-D
 Hazard identification number (Kemler EMS Number: Stowage Category 	F-E,S-D B
 Hazard identification number (Kemler EMS Number: Stowage Category Stowage Code 	F-E,S-D B SW2 Clear of living quarters.
 Hazard identification number (Kemler EMS Number: Stowage Category 	F-E,S-D B SW2 Clear of living quarters.
 Hazard identification number (Kemler EMS Number: Stowage Category Stowage Code Transport in bulk according to Annex 	F-E,S-D B SW2 Clear of living quarters.
 Hazard identification number (Kemler EMS Number: Stowage Category Stowage Code Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	F-E,S-D B SW2 Clear of living quarters.

Printing date 06/13/2022

Revision date 06/13/2022

Trade name: Ketamine (hydrochloride) (CRM)

	(Contd. from page 9)
·IMDG	
 Limited quantities (LQ) 	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
·IATA	
· Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIV
Hazardous Air Pollutants	
67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

US

Printing date 06/13/2022

Revision date 06/13/2022

Trade name: Ketamine (hydrochloride) (CRM)

(Contd. from page 10)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 06/13/2022 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity - Category 3 Repr. 2: Reproductive toxicity - Category 2 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

-US-