

Printing date 04/22/2022


Revision date 04/22/2022

Page 1/11

1 Identification

- · Product identifier
- · Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)
- · Article number: 19431
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Printing date 04/22/2022

Revision date 04/22/2022

| Trade name: THJ220 | 1 N-(5-hydroxypentyl) metabolite (CRM) |
|---|---|
| · Hazard pictograr | (Contd. from page 1) |
| | 110 A |
| | |
| | |
| | |
| GHS02 GHS06 | GHS08 |
| · Signal word Dan | - |
| Methanol | ing components of labeling: |
| Hazard statemen | |
| H225 | Highly flammable liquid and vapor. |
| | 1 Toxic if swallowed, in contact with skin or if inhaled. |
| H370 | Causes damage to the central nervous system and the visual organs. |
| Precautionary state | |
| P210 | Keep away from heat/sparks/open flames/hot surfaces No smoking. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe dust/fume/gas/mist/vapors/spray. |
| P264 | Wash thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301+P310 P321 | If swallowed: Immediately call a poison center/doctor. |
| P321 P330 | Specific treatment (see on this label). Rinse mouth. |
| | B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with |
| F303+F301+F333 | water/shower. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P307+P311 | IF exposed: Call a POISON CENTER or doctor/physician. |
| P312 | Call a poison center/doctor if you feel unwell. |
| P361+P364 | Take off immediately all contaminated clothing and wash it before reuse. |
| P370+P378 | In case of fire: Use CO2, powder or water spray to extinguish. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international |
| | regulations. |
| Classification sy | 0 |
| • NFPA ratings (so | |
| | |
| | th = 0 |
| Fire | |
| U Read | ctivity = 0 |
| · HMIS-ratings (sc | ale 0 - 4) |
| HEALTH *0 Hea | 145 - *0 |
| | alth = *0 |
| | a = 3 |
| REACTIVITY 0 Rea | activity = 0 |
| | (Contd. on page 3) |

US

Printing date 04/22/2022

Revision date 04/22/2022

(Contd. from page 2)

99.9%

0.1%

Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)

· Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

RTECS: PC1400000

Other ingredients

1850409-16-3 THJ2201 N-(5-hydroxypentyl) metabolite

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 04/22/2022

Revision date 04/22/2022

Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)

(Contd. from page 3)

| | ve equipment and emergency procedures |
|--|---|
| Mount respiratory protective device Wear protective equipment. Keep | |
| • Environmental precautions: | |
| Dilute with plenty of water. | |
| Do not allow to enter sewers/ sur Methods and material for conta | |
| Absorb with liquid-binding materia | al (sand, diatomite, acid binders, universal binders, sawdust). |
| Dispose contaminated material as Ensure adequate ventilation. | s waste according to item 13. |
| • Reference to other sections | |
| See Section 7 for information on a | |
| See Section 8 for information on See Section 13 for disposal inforr | |
| Protective Action Criteria for C | hemicals |
| · PAC-1: | |
| 67-56-1 Methanol | 530 ppm |
| · PAC-2: | |
| 67-56-1 Methanol | 2,100 ppm |
| | |
| • PAC-3: | |
| • PAC-3: 67-56-1 Methanol | 7200* ppm |
| | 7200* ppm |
| | 7200* ppm |
| 67-56-1 Methanol 7 Handling and storage | 7200* ppm |
| 67-56-1 Methanol 7 Handling and storage • Handling: • Precautions for safe handling | |
| 67-56-1 Methanol 7 Handling and storage • Handling: • Precautions for safe handling Ensure good ventilation/exhaustic | on at the workplace. |
| 67-56-1 Methanol 7 Handling and storage • Handling: • Precautions for safe handling | on at the workplace. |
| 67-56-1 Methanol 7 Handling and storage • Handling: • Precautions for safe handling Ensure good ventilation/exhaustic Open and handle receptacle with Prevent formation of aerosols. • Information about protection ago | on at the workplace. care. gainst explosions and fires: |
| 67-56-1 Methanol 7 Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustic Open and handle receptacle with Prevent formation of aerosols. Information about protection as Keep ignition sources away - Do | on at the workplace. care. gainst explosions and fires: not smoke. |
| 67-56-1 Methanol 7 Handling and storage • Handling: • Precautions for safe handling Ensure good ventilation/exhaustic Open and handle receptacle with Prevent formation of aerosols. • Information about protection ago | on at the workplace. care. gainst explosions and fires: not smoke. ges. |
| 67-56-1 Methanol 7 Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustic Open and handle receptacle with Prevent formation of aerosols. Information about protection as Keep ignition sources away - Door Protect against electrostatic charge | on at the workplace. care. gainst explosions and fires: not smoke. ges. e available. |
| 67-56-1 Methanol 7 Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustic Open and handle receptacle with Prevent formation of aerosols. Information about protection as Keep ignition sources away - Door Protect against electrostatic charg Keep respiratory protective device Conditions for safe storage, ind Storage: Store in accordance with | on at the workplace. care. gainst explosions and fires: not smoke. ges. e available. cluding any incompatibilities th information listed on the product insert. |
| 67-56-1 Methanol 7 Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustic Open and handle receptacle with Prevent formation of aerosols. Information about protection ag Keep ignition sources away - Door Protect against electrostatic charg Keep respiratory protective device Conditions for safe storage, income Storage: Store in accordance with | on at the workplace. care. gainst explosions and fires: not smoke. ges. e available. cluding any incompatibilities th information listed on the product insert. rerooms and receptacles: Store in a cool location. |
| 67-56-1 Methanol 7 Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustic Open and handle receptacle with Prevent formation of aerosols. Information about protection as Keep ignition sources away - Door Protect against electrostatic charg Keep respiratory protective device Conditions for safe storage, ind Storage: Store in accordance witt Requirements to be met by sto Information about storage in ou Further information about storage | on at the workplace. care. gainst explosions and fires: not smoke. ges. e available. cluding any incompatibilities th information listed on the product insert. rerooms and receptacles: Store in a cool location. ne common storage facility: Not required. |
| 67-56-1 Methanol 7 Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustic Open and handle receptacle with Prevent formation of aerosols. Information about protection ago Keep ignition sources away - Door Protect against electrostatic charge Keep respiratory protective deviced Conditions for safe storage, ind Storage: Store in accordance with Requirements to be met by sto Information about storage in our Further information about storage | on at the workplace. care. gainst explosions and fires: not smoke. ges. e available. cluding any incompatibilities th information listed on the product insert. rerooms and receptacles: Store in a cool location. ne common storage facility: Not required. age conditions: |
| 67-56-1 Methanol 7 Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustic Open and handle receptacle with Prevent formation of aerosols. Information about protection as Keep ignition sources away - Door Protect against electrostatic charg Keep respiratory protective device Conditions for safe storage, ind Storage: Store in accordance witt Requirements to be met by sto Information about storage in on Further information about storage | on at the workplace. care. gainst explosions and fires: not smoke. ges. e available. cluding any incompatibilities th information listed on the product insert. rerooms and receptacles: Store in a cool location. ne common storage facility: Not required. age conditions: ell sealed receptacles. |

• Additional information about design of technical systems: No further data; see item 7. (Contd. on page 5)

Printing date 04/22/2022

Revision date 04/22/2022

Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)

(Contd. from page 4) Control parameters · Components with limit values that require monitoring at the workplace: 67-56-1 Methanol PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³. 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin Short-term value: 250 ppm TLV Long-term value: 200 ppm Skin; BEI · Ingredients with biological limit values: 67-56-1 Methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) · Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 04/22/2022

Revision date 04/22/2022

(Contd. from page 5)

Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| · Information on basic physical and c | hemical properties |
|--|--|
| General Information | |
| · Appearance: | |
| Form: Color: | Liquid Colorless |
| · Odor: | Alcohol-like |
| · Structural Formula | C23H22N2O2 |
| · Molecular Weight | 358.4 g/mol |
| · Odor threshold: | Not determined. |
| · Formulation | A 1 mg/ml solution in methanol |
| · pH-value: | Not determined. |
| · Change in condition | |
| Melting point/Melting range: | -98 °C (-144.4 °F) |
| Boiling point/Boiling range: | 64.7 °C (148.5 °F) |
| · Flash point: | 11 °C (51.8 °F) |
| · Flammability (solid, gaseous): | Not applicable. |
| · Ignition temperature: | 455 °C (851 °F) |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. |
| · Explosion limits: | |
| Lower: | 5.5 Vol % |
| Upper: | 44 Vol % |
| · Vapor pressure at 20 °C (68 °F): | 128 hPa (96 mm Hg) |
| · Density at 20 °C (68 °F): | 0.79 g/cm³ (6.59255 lbs/gal) |
| Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| · Partition coefficient (n-octanol/wate | r): Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| | (Contd. on page 7 |

- US

Printing date 04/22/2022

Revision date 04/22/2022

Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)

| | (Contd. from page 6 |
|---|--|
| Solvent content: Organic solvents: VOC content: | 99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal |
| Solids content: | 0.1 % |
| · Other information | No further relevant information available. |
| | |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: oxidizing agents, reducing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

| · LD/LC50 values that are relevant for classification: | | |
|--|----------------------|--|
| 67-56-1 Methan | ol | |
| Oral | LDLO | 143 mg/kg (hmn) |
| | TDLO | 5 ml/kg (rat) |
| | LD50 | 5,600 mg/kg (rat) |
| Dermal | LD50 | 15,800 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 64,000 mg/m³ (rat) |
| | LC50 | 61,100 mg/m³/134 m (mouse) |
| Irritation of skin | Irritation | 20 mg/24h (rabbit) |
| | Irritation | (rabbit) |
| | Irritation | 5.63 mg/kg/exempt preparation (rabbit) |
| Irritation of eyes | Irritation | 40 mg (rabbit) |
| | Intraperitoneal TDLO | 5 mg/kg (rat) |
| | Intraperitoneal LD50 | 10,765 mg/kg (mouse) |
| | Subcutaneous LD50 | 143 mg/kg/human (mouse) |
| | Data | 20 mg/24h (rabbit) |
| · Primary irritant | offent. | |

• Primary irritant effect:

· on the skin: No irritant effect.

· on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)

US

Printing date 04/22/2022

Revision date 04/22/2022

(Contd. from page 7)

Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)

Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number | | |
|-------------------------|-------------------|--|
| DOT, IMDG, IATA | UN1230 | |
| UN proper shipping name | | |
| DOT, IATA | Methanol solution | |
| IMDG | METHANOL solution | |

Printing date 04/22/2022

Revision date 04/22/2022

Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)

| | (Contd. from page |
|---|---|
| Transport hazard class(es) | |
| DOT | |
| | |
| | |
| | |
| Class Label | 3 Flammable liquids 3, 6.1 |
| IMDG | |
| | |
| | |
| 3 | |
| Class | 3 Flammable liquids |
| Label | 3/6.1 |
| ΙΑΤΑ | |
| | |
| | |
| | |
| Class Label | 3 Flammable liquids 3 (6.1) |
| Packing group | - () |
| DOT, IMDG, IATA | П |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Warning: Flammable liquids |
| Hazard identification number (Kemler code): EMS Number: | 336 F-E,S-D |
| Stowage Category | В |
| Stowage Code | SW2 Clear of living quarters. |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Natappliashla |
| | Not applicable. |
| Transport/Additional information: | |
| DOT Quantity limitations | On passenger aircraft/rail: 1 L |
| • | On cargo aircraft only: 60 L |
| IMDG | |
| Limited quantities (LQ) Excepted quantities (EQ) | 1L Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| IATA | M/han add in muchtics of last them as south to do |
| Remarks: | When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of |
| | E1, E2, E4, or E5, this item meets the De Minim |
| | Quantities exemption, per IATA 2.6.10. |
| | (Contd. on page |

Printing date 04/22/2022

Revision date 04/22/2022

Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)

| | (Contd. from page 9) |
|--------------------------|--|
| | Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. |
| · UN "Model Regulation": | UN 1230 METHANOL SOLUTION, 3 (6.1), II |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

| · Sara | |
|--|--------|
| Section 355 (extremely hazardous substances): | |
| None of the ingredients is listed. | |
| · Section 313 (Specific toxic chemical listings): | |
| 67-56-1 Methanol | |
| · TSCA (Toxic Substances Control Act): | |
| 67-56-1 Methanol | ACTIVE |
| · Hazardous Air Pollutants | |
| 67-56-1 Methanol | |
| · Proposition 65 | |
| · Chemicals known to cause cancer: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause developmental toxicity: | |
| 67-56-1 Methanol | |
| · Carcinogenic categories | |
| · EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |
| · TLV (Threshold Limit Value) | |
| None of the ingredients is listed. | |
| NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable. Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

(Contd. on page 11)

US

Printing date 04/22/2022

Revision date 04/22/2022

Trade name: THJ2201 N-(5-hydroxypentyl) metabolite (CRM)

| | (Contd. from page 10) |
|---|-----------------------|
| · Department issuing SDS: Environment protection department. | |
| · Contact: - | |
| Date of preparation / last revision 04/22/2022 / - | |
| · Abbreviations and acronyms: | |
| IMDG: International Maritime Code for Dangerous Goods | |
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health TI V: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| BEI: Biological Exposure Limit | |
| Flam. Lig. 2: Flammable liquids – Category 2 | |
| Acute Tox. 3: Acute toxicity – Category 3 | |
| STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 | |
| | US |