

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2024

Revision date 03/15/2024

Page 1/11

1 Identification

- Product identifier
- · Trade name: Butalbital-d5 (CRM)
- · Synonym 5-(2-methylpropyl)-5-(2-propenyl-d5)-2,4,6(1H,3H,5H)-pyrimidinetrione
- Article number: 20092
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 2

GHS06 Skull and crossbones

Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 H225 Highly flammable liquid and vapor.

H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.



GHS08 Health hazard

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs.

(Contd. on page 2)

Printing date 03/15/2024

÷ .

Revision date 03/15/2024

Trade name: Butalbital-d5 (CRM)

•		(Contd. from page 1)	
GHS07			
Sensitization - Ski	ן ו	H317 May cause an allergic skin reaction.	
Label elements			
• GHS label elemen		the Globally Harmonized System (GHS).	
· Hazard pictogran		the Globally Harmonized System (GHS).	
<u> 7</u>			
GHS02 GHS06	GHS07 GHS08		
GH302 GH300	GH307 GH306		
· Signal word Dang	ler		
	ng components of labeling:		
Methanol	ng components of labeling.		
Butalbital-d5			
Hazard statemen	ts		
H225	Highly flammable liquid and va		
	Toxic if swallowed, in contact w		
H317	May cause an allergic skin read		
H370		nervous system and the visual organs.	
 Precautionary sta P210 		en flames/hot surfaces No smoking.	
P240	Ground/bond container and rec		
P241	Use explosion-proof electrical/v		
P242	Use only non-sparking tools.		
P243	Take precautionary measures a		
P260	Do not breathe dust/fume/gas/r		
P264 P270	Wash thoroughly after handling		
P270 P271	Do not eat, drink or smoke whe Use only outdoors or in a well-v		
P272		ist not be allowed out of the workplace.	
P280		ve clothing/eye protection/face protection.	
P301+P310	If swallowed: Immediately call a		
P321	Specific treatment (see on this	abel).	
P330	Rinse mouth.		
P303+P361+P353	If on skin (or hair): Take off im water/shower.	mediately all contaminated clothing. Rinse skin with	
P304+P340		o fresh air and keep comfortable for breathing.	
P307+P311	IF exposed: Call a POISON CE	NTER or doctor/physician.	
P312	Call a poison center/doctor if yo		
P361+P364	Take off immediately all contam	inated clothing and wash it before reuse.	
P333+P313	If skin irritation or rash occurs:		
P370+P378	In case of fire: Use CO2, powde		
P403+P233	Store in a well-ventilated place. Store in a well-ventilated place.		
P403+P235 P405	Store locked up.		
P501		n accordance with local/regional/national/international	
	regulations.		
	-	(Contd. on page 3)	

Printing date 03/15/2024

Revision date 03/15/2024

(Contd. from page 2)

99.9%

0.1%

Trade name: Butalbital-d5 (CRM)

Classification system:

· NFPA ratings (scale 0 - 4)

2 0

Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH*2FIRE3FIRE3REACTIVITY0Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol RTECS: PC1400000

CAS: 145243-96-5 Butalbital-d5

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)

US

Printing date 03/15/2024

Revision date 03/15/2024

Trade name: Butalbital-d5 (CRM)

 Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced. Advice for firefighters Protective equipment: Mouth respiratory protective device. 	(Contd. from page 3)
6 Accidental release measures	
 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal bind Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	lers, sawdust).
• PAC-1: 67-56-1 Methanol	530 ppm
• PAC-2:	
67-56-1 Methanol	2,100 ppm
· PAC-3:	
67-56-1 Methanol	7200* ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

US

Printing date 03/15/2024

Revision date 03/15/2024

Trade name: Butalbital-d5 (CRM)

(Contd. from page 4)

8 Exp	osure controls/personal protection
· Addi	tional information about design of technical systems: No further data; see section 7.
· Com The trecor	rol parameters ponents with limit values that require monitoring at the workplace: following constituent is the only constituent of the product which has a PEL, TLV or other nmended exposure limit. s time, the remaining constituent has no known exposure limits.
67-56	S-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc
Ingre	dients with biological limit values:
67-56	δ-1 Methanol
-	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
	tional information: The lists that were valid during the creation were used as basis.
Perso Gene Keep Imme Wash Store Avoid Brea In ca expos	<pre>sure controls onal protective equipment: aral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer sure use respiratory protective device that is independent of circulating air. ection of hands:</pre>
M	
Due prepa Seleo	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the adation
The s qualit subst	rial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of ty and varies from manufacturer to manufacturer. As the product is a preparation of several tances, the resistance of the glove material can not be calculated in advance and has therefore to necked prior to the application.

Printing date 03/15/2024

Revision date 03/15/2024

(Contd. from page 5)

Trade name: Butalbital-d5 (CRM)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Alcohol-like
Structural Formula	C11H11D5N2O3
Molecular Weight	229.3 g/mol
Odor threshold:	Not determined.
Formulation	A 1 mg/ml solution in methanol
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
Flash point:	9.7 °C (49.5 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	1000 g/l

Printing date 03/15/2024

Revision date 03/15/2024

Trade name: Butalbital-d5 (CRM)

	(Contd. from page
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: VOC content: 	99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral		100 mg/kg (rat)
	LD50	300 mg/kg (rabbit)
Inhalative	LC50/4 h	3.1 mg/l (rat)

67-56-1 Methanol

Г

Oral	LD50	100.1 mg/kg (rat) (Expert judgment)
		Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting
Dermal	LD50	300.1 mg/kg (rabbit) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Inhalative	LC50/4 h	 3.1 mg/l (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract.

• on the skin: No irritant effect.

(Contd. on page 8)

⁻ US

Printing date 03/15/2024

Revision date 03/15/2024

Trade name: Butalbital-d5 (CRM)

 (Contd. from page 7) on the eye: No irritating effect. Sensitization: Sensitization possible through skin contact. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Toxic Irritant
· Carcinogenic categories
· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
· NTP (National Toxicology Program)
None of the ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

k	14 Transport information	

· UN-Number

· DOT, IMDG, IATA

UN1230

(Contd. on page 9)

US

Printing date 03/15/2024

Revision date 03/15/2024

Trade name: Butalbital-d5 (CRM)

	(Contd. from pa
UN proper shipping name DOT, IATA IMDG	Methanol METHANOL
Transport hazard class(es)	
Class Label	3 Flammable liquids 3, 6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
IATA	5/0.1
Class Label	3 Flammable liquids 3 (6.1)
Packing group	
DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids 336 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information: DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
	(Contd. on pag

Printing date 03/15/2024

Revision date 03/15/2024

(Contd. from page 9)

ACTIVE

· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

• TSCA (Toxic Substances Control Act):

67-56-1 Methanol

· Hazardous Air Pollutants

67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

· Carcinogenic categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes (Contd. on page 11)

Printing date 03/15/2024

Revision date 03/15/2024

Trade name: Butalbital-d5 (CRM)

(Contd. from page 10) no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.
 Department issuing SDS: Environment protection department. Contact: - Date of preparation / last revision 03/15/2024 / - Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transportation EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPW: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLY: Threshold Limit Value PEL: Permissible Exposure Limit EE: Biological Exposure Limit EB: Biological Exposure Limit EB: Biological Exposure Limit Fammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 1 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 * Data compared to the previous version altered.
US _US