

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/03/2024

Revision date 04/03/2024

Page 1/11

1 Identification

- · Product identifier
- Trade name: <u>Norbuprenorphine (CRM)</u>
 Synonym

 (αS,5α,7α)-α-(1,1-dimethylethyl)-4,5-epoxy-18,19-dihydro-3-hydroxy-6-methoxy-α-methyl-6,14-ethenomorphinan-7-methanol
 - Article number: 20127
 - Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Sensitization - Respiratory 1	H334 May cause allergy or asthma symptom breathing difficulties if inhaled.
Specific Target Organ Toxicity - Single Exposure	1 H370 Causes damage to the central nerv system and the visual organs.

(Contd. on page 2)

- US

Safety Data Sheet acc. to OSHA HCS

Printing date 04/03/2024

Revision date 04/03/2024


Trade name: Norbuprenorphine (CRM)

		(Contd. from page 1)
\wedge			
GHS07			
Sensitization - Ski	n 1	H317 May cause an allergic skin rea	action.
· Label elements			
GHS label elements	nte		
		the Globally Harmonized System (GH	S)
Hazard pictogram	•		-).
	^		
<u>₹3</u>			
GHS02 GHS06	GHS08		
· Signal word Dang	ner		
_	-		
	ing components of labeling:		
Methanol Norbuprenorphine			
· Hazard statemen			
H225	Highly flammable liquid and va	oor	
	1 Toxic if swallowed, in contact w		
H334		ymptoms or breathing difficulties if inh	aled.
H317	May cause an allergic skin read	ction.	
H370		nervous system and the visual organs	3.
• Precautionary sta			
P210		en flames/hot surfaces No smoking	g.
P240	Ground/bond container and rec		
P241 P242	Use explosion-proof electrical/v Use only non-sparking tools.	entilating/lighting/equipment.	
P243	Take precautionary measures a	against static discharge.	
P260	Do not breathe dust/fume/gas/r		
P264	Wash thoroughly after handling		
P270	Do not eat, drink or smoke whe		
P271	Use only outdoors or in a well-v		
P272		ist not be allowed out of the workplace	
P280 P284	[In case of inadequate ventilation	ve clothing/eye protection/face protec	uon.
P301+P310	If swallowed: Immediately call a		
P321	Specific treatment (see on this		
P330	Rinse mouth.	7	
P303+P361+P353	6 If on skin (or hair): Take off im	mediately all contaminated clothing.	Rinse skin with
	water/shower.		
P304+P340		o fresh air and keep comfortable for b	reathing.
P307+P311 P312	IF exposed: Call a POISON CE Call a poison center/doctor if yo		
P361+P364		ninated clothing and wash it before re-	
P333+P313	If skin irritation or rash occurs:		
P342+P311		otoms: Call a poison center/doctor.	
P370+P378	In case of fire: Use CO2, powde	er or water spray to extinguish.	
P403+P233	Store in a well-ventilated place.		
P403+P235	Store in a well-ventilated place.	Keep cool.	
P405	Store locked up.		(Contd. on nega 2)
			(Contd. on page 3)

Printing date 04/03/2024

Revision date 04/03/2024

Trade name: Norbuprenorphine (CRM)



· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-56-1 RTECS: PC1400000		99.9–100%
CAS: 78715-23-8 RTECS: KM7771800	Norbuprenorphine	0.1%

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 4)

Printing date 04/03/2024

Revision date 04/03/2024

Trade name: Norbuprenorphine (CRM)

(Contd. from page 3)

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-56-1 Methanol · PAC-2:

67-56-1 Methanol

· PAC-3:

67-56-1 Methanol

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires:
 Keep ignition sources away Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 5)

530 ppm

2,100 ppm

7200* ppm

US

Printing date 04/03/2024

Revision date 04/03/2024

Trade name: Norbuprenorphine (CRM)

(Contd. from page 4)

· Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-56-1 Methanol			
PEL	Long-term value: 260 mg/m³, 200 ppm		
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm		

Skin TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc

· Ingredients with biological limit values:

67-56-1 Methanol

BEI 15 mg/L Medium: urine

Time: end of shift

Parameter: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

LIS

Printing date 04/03/2024

Revision date 04/03/2024

Trade name: Norbuprenorphine (CRM)

• Material of gloves

(Contd. from page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and General Information 	chemical properties
 Appearance: Form: Color: Odor: Structural Formula Molecular Weight Odor threshold: Formulation 	Liquid According to product specification Alcohol-like C25H35NO4 413.6 g/mol Not determined. A 100 μg/ml or 1 mg/ml solution in methanol
pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-98 °C (-144.4 °F) 64.7 °C (148.5 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
[·] Explosion limits: Lower: Upper:	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
	(Contd. on page 7)

U

Printing date 04/03/2024

Revision date 04/03/2024

Trade name: Norbuprenorphine (CRM)

	(Contd. fro	m page
 Solubility in / Miscibility with Water at 20 °C (68 °F): 	1000 g/l	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	99.9–100 %	
VOC content:	99.9–99.99 %	
	999.9 g/l / 8.34 lb/gal	
Solids content:	0.1 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon monoxide, carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

100 mg/kg (rot)
100 mg/kg (rat)
300 mg/kg (rabbit)
3.1 mg/l (rat)
100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Anne VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting

Printing date 04/03/2024

Revision date 04/03/2024

Trade name: Norbuprenorphine (CRM)

Dermal	LD50	(Contd. from page
Dennal	LDOU	300.1 mg/kg (rabbit) (Expert judgment)
		Remarks: Classified according to Regulation (EU) 1272/2008, Annex
		VI (Table 3.1/3.2)
Inhalative	LC50/4 h	3.1 mg/l (rat)
		(Expert judgment)
		Remarks: Classified according to Regulation (EU) 1272/2008, Annex
		VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract.
70745 00	8 Norbuprenorphine	
/8/15-23-	Subcutaneous TDLO	0.5 mg/kg (mouse)
	Intraperitoneal TDLO	
	•	
	Intravenous LD50	10 mg/kg (rat)
preparatio Toxic Harmful Irritant		ng dangers according to internally approved calculation methods f
IARC (Inte	ernational Agency for	r Research on Cancer)
	e ingredients is listed.	
None of th		
	onal Toxicology Pro	gram)
NTP (Nati	onal Toxicology Prog ne ingredients is listed.	gram)
NTP (Nati None of th OSHA-Ca	e ingredients is listed.	gram) y & Health Administration)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)

US

Printing date 04/03/2024

Revision date 04/03/2024

(Contd. from page 8)

Trade name: Norbuprenorphine (CRM)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1230	
 · UN proper shipping name · DOT, IATA · IMDG 	Methanol METHANOL	
· Transport hazard class(es)		
·DOT		
RAMAREE LOOD 3 6		
· Class	3 Flammable liquids	
·Label	3, 6.1	
· IMDG		
· Class	3 Flammable liquids	
· Label	3/6.1	
·IATA		
· Class	3 Flammable liquids	
[.] Label	3 (6.1)	
 Packing group DOT, IMDG, IATA 	II	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Warning: Flammable liquids	

Printing date 04/03/2024

Revision date 04/03/2024

Trade name: Norbuprenorphine (CRM)

	(Contd. from page S
 Hazard identification number (Kemler cod EMS Number: 	e): 336 F-E,S-D
· Stowage Category · Stowage Code	B SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIVE
· Hazardous Air Pollutants	
67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
	(Contd. on page 1

Printing date 04/03/2024

Revision date 04/03/2024

Trade name: Norbuprenorphine (CRM)

(Contd. from page 10)

67-56-1 Methanol

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 04/03/2024 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Sensitization - Respiratory 1: Respiratory sensitisation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

• * Data compared to the previous version altered.