

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/15/2024

Revision date 04/15/2024

1 Identification

- Product identifier
- Trade name: <u>N-desmethyl U-47700 (CRM)</u>
- · Synonym trans-3,4-dichloro-N-methyl-N-[2-(methylamino)cyclohexyl]-benzamide
- · Article number: 20471
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.

GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

-

Page 1/10

Printing date 04/15/2024

Revision date 04/15/2024

Trade name: N-desmethyl U-47700 (CRM)

Trade name: N-desm	ethyl 0-47700 (CRM)
	(Contd. from page 1)
 Hazard pictograr 	ns
GHS02 GHS07	
· Signal word Dan	ger
Hazard-determin	ing components of labeling:
Acetonitrile	
Hazard statemen	ts
H225	Highly flammable liquid and vapor.
	2 Harmful if swallowed, in contact with skin or if inhaled.
H319	Causes serious eye irritation.
• Precautionary st	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243 P261	Take precautionary measures against static discharge.
P264	Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P270	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
	B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	B If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
5004	present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362+P364 P337+P313	Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
1001	regulations.
Classification sy	5
• NFPA ratings (so	
	<u>+-</u> 0
	th = 2
Fire Page	= 3 ctivity = 0
	sivity – O
 HMIS-ratings (sc 	ale 0 - 4)
	alth = 2
	= 3
REACTIVITY 0 Rea	activity = 0

(Contd. on page 3)

Printing date 04/15/2024

Revision date 04/15/2024

(Contd. from page 2)

99.9%

0.1%

Trade name: N-desmethyl U-47700 (CRM)

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 75-05-8 Acetonitrile

RTECS: AL7700000

Other ingredients

67579-73-1 N-desmethyl U-47700

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

US

Printing date 04/15/2024

Revision date 04/15/2024

Trade name: N-desmethyl U-47700 (CRM)

	td. from page 3)
 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	st).
· PAC-1:	
75-05-8 Acetonitrile	13 ppm
PAC-2:	
75-05-8 Acetonitrile	50 ppm
PAC-3:	
75-05-8 Acetonitrile	150 ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

Control parameters

• Components with limit values that require monitoring at the workplace:

75-05-8 Acetonitrile

PEL Long-term value: 70 mg/m³, 40 ppm

REL Long-term value: 34 mg/m³, 20 ppm

TLV Long-term value: 20 ppm

Skin, A4

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Printing date 04/15/2024

Revision date 04/15/2024

Trade name: N-desmethyl U-47700 (CRM)

(Contd. from page 4)

US

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: According to product specification · Odor: Aromatic C15H20Cl2N2O · Structural Formula · Molecular Weight 315.2 g/mol · Odor threshold: Not determined. · Formulation A 1 mg/ml solution in acetonitrile · pH-value: Not determined. · Change in condition Melting point/Melting range: -46 °C (-50.8 °F) (Contd. on page 6)

Printing date 04/15/2024

Revision date 04/15/2024

Trade name: N-desmethyl U-47700 (CRM)

	(Contd. from page 5)
Boiling point/Boiling range:	81 °C (177.8 °F)
· Flash point:	5 °C (41 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	525 °C (977 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
[·] Explosion limits: Lower: Upper:	4.4 Vol % 16 Vol %
· Vapor pressure at 20 °C (68 °F): · Vapor pressure at 50 °C (122 °F):	98.64 hPa (74 mm Hg) 330 hPa (247.5 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water at 25 °C (77 °F): 	1000 g/l
· Partition coefficient (n-octanol/wate	r): Not determined.
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	0.39 mPas Not determined.
• Solvent content: VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 04/15/2024

Revision date 04/15/2024

Trade name: N-desmethyl U-47700 (CRM)

(Contd. from page 6)

	Acute toxicity:					
	LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate)					
Oral	LD50	618 mg/kg (mouse)				
Dermal	LD50	1,502 mg/kg (rabbit)				
Inhalative						
75-05-8 A	cetonitrile					
Oral	LD50	617 mg/kg (mouse) (OECD Test Guideline 401)				
Dermal	LD50	1,500 mg/kg (rabbit) (Expert Judgement) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Tab 3.1/3.2)				
Inhalative	LC50/4 h	6.022 mg/l (mouse) (OECD Test Guideline 403)				
• on the ski • on the eye • Sensitizat	e: Irritating i on: No se I toxicolo					
Additiona The produ preparatio Harmful Irritant	ns:					
• Additiona The produ preparatio Harmful Irritant • Carcinoge	ns: enic categ					
 Additiona The produpreparatio Harmful Irritant Carcinoge IARC (Interpretation) 	ns: enic categ ernational	Agency for Research on Cancer)				
 Additiona The produ preparatio Harmful Irritant Carcinoge IARC (International International Interna	ns: enic categ ernational e ingredie	Agency for Research on Cancer) nts is listed.				
 Additiona The produ preparatio Harmful Irritant Carcinoge IARC (International None of the second s	ns: enic categ ernational e ingredie onal Toxio	Agency for Research on Cancer)				

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 8)

Printing date 04/15/2024

Revision date 04/15/2024

Trade name: N-desmethyl U-47700 (CRM)

(Contd. from page 7)

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1648	
UN proper shipping name DOT, IATA IMDG	Acetonitrile solution ACETONITRILE solution	
Transport hazard class(es)		
DOT		
RUMMARE LOOD		
Class	3 Flammable liquids	
Label IMDG, IATA	3	
Class	3 Flammable liquids	
Label	3	
Packing group DOT, IMDG, IATA	II	
Environmental hazards:	Not applicable.	
Special precautions for user Hazard identification number (Keml EMS Number: Stowage Category	Warning: Flammable liquids ler code): 33 F-E,S-D B	

Printing date 04/15/2024

Revision date 04/15/2024

Trade name: N-desmethyl U-47700 (CRM)

	(Contd. from page 8
· Stowage Code	SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1648 ACETONITRILE SOLUTION, 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

75-05-8 Acetonitrile

· TSCA (Toxic Substances Control Act):

75-05-8 Acetonitrile

· Hazardous Air Pollutants

75-05-8 Acetonitrile

Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

[·]US

Printing date 04/15/2024

Revision date 04/15/2024

Trade name: N-desmethyl U-47700 (CRM)

(Contd. from page 9)

CBD, D

A4

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

75-05-8 Acetonitrile

TLV (Threshold Limit Value)

75-05-8 Acetonitrile

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 04/15/2024 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A * * Data compared to the previous version altered.

- US