

Page 1/11

Safety Data Sheet acc. to OSHA HCS

Printing date 04/04/2022

Revision date 04/04/2022

1 Identification

- · Product identifier
- · Trade name: Normeperidine (hydrochloride) (CRM)
- · Article number: 20899
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

Hazard pictograms







GHS02 GHS06 GHS08

Signal word Danger

Hazard-determining components of labeling:

Methanol

ethyl 4-phenylpiperidine-4-carboxylate hydrochloride

· Hazard statements

H225 Highly flammable liquid and vapor.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to the central nervous system and the visual organs.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P307+P311 IF exposed: Call a POISON CENTER or doctor/physician.

P312 Call a poison center/doctor if you feel unwell.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Classification system:

NFPA ratings (scale 0 - 4)



Health = 0 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *0 Fire = 3 Reactivity = 0

(Contd. on page 3)

(Contd. from page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-56-1 RTECS: PC1400000	Methanol	99.9%
CAS: 24465-45-0 RTECS: NS6195000	ethyl 4-phenylpiperidine-4-carboxylate hydrochloride	0.1%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

us

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

(Contd. from page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:	
67-56-1 Methanol	530 ppm
· PAC-2:	
67-56-1 Methanol	2,100 ppm
· PAC-3:	
67-56-1 Methanol	7200* ppm

7 Handling and storage

- Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

(Contd. from page 4)

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-56-1 Methanol

PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm

Skin

TLV Short-term value: 250 ppm Long-term value: 200 ppm

Skin; BEI

Ingredients with biological limit values:

67-56-1 Methanol

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

(Contd. from page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

· Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	enemical properties
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Alcohol-like
Structural Formula	C14H19NO2 • HCI
· Molecular Weight · Odor threshold:	269.8 g/mol Not determined.
· Odor threshold: · Formulation	A 1 mg/ml solution in methanol
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

	Contd. from page 6
99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal	
0.1 %	
No further relevant information available.	
	99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal 0.1 %

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: reducing agents, oxidizing agents
- · Hazardous decomposition products: carbon monoxide, carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Oral LD50 100,000 mg/kg Dermal LD50 300,000 mg/kg Inhalative LC50/4 h 500 mg/l 67-56-1 Methanol Oral LDLO 143 mg/kg (hmn) TDLO 5 ml/kg (rat) LD50 5,600 mg/kg (rat) Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse) Irritation of skin Irritation (rabbit) Irritation frabbit 5.63 mg/kg/exempt preparation (rabbit) Irritation of eyes Irritation 40 mg (rabbit) Intraperitoneal TDLO Intraperitoneal LD50 10,765 mg/kg (mouse) Subcutaneous LD50 143 mg/kg/buman (mouse)	ATE (Acute Toxicity Estimate)				
Inhalative LC50/4 h 500 mg/l 67-56-1 Methanology Oral LDLO 143 mg/kg (hmn) TDLO 5 ml/kg (rat) LD50 5,600 mg/kg (rabbit) LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse) Irritation of skin Irritation (rabbit) Irritation 5.63 mg/kg/exempt preparation (rabbit) Irritation of eyes Irritation 40 mg (rabbit) Intraperitoneal TDLO Intraperitoneal LD50 10,765 mg/kg (mouse)	LΓ	_D50	100,000 mg/kg		
67-56-1 Methanol Oral LDLO 143 mg/kg (hmn) TDLO 5 ml/kg (rat) LD50 5,600 mg/kg (rat) Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse) Irritation of skin Irritation (rabbit) Irritation (rabbit) Irritation of eyes Irritation 40 mg (rabbit) Intraperitoneal TDLO 5 mg/kg (rat) Intraperitoneal LD50 10,765 mg/kg (mouse)	al L[_D50	300,000 mg/kg		
Oral LDLO 143 mg/kg (hmn) TDLO 5 ml/kg (rat) LD50 5,600 mg/kg (rabbit) Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse) Irritation of skin Irritation 20 mg/24h (rabbit) Irritation (rabbit) Irritation of eyes Irritation 5.63 mg/kg/exempt preparation (rabbit) Intraperitoneal TDLO 5 mg/kg (rat) Intraperitoneal LD50 10,765 mg/kg (mouse)	ative LO	_C50/4 h	500 mg/l		
TDLO	67-56-1 Methanol				
Dermal LD50 5,600 mg/kg (rat)	L[_DLO	143 mg/kg (hmn)		
Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse) Irritation of skin Irritation 20 mg/24h (rabbit) Irritation (rabbit) Irritation 5.63 mg/kg/exempt preparation (rabbit) Irritation 40 mg (rabbit) Intraperitoneal TDLO 5 mg/kg (rat) Intraperitoneal LD50 10,765 mg/kg (mouse)	TI	ΓDLO	5 ml/kg (rat)		
Inhalative LC50/4 h	Lſ	_D50	5,600 mg/kg (rat)		
Irritation of skin Irritation 20 mg/24h (rabbit) Irritation (rabbit) Irritation 5.63 mg/kg/exempt preparation (rabbit) Irritation 40 mg (rabbit) Intraperitoneal TDLO 5 mg/kg (rat) Intraperitoneal LD50 10,765 mg/kg (mouse)	al L[_D50	15,800 mg/kg (rabbit)		
Irritation of skin Irritation 20 mg/24h (rabbit) Irritation (rabbit) Irritation 5.63 mg/kg/exempt preparation (rabbit) Irritation 40 mg (rabbit) Intraperitoneal TDLO 5 mg/kg (rat) Intraperitoneal LD50 10,765 mg/kg (mouse)	ative L0	_C50/4 h	64,000 mg/m³ (rat)		
Irritation (rabbit) Irritation 5.63 mg/kg/exempt preparation (rabbit) Irritation of eyes Irritation 40 mg (rabbit) Intraperitoneal TDLO 5 mg/kg (rat) Intraperitoneal LD50 10,765 mg/kg (mouse)	LC	_C50	61,100 mg/m³/134 m (mouse)		
Irritation of eyes Irritation 5.63 mg/kg/exempt preparation (rabbit) 40 mg (rabbit) Intraperitoneal TDLO 5 mg/kg (rat) Intraperitoneal LD50 10,765 mg/kg (mouse)	on of skin Irr	rritation	20 mg/24h (rabbit)		
Irritation of eyes Irritation 40 mg (rabbit) Intraperitoneal TDLO 5 mg/kg (rat) Intraperitoneal LD50 10,765 mg/kg (mouse)	Irr	rritation	(rabbit)		
Intraperitoneal TDLO 5 mg/kg (rat) 10,765 mg/kg (mouse)	Irr	rritation	5.63 mg/kg/exempt preparation (rabbit)		
Intraperitoneal LD50 10,765 mg/kg (mouse)	on of eyes Irr	rritation	40 mg (rabbit)		
,	In	ntraperitoneal TDLO	5 mg/kg (rat)		
Subcutaneous I D50 1/13 mg/kg/human (mouse)	In	ntraperitoneal LD50	10,765 mg/kg (mouse)		
Subcutaneous ED50 145 mg/kg/numan (mouse)	Sı	Subcutaneous LD50	143 mg/kg/human (mouse)		
Data 20 mg/24h (rabbit)	Da	Data	20 mg/24h (rabbit)		
24465-45-0 ethyl 4-phenylpiperidine-4-carboxylate hydrochloride					
Intraperitoneal LD50 84 mg/kg (mouse)	In	ntraperitoneal LD50	84 mg/kg (mouse)		

(Contd. on page 8)

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

(Contd. from page 7)

· Primary irritant effect:

· on the skin: No irritant effect. · on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for

preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

IS -

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

(Contd. from page 8)

Transport information	
· UN-Number · DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG IATA	Flammable liquids, n.o.s. (Methanol) FLAMMABLE LIQUID, N.O.S. (METHANOL) Flammable liquid, n.o.s. (METHANOL)
Transport hazard class(es)	
DOT	
· Class	3 Flammable liquids
Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 33 F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as (Contd. on page 1)

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

	(Contd. from page 9)
	Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

TSCA (Toxic Substances Control Act):

67-56-1 Methanol ACTIVE

· Hazardous Air Pollutants

67-56-1 Methanol

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

- Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

(Contd. on page 11)

Printing date 04/04/2022 Revision date 04/04/2022

Trade name: Normeperidine (hydrochloride) (CRM)

(Contd. from page 10)

· Department issuing SDS: Environment protection department.

Contact: -

· Date of preparation / last revision 04/04/2022 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 3: Acute toxicity - Category 3

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

* Data compared to the previous version altered.

- US