

Printing date 12/08/2022

Revision date 12/08/2022

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Pentobarbital-d5 (CRM)
- · Article number: 20969
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970


2 Hazard(s) identification

· Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Toxic to Reproduction 2	H361 Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity - Single Exposure 1	H370 Causes damage to the central nervous system and the visual organs. (Contd. on page 2)

Printing date 12/08/2022

Revision date 12/08/2022

Trade name: Pentobarbital-d5 (CRM)



Printing date 12/08/2022

Revision date 12/08/2022

Trade name: Pentobarbital-d5 (CRM)

(Contd. from page 2)

99.9%

0.1%

· HMIS-ratings (scale 0 - 4)



· Other hazards

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol RTECS: PC1400000 CAS: 52944-66-8 Pentobarbital-d5

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US -

Printing date 12/08/2022

Revision date 12/08/2022

(Contd. from page 3)

Trade name: Pentobarbital-d5 (CRM)

Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals
· PAC-1:
67-56-1 Methanol 530 ppm
· PAC-2:
67-56-1 Methanol 2,100 ppm
· PAC-3:
67-56-1 Methanol 7200* ppm

7 Handling and storage

- Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

(Contd. on page 5)

US

Revision date 12/08/2022

Trade name: Pentobarbital-d5 (CRM)

Printing date 12/08/2022

(Contd. from page 4)

3 Exp	osure controls/personal protection
· Addi	tional information about design of technical systems: No further data; see item 7.
· Com The recor	rol parameters ponents with limit values that require monitoring at the workplace: following constituent is the only constituent of the product which has a PEL, TLV or other nmended exposure limit. s time, the remaining constituent has no known exposure limits.
67-56	5-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
Ingre	dients with biological limit values:
67-56	5-1 Methanol
	15 mg/L Medium: urine Fime: end of shift Parameter: Methanol (background, nonspecific)
Gene Keep Imme Wasl Store Avoid Brea In ca expo	
un s	Protective gloves
Due prepa Seleo degra	plove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the adation
The s quali subs	rial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks o ty and varies from manufacturer to manufacturer. As the product is a preparation of severa ances, the resistance of the glove material can not be calculated in advance and has therefore to ecked prior to the application.

Printing date 12/08/2022

Revision date 12/08/2022

(Contd. from page 5)

Trade name: Pentobarbital-d5 (CRM)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Appearance:LiquidForm:LiquidColor:According to product specificationOdor:Alcohol-likeStructural FormulaC11H13D5N2O3Molecular Weight231.3 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanol• pH-value:Not determined.• Change in condition Melting point/Melting range: Boiling point/Boiling range:-98 °C (-144.4 °F) 64.7 °C (148.5 °F)• Flash point:11 °C (51.8 °F)• Flash point:11 °C (51.8 °F)• Decomposition temperature:455 °C (851 °F)• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.	Information on basic physical and General Information	chemical properties
Form:LiquidColor:According to product specificationOdor:Alcohol-likeStructural FormulaC11H13D5N2O3Molecular Weight231.3 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanolpH-value:Not determined.Change in condition-98 °C (-144.4 °F)Boiling point/Melting range:-98 °C (-144.5 °F)Flash point:11 °C (51.8 °F)Flash point:11 °C (51.8 °F)Flarmability (solid, gaseous):Highly flarmable.Ignition temperature:A55 °C (851 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Explosion limits:5.5 Vol %Lower:5.5 Vol %Upper:44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with		
Color:According to product specificationOdor:Alcohol-likeStructural FormulaC11H13D5N2O3Molecular Weight231.3 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanolpH-value:Not determined.Change in condition-98 °C (-144.4 °F)Boiling point/Melting range:-98 °C (-148.5 °F)Flash point:11 °C (51.8 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Highly flammable.Ignition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Lower:5.5 Vol %Upper:44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative densityNot determined.Vapor at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative densityNot determined.Vapor pressure at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative densityNot determined.Vapor pressure at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative densityNot determined.Vapor for support of the point	••	Liquid
Structural FormulaC11H13D5N2O3Molecular Weight231.3 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanolpH-value:Not determined.Change in condition-98 °C (-144.4 °F)Boiling point/Melting range:-98 °C (-144.5 °F)Flash point:11 °C (51.8 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Highly flammable.Ignition temperature:A55 °C (851 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air vapor mixtures are possible.Explosion limits:5.5 Vol %Lower:5.5 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Color:	•
Molecular Weight231.3 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanolpH-value:Not determined.Change in condition Melting point/Melting range: Boiling point/Boiling range:-98 °C (-144.4 °F) 64.7 °C (148.5 °F)Flash point:11 °C (51.8 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Highly flammable.Ignition temperature:455 °C (851 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air 	Odor:	Alcohol-like
Odor threshold: Not determined. Formulation A 1 mg/ml solution in methanol PH-value: Not determined. Change in condition -98 °C (-144.4 °F) Boiling point/Melting range: -98 °C (148.5 °F) Flash point: 11 °C (51.8 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Highly flammable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Vatermined.		
FormulationA 1 mg/ml solution in methanolPH-value:Not determined.Change in condition Melting point/Melting range: Boiling point/Boiling range: 64.7 °C (148.5 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Highly flammable.Ignition temperature:455 °C (851 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air vapor mixtures are possible.Explosion limits: Lower: upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal) Not determined.Vapor density Vapor densityNot determined.Vapor density Vapor densityNot determined.Solubility in / Miscibility with		
pH-value: Not determined. • Change in condition Melting point/Melting range: -98 °C (-144.4 °F) Boiling point/Boiling range: 64.7 °C (148.5 °F) • Flash point: 11 °C (51.8 °F) • Flammability (solid, gaseous): Highly flammable. • Ignition temperature: 455 °C (851 °F) • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with		
 Change in condition Melting point/Melting range: -98 °C (-144.4 °F) Boiling point/Boiling range: 64.7 °C (148.5 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Highly flammable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with 	Formulation	A 1 mg/ml solution in methanol
Melting point/Melting range: Boiling point/Boiling range:-98 °C (-144.4 °F) 64.7 °C (148.5 °F)• Flash point:11 °C (51.8 °F)• Flammability (solid, gaseous):Highly flammable.• Ignition temperature:455 °C (851 °F)• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product is not explosive. However, formation of explosive air vapor mixtures are possible.• Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %• Vapor pressure at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal) Not determined.• Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal) Not determined.• Vapor density Vapor densityNot determined.• Solubility in / Miscibility withHighly with	pH-value:	Not determined.
Boiling point/Boiling range: 64.7 °C (148.5 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Highly flammable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.		
Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Highly flammable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Holdetermined.		
Flammability (solid, gaseous): Highly flammable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor anate Not determined. Solubility in / Miscibility with Not determined.	Boiling point/Boiling range:	64.7 °C (148.5 °F)
Ignition temperature:455 °C (851 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air vapor mixtures are possible.Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal) Not determined.Relative density Vapor densityNot determined. Not determined.Solubility in / Miscibility with	Flash point:	11 °C (51.8 °F)
Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Vation of explosition of e	Flammability (solid, gaseous):	Highly flammable.
Auto igniting:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air vapor mixtures are possible.Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal) Not determined.Relative density Vapor densityNot determined. Not determined.Solubility in / Miscibility with	Ignition temperature:	455 °C (851 °F)
Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: 5.5 Vol % Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor anate Not determined.	Decomposition temperature:	Not determined.
vapor mixtures are possible. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Vapor density	Auto igniting:	Product is not selfigniting.
Lower: Upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Vapor density	Explosion limits:	
Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.		•••
Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor ation rate Not determined. Solubility in / Miscibility with Not determined.	Upper:	44 Vol %
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Not determined.	Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Vertical determined.		0.79 g/cm³ (6.59255 lbs/gal)
Evaporation rate Not determined. Solubility in / Miscibility with Image: Solubility with		Not determined.
Solubility in / Miscibility with		
	Evaporation rate	Not determined.
Water: Fully miscible.		
	Water:	Fully miscible.

Safety Data Sheet acc. to OSHA HCS

Printing date 12/08/2022

Revision date 12/08/2022

Trade name: Pentobarbital-d5 (CRM)

	m page 6)
Not determined.	
Not determined.	
99.9 %	
99.90 %	
999.0 g/l / 8.34 lb/gal	
0.1 %	
No further relevant information available.	
-	Not determined. Not determined. 99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal 0.1 %

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: reducing agents, oxidizing agents
- · Hazardous decomposition products: carbon monoxide, carbon dioxide

11 Toxicological information

 Information on Acute toxicity: 	toxicological effects		
-	that are relevant for	classification:	
ATE (Acute Tox	icity Estimate)		
Oral	LD50	100,000 mg/kg	
67-56-1 Methan	ol	-	
Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	
	Data	20 mg/24h (rabbit)	
		•	(Contd. on page 8)

Printing date 12/08/2022

Revision date 12/08/2022

Trade name: Pentobarbital-d5 (CRM)

(Contd. from page 7)

- Primary irritant effect: • on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 9)

115

Printing date 12/08/2022

Revision date 12/08/2022

Trade name: Pentobarbital-d5 (CRM)

(Contd. from page 8)

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG IATA	Flammable liquids, n.o.s. (Methanol) FLAMMABLE LIQUID, N.O.S. (METHANOL) Flammable liquid, n.o.s. (METHANOL)
Transport hazard class(es)	
DOT	
RAMARE LOUD	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class	3 Flammable liquids
Label	3 Flammable liquids
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code) EMS Number: Stowage Category	Warning: Flammable liquids : 33 F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as

Printing date 12/08/2022

Revision date 12/08/2022

Trade name: Pentobarbital-d5 (CRM)

(Contd. from page 9)

· Dangerous Goods/Excepted Quantity.	
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Sara	
------	--

Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIVE
Hazardous Air Pollutants	
67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable. Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

(Contd. on page 11)

Printing date 12/08/2022

Revision date 12/08/2022

Trade name: Pentobarbital-d5 (CRM)

	(Contd. from page 10)
Department issuing SDS: Environment protection department.	
Contact: -	
Date of preparation / last revision 12/08/2022	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Cate	egory 1
	US-