

Printing date 01/05/2022

Revision date 01/05/2022

Page 1/11

1 Identification

- · Product identifier
- Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)
- · Article number: 21354
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- · Details of the supplier of the safety data sheet Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classificatio	on of the substance or mixture	
GF	HS02 Flame	
Flam. Liq. 2	H225 Highly flammable liquid and vapor.	
GH GH	HS06 Skull and crossbones	
Acute Tox. 3	3 H301 Toxic if swallowed.	
Acute Tox. 3	3 H311 Toxic in contact with skin.	
Acute Tox. 3	3 H331 Toxic if inhaled.	
GF	HS08 Health hazard	
STOT SE 1	H370 Causes damage to the central nervous system and the visual orga	
		(Contd. on page

Printing date 01/05/2022

Revision date 01/05/2022

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

(Contd. from page 1)

US

	(Conta. nom pag
\wedge	
GHSC)7
\mathbf{V}	
Skin Sens. 1 H	I317 May cause an allergic skin reaction.
Label element	s
GHS label eler	
	classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictog	
A A	
GHS02 GHS	06 GHS07 GHS08
Signal word D	anger
	nining components of labeling:
Methanol	
Hazard statem	
H225	Highly flammable liquid and vapor.
	331 Toxic if swallowed, in contact with skin or if inhaled.
H317	May cause an allergic skin reaction.
H370	Causes damage to the central nervous system and the visual organs.
Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin v
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
F403 F 233	
P405 P255	Store locked up.
P405	Store locked up. Dispose of contents/container in accordance with local/regional/national/internatio regulations.

Printing date 01/05/2022

Revision date 01/05/2022

(Contd. from page 2)

99.9%

0.1%

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

· Classification system:

• NFPA ratings (scale 0 - 4)

030

Health = 0 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH*0FIRE3Fire = 3REACTIVITY 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol RTECS: PC1400000

· Other ingredients

73738-05-3 Phenobarbital-d5 (ethyl-d5)

4 First-aid measures

Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- $^{\cdot}$ Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Printing date 01/05/2022

Revision date 01/05/2022

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

(Contd. from page 3)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-56-1 Methanol · PAC-2: 67-56-1 Methanol 2,100 ppm · PAC-3: 67-56-1 Methanol 7200* ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.

(Contd. on page 5)

530 ppm

US

Printing date 01/05/2022

Revision date 01/05/2022

(Contd. from page 4)

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

• Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

67-56-1 Methanol

PEL Long-term value: 260 mg/m³, 200 ppm

- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

· Ingredients with biological limit values:

67-56-1 Methanol

BEI 15 ma/L

Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Printing date 01/05/2022

Revision date 01/05/2022

(Contd. from page 5)

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and c General Information	hemical properties
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Alcohol-like
Structural Formula	C12H7D5N2O3
Molecular Weight	237.3 g/mol
Odor threshold:	Not determined.
Formulation	A 1 mg/ml solution in methanol
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined

Printing date 01/05/2022

Revision date 01/05/2022

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

(0	Contd. from page 6)
Not determined.	
Not determined.	
99.9 %	
99.90 %	
999.0 g/l / 8.34 lb/gal	
0.1 %	
No further relevant information available.	
	Not determined. Not determined. 99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal 0.1 %

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: reducing agents, oxidizing agents
- · Hazardous decomposition products: nitrogen oxides, carbon monoxide, carbon dioxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification: 67-56-1 Methanol Oral LDLO 143 mg/kg (hmn) TDLO 5 ml/kg (rat) LD50 5,600 mg/kg (rat) Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse) Irritation of skin 20 mg/24h (rabbit) Irritation Irritation (rabbit) Irritation 5.63 mg/kg/exempt preparation (rabbit) Irritation of eyes Irritation 40 mg (rabbit) Intraperitoneal TDLO 5 mg/kg (rat) Intraperitoneal LD50 10,765 mg/kg (mouse) Subcutaneous LD50 143 mg/kg/human (mouse) 20 mg/24h (rabbit) Data

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

· Sensitization: Sensitization possible through skin contact.

(Contd. on page 8)

⁻ US -

Printing date 01/05/2022

Revision date 01/05/2022

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic Irritant

· Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1993	
UN proper shipping name		
· DOT	Flammable liquids, n.o.s. (Methanol)	

(Contd. from page 7)

|

Printing date 01/05/2022

Revision date 01/05/2022

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

	(Contd. from page
· IMDG · IATA	FLAMMABLE LIQUID, N.O.S. (METHANOL) Flammable liquid, n.o.s. (METHANOL)
· Transport hazard class(es)	
·DOT	
PAMMARE COLOR	
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code) EMS Number: Stowage Category 	Warning: Flammable liquids : 33 F-E, <u>S-E</u> B
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL 3, II

(Contd. on page 10)

Revision date 01/05/2022

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

Printing date 01/05/2022

(Contd. from page 9)

5 Regul	atory information
	health and environmental regulations/legislation specific for the substance or mixture her relevant information available.
· Sectior	n 355 (extremely hazardous substances):
	the ingredients is listed.
· Sectior	n 313 (Specific toxic chemical listings):
67-56-1	Methanol
· TSCA (Toxic Substances Control Act):
67-56-1	Methanol ACTIVE
· Hazard	ous Air Pollutants
67-56-1	Methanol
· Propos	
	cals known to cause cancer:
None of	f the ingredients is listed.
· Chemic	cals known to cause reproductive toxicity for females:
None of	f the ingredients is listed.
· Chemic	cals known to cause reproductive toxicity for males:
None of	f the ingredients is listed.
· Chemic	cals known to cause developmental toxicity:
67-56-1	Methanol
· Carcino	ogenic categories
· EPA (E	nvironmental Protection Agency)
None of	the ingredients is listed.
· TLV (TI	nreshold Limit Value)
None of	the ingredients is listed.
· NIOSH-	Ca (National Institute for Occupational Safety and Health)
	the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 01/05/2022 / -
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 01/05/2022

Revision date 01/05/2022

Trade name: Phenobarbital-d5 (ethyl-d5) (CRM)

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occumational Safety	(Contd. from page 1	0)
PBT: Persistent, Bioaccumulative and Toxic		
vPvB: very Persistent and very Bioaccumulative		
NIOSH: National Institute for Occupational Safety		
OSHA: Occupational Safety & Health		
TLV: Threshold Limit Value		
PEL: Permissible Exposure Limit		
REL: Recommended Exposure Limit		
BEI: Biological Exposure Limit		
Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3		
Skin Sens. 1: Skin sensitisation – Category 1		
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1		
		US -
		-