

Printing date 01/05/2022

Revision date 01/05/2022

Page 1/11

### **1** Identification

- · Product identifier
- Trade name: (R)-Ketamine (hydrochloride) (CRM)
- · Article number: 26316
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- · Details of the supplier of the safety data sheet Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s)	identification
· Classificatio	on of the substance or mixture
G+	IS02 Flame
Flam. Liq. 2	H225 Highly flammable liquid and vapor.
GF	IS06 Skull and crossbones
Acute Tox. 3	B H301 Toxic if swallowed.
Acute Tox. 3	H311 Toxic in contact with skin.
Acute Tox. 3	H331 Toxic if inhaled.
GF	IS08 Health hazard
Carc. 2	H351 Suspected of causing cancer.
STOT SE 1	H370 Causes damage to the central nervous system and the visual organs. (Contd. on page 2)

US

Printing date 01/05/2022

Revision date 01/05/2022

# Trade name: (R)-Ketamine (hydrochloride) (CRM)

	(Contd. from page 1)
· Label element	's
· GHS label eler	
	classified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictog	
<b>~ ~ ~ ~ ~ ~ ~</b>	
GHS02 GHS	506 GHS08
011002 0110	
· Signal word D	Danger
· Hazard-detern	nining components of labeling:
Methanol	inning components of labeling.
· Hazard statem	nents
H225	Highly flammable liquid and vapor.
-	331 Toxic if swallowed, in contact with skin or if inhaled.
H351	Suspected of causing cancer.
H370	Causes damage to the central nervous system and the visual organs.
· Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classification	
• NFPA ratings	(scale 0 - 4)
🔶 ц	ealth = 0
	re = 3
	eactivity = 0
	outing t
	(Contd. on page 3)

Printing date 01/05/2022

Revision date 01/05/2022

#### Trade name: (R)-Ketamine (hydrochloride) (CRM)

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)



· Other hazards

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

#### **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

<ul> <li>Dangerous compone</li> </ul>	nts:	
CAS: 67-56-1 RTECS: PC1400000	Methanol	99.9%
CAS: 33795-24-3 RTECS: GW1350000	S-(+)-Ketamine hydrochloride	0.1%

#### **4 First-aid measures**

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

Printing date 01/05/2022

#### Revision date 01/05/2022

(Contd. from page 3)

#### Trade name: (R)-Ketamine (hydrochloride) (CRM)

#### Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

<ul> <li>Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.</li> <li>Wear protective equipment. Keep unprotected persons away.</li> <li>Environmental precautions: Dilute with plenty of water.</li> <li>Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).</li> <li>Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.</li> <li>Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li> <li>Protective Action Criteria for Chemicals</li> </ul>
· PAC-1:
67-56-1 Methanol 530 ppm
· PAC-2:
67-56-1 Methanol 2,100 ppm
· PAC-3:
67-56-1 Methanol 7200* ppm

### 7 Handling and storage

- Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

(Contd. on page 5)

US

Printing date 01/05/2022

Revision date 01/05/2022

# Trade name: (R)-Ketamine (hydrochloride) (CRM)

(Contd. from page 4)

8 Exposu	re controls/personal protection
· Additiona	al information about design of technical systems: No further data; see item 7.
• <b>Compon</b> The follo recomme	parameters ents with limit values that require monitoring at the workplace: wing constituent is the only constituent of the product which has a PEL, TLV or other nded exposure limit. he, the remaining constituent has no known exposure limits.
67-56-1 N	
	g-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL Sho	rt-term value: 325 mg/m³, 250 ppm g-term value: 260 mg/m³, 200 ppm
Lon	rt-term value: 250 ppm g-term value: 200 ppm i; BEI
· Ingredier	nts with biological limit values:
67-56-1 N	lethanol
Time	ng/L ium: urine e: end of shift meter: Methanol (background, nonspecific)
	al information: The lists that were valid during the creation were used as basis.
General J Keep awa Immediat Wash har Store pro Avoid con Breathing In case o exposure Protectio	a controls protective equipment: protective and hygienic measures: ay from foodstuffs, beverages and feed. ely remove all soiled and contaminated clothing. hds before breaks and at the end of work. tective clothing separately. ttact with the eyes and skin. g equipment: f brief exposure or low pollution use respiratory filter device. In case of intensive or longer use respiratory protective device that is independent of circulating air. on of hands:
Man and a start of the start of	Protective gloves
Due to m preparation Selection degradati	
quality ar substance	tion of the suitable gloves does not only depend on the material, but also on further marks of not varies from manufacturer to manufacturer. As the product is a preparation of several es, the resistance of the glove material can not be calculated in advance and has therefore to ed prior to the application.

(Contd. on page 6) US

Printing date 01/05/2022

Revision date 01/05/2022

(Contd. from page 5)

### Trade name: (R)-Ketamine (hydrochloride) (CRM)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Alcohol-like
Structural Formula	C13H16CINO • HCI
Molecular Weight	274.2 g/mol
Odor threshold:	Not determined.
Formulation	A 1 mg/ml solution in methanol
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.

Printing date 01/05/2022

Revision date 01/05/2022

#### Trade name: (R)-Ketamine (hydrochloride) (CRM)

		Contd. from page 6
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.9 %	
VOC content:	99.90 %	
	999.0 g/l / 8.34 lb/gal	
Solids content:	0.1 %	
· Other information	No further relevant information available.	

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: reducing agents, oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

67-56-1 Methan	ol		
Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	
	Data	20 mg/24h (rabbit)	
33795-24-3 S-(+	)-Ketamine hydrochlo	oride	
	Subcutaneous TDLO	2.5 mg/kg (rat)	
	Intraperitoneal TDLO	20 mg/kg (rat)	

Printing date 01/05/2022

Revision date 01/05/2022

#### Trade name: (R)-Ketamine (hydrochloride) (CRM)

(Contd. from page 7)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 9)

115

Printing date 01/05/2022

Revision date 01/05/2022

# Trade name: (R)-Ketamine (hydrochloride) (CRM)

(Contd. from page 8)

· UN-Number	
	UN1230
	Methanol solution METHANOL solution
· Transport hazard class(es)	
· DOT	
RAMARE LOUD 3 8	
	3 Flammable liquids 3, 6.1
·IMDG	
	3 Flammable liquids
· Label · IATA	3/6.1
	3 Flammable liquids
	3 (6.1)
· Packing group	
, ,	II
· Environmental hazards:	Not applicable.
<ul> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids 336 F-E,S-D B SW2 Clear of living quarters.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L

Printing date 01/05/2022

Revision date 01/05/2022

#### Trade name: (R)-Ketamine (hydrochloride) (CRM)

	(Contd. from page 9)
·IMDG	
<ul> <li>Limited quantities (LQ)</li> </ul>	1L
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
·IATA	
· Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIVE
Hazardous Air Pollutants	
67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

US

Printing date 01/05/2022

#### Revision date 01/05/2022

#### Trade name: (R)-Ketamine (hydrochloride) (CRM)

(Contd. from page 10)

#### • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 01/05/2022 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity - Category 3 Carc. 2: Carcinogenicity - Category 2 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

US-