

Printing date 02/02/2023

Revision date 02/02/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol
- · Article number: 26991
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

| GHS06 Skull and crossbones | |
|--|---|
| Acute Toxicity - Dermal 2 | H310 Fatal in contact with skin. |
| GHS08 Health hazard | |
| Carcinogenicity 2 | H351 Suspected of causing cancer. |
| Toxic to Reproduction 2 | H361 Suspected of damaging fertility or the unborn child. |
| Specific Target Organ Toxicity - Repeated Exposur 1 | e H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged o repeated exposure. |
| GHS07 | |
| | |
| | (Contd. on page |

– US

Printing date 02/02/2023

Revision date 02/02/2023

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

| | | (Contd. from page |
|---------------------------|---------------------------------------|--|
| Acute Toxic | ity - Oral 4 | H302 Harmful if swallowed. |
| Acute Toxic | ity - Inhalation 4 | H332 Harmful if inhaled. |
| Skin Irritatio | • | H315 Causes skin irritation. |
| Eye Irritation | | H319 Causes serious eye irritation. |
| | | |
| Label elem GHS label e | | |
| The product | is classified and labeled acco | rding to the Globally Harmonized System (GHS). |
| Hazard pict | tograms | |
| \wedge | $\land \land$ | |
| | | |
| | • | |
| GHS06 G | HS07 GHS08 | |
| | | |
| Signal wore | d Danger | |
| • | 0 | olina |
| Chloroform | ermining components of lab | enny. |
| Hazard stat | ements | |
| | Harmful if swallowed or if inha | led |
| H310 | Fatal in contact with skin. | |
| H315 | Causes skin irritation. | |
| | | |
| H319 | Causes serious eye irritation. | |
| H351 | Suspected of causing cancer. | |
| H361 | Suspected of damaging fertili | |
| H372 | | al nervous system, the kidneys, the liver and the respirate |
| | system through prolonged or | repeated exposure. |
| Precaution | ary statements | |
| P201 | Obtain special instruction | ons before use. |
| P202 | | afety precautions have been read and understood. |
| P260 | | ne/gas/mist/vapors/spray. |
| P262 | Do not get in eyes, on s | |
| P264 | Wash thoroughly after I | nandling |
| P270 | | oke when using this product. |
| | | |
| P271 | Use only outdoors or in | |
| P280 | | /protective clothing/eye protection/face protection. |
| P301+P312 | | son center/doctor if you feel unwell. |
| P302+P352 | | |
| P304+P340 | | person to fresh air and keep comfortable for breathing. |
| P305+P351 | +P338 If in eyes: Rinse caution | usly with water for several minutes. Remove contact lenses |
| | present and easy to do | |
| P310 | İmmediately call a poise | |
| P308+P313 | | ed: Get medical advice/attention. |
| P321 | Specific treatment (see | |
| P314 | Get medical advice/atte | |
| P330 | Rinse mouth. | |
| | | I contaminated alothing and weak it before revea |
| P361+P364 | i ake oir immediately a | I contaminated clothing and wash it before reuse. |
| P332+P313 | | Get medical advice/attention. |
| P337+P313 | , , , , , , , , , , , , , , , , , , , | Get medical advice/attention. |
| P405 | Store locked up. | |
| P501 | Dispose of contents/co | ntainer in accordance with local/regional/national/internation |
| F301 | | |
| F 30 I | regulations. | |

90.0%

10.0%

Safety Data Sheet acc. to OSHA HCS

Printing date 02/02/2023

Revision date 02/02/2023

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

(Contd. from page 2)

Classification system:
 NFPA ratings (scale 0 - 4)

300

Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH3Health = 3FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-66-3 Chloroform RTECS: FS9100000

· Other ingredients

37635-44-2 1,2,3-Tri-13(E)-Docosenoyl-rac-glycerol

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 4)

115

Printing date 02/02/2023

Revision date 02/02/2023

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

(Contd. from page 3)

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1:
 2 ppm

 67-66-3
 Chloroform
 2 ppm

 · PAC-2:
 67-66-3
 Chloroform
 64 ppm

 · PAC-3:
 67-66-3
 Chloroform
 3,200 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

Revision date 02/02/2023

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

(Contd. from page 4)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

PEL Ceiling limit value: 240 mg/m³, 50 ppm

- REL Short-term value: 9.78* mg/m³. 2* ppm *60-min; See Pocket Guide App. A
- TLV Long-term value: 10 ppm A3

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Safety glasses



Tightly sealed goggles

(Contd. on page 6)

Printing date 02/02/2023

Revision date 02/02/2023

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

(Contd. from page 5)

| Physical and chemical prope | rties |
|---|--|
| Information on basic physical and o General Information | chemical properties |
| Appearance: Form: Color: Odor: Structural Formula Molecular Weight Odor threshold: Formulation | Liquid According to product specification Characteristic C69H128O6 1053.8 g/mol Not determined. A solution in Chloroform |
| · pH-value: | Not applicable. |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. 62 °C (143.6 °F) |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not determined. |
| · Ignition temperature: | 982 °C (1,799.6 °F) |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| [.] Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: Lower: Upper: | Not determined. Not determined. |
| · Vapor pressure at 20 °C (68 °F): | 210 hPa (157.5 mm Hg) |
| Density: Relative density Vapor density Evaporation rate | Not determined. Not determined. Not applicable. Not applicable. |
| Solubility in / Miscibility with Water: | Soluble. |
| · Partition coefficient (n-octanol/wate | er): Not determined. |
| Viscosity: Dynamic: Kinematic: SOLUBILITY | Not applicable. Not applicable. Chloroform: slightly soluble; Methanol: slightly soluble |
| Solvent content: VOC content: | 0.00 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 7)

⁻US

Printing date 02/02/2023

Revision date 02/02/2023

(Contd. from page 6)

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · **Incompatible materials:** oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

| | LD/LC50 values that are relevant for classification: | | |
|---|--|--|--|
| ATE (Acute Tox | • • | | |
| Oral | LD50 | 556 mg/kg | |
| Dermal | LD50 | 83.3 mg/kg (rat) | |
| Inhalative | LC50/4 h | 3.33 mg/l | |
| 67-66-3 Chloroform | | | |
| Oral | LDLO | 2,514 mg/kg (man) | |
| | LD50 | 300 mg/kg (rat) | |
| Dermal | LD50 | >20 g/kg (rabbit) | |
| | LD50 | 75 mg/kg (rat) | |
| Inhalative | LC50 | 47,702 mg/m³/4h (rat) | |
| | TCLO | 5,000 mg/m³/7m (hmn) | |
| Irritation of skin | Irritation | 10 mg/24h (rabbit) | |
| Irritation of eyes | Irritation | 20 mg/24h (rabbit) | |
| | Intraperitoneal LD50 | 623 mg/kg (mouse) | |
| Primary irritant | | | |
| | ant to skin and mucou | us membranes. | |
| on the eye: Irrita | ating effect. Io sensitizing effects k | | |
| Additional toxic | cological information | | |
| The product sho | ows the following dar | ngers according to internally approved calculation methods | |
| | - | | |
| preparations: | | | |
| Harmful | | | |
| Harmful Irritant | | | |
| Harmful Irritant Carcinogenic c a | - | arch an Canaar) | |
| Harmful Irritant Carcinogenic ca IARC (Internatio | onal Agency for Rese | · | |
| Harmful Irritant Carcinogenic c a I ARC (Internatic 67-66-3 Chlorof | orm Agency for Rese | | |
| Harmful Irritant Carcinogenic c a I ARC (Internatic 67-66-3 Chlorof | onal Agency for Rese orm oxicology Program) | | |

(Contd. on page 8)

Printing date 02/02/2023

Revision date 02/02/2023

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

(Contd. from page 7)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number | |
|------------------------------|--|
| · DOT, IMDG, IATA | UN3243 |
| · UN proper shipping name | |
| DOT | Solids containing toxic liquid, n.o.s. (Chloroform) |
| ·IMDG | SOLIDS CONTAINING TOXIC LIQUID, N.O. (CHLOROFORM) |
| IATA | Solids containing toxic liquid, n.o.s. (CHLOROFORM |
| · Transport hazard class(es) | |
| DOT | |
| TOXIC | |
| · Class | 6.1 Toxic substances |

Printing date 02/02/2023

Revision date 02/02/2023

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

| | (Contd. from page |
|---|--|
| · Label | 6.1 |
| · IMDG, IATA | |
| | |
| Class | 6.1 Toxic substances |
| · Label | 6.1 |
| · Packing group · DOT, IMDG, IATA | II |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Warning: Toxic substances |
| Hazard identification number (Kemler code): | |
| · EMS Number: · Segregation groups | F-A,S-A (SGG10) Liquid halogenated hydrocarbons |
| · Stowage Category | B |
| Stowage Code | SW2 Clear of living quarters. |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 25 kg |
| | On cargo aircraft only: 100 kg |
| IMDG | |
| · Limited quantities (LQ) | 500 g |
| · Excepted quantities (EQ) | Code: E4 Maximum net quantity per inner packaging: 1 g |
| | Maximum net quantity per outer packaging: 500 g |
| ·IATA | |
| · Remarks: | When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. |
| IN "Model Degulation" | |
| · UN "Model Regulation": | UN 3243 SOLIDS CONTAINING TOXIC LIQUIE N.O.S. (CHLOROFORM), 6.1, II |

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

67-66-3 Chloroform

(Contd. on page 10)

⁻ US

Printing date 02/02/2023

Revision date 02/02/2023

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

| | (Contd. from page |
|---|-------------------|
| Section 313 (Specific toxic chemical listings): | |
| 67-66-3 Chloroform | |
| TSCA (Toxic Substances Control Act): | |
| 67-66-3 Chloroform | ACTIV |
| Hazardous Air Pollutants | |
| 67-66-3 Chloroform | |
| Proposition 65 | |
| Chemicals known to cause cancer: | |
| 67-66-3 Chloroform | |
| Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| Chemicals known to cause developmental toxicity: | |
| 67-66-3 Chloroform | |
| Carcinogenic categories | |
| EPA (Environmental Protection Agency) | |
| 67-66-3 Chloroform | B2, L, N |
| TLV (Threshold Limit Value) | |
| 67-66-3 Chloroform | A |
| NIOSH-Ca (National Institute for Occupational Safety and Health | h) |
| 67-66-3 Chloroform | |

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 02/02/2023
- Abbreviations and acronyms:
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 02/02/2023

Revision date 02/02/2023

Trade name: 1,2,3-Tri-13(E)-Docosenoyl Glycerol

| | (Contd. from page 10) |
|--|-----------------------|
| vPvB: very Persistent and very Bioaccumulative | , |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Acute Toxicity - Oral 4: Acute toxicity – Category 4 | |
| Acute Toxicity - Dermal 2: Acute toxicity – Category 2 | |
| Skin Irritation 2: Skin corrosion/irritation – Category 2 | |
| Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A | |
| Carcinogenicity 2: Carcinogenicity – Category 2 | |
| Toxic to Reproduction 2: Reproductive toxicity – Category 2 | |
| Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - | - Category 1 |