

Printing date 06/05/2023

Revision date 06/05/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture
- Article number: 27470
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the su	ibstance or mixture	
GHS06 Skull a	nd crossbones	
Acute Toxicity - Dermal	3 H311 Toxic in contact with skin.	
Acute Toxicity - Inhalatio	n 2 H330 Fatal if inhaled.	
Skin Corrosion 1C Eye Damage 1	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.	
GHS09 Enviror	nment	
Aquatic Acute 1	H400 Very toxic to aquatic life.	
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.	(Contd. on page 2)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture

(Contd. from page 1) GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Sensitization - Skin 1 H317 May cause an allergic skin reaction. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS06 GHS07 GHS09 · Signal word Danger · Hazard-determining components of labeling: Methylchloroisothiazolinone/Methylisothiazolinone Mixture Hazard statements H302 Harmful if swallowed. H311 Toxic in contact with skin. H330 Fatal if inhaled. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling. Do not eat, drink or smoke when using this product. P270 P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. P272 P273 Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. P280 [In case of inadequate ventilation] wear respiratory protection. P284 If swallowed: Call a poison center/doctor if you feel unwell. P301+P312 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P320 Specific treatment is urgent (see on this label). Take off immediately all contaminated clothing and wash it before reuse. P361+P364 P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P391 Collect spillage. Store in a well-ventilated place. Keep container tightly closed. P403+P233 Store locked up. P405 Dispose of contents/container in accordance with local/regional/national/international P501 regulations. (Contd. on page 3)

Printing date 06/05/2023

Revision date 06/05/2023

(Contd. from page 2)

Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH *3 Health = *3 FIRE 0 Fire = 0 Reactivity = 0 REACTIVITY 0

Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components: CAS: 55965-84-9 Methylchloroisothiazolinone/Methylisothiazolinone Mixture 14.0% RTECS: NX8157050 · Other ingredients CAS: 7732-18-5 Water 86.0%

RTECS: ZC0110000

4 First-aid measures

Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture

(Contd. from page 3)

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 5)

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture

(Contd. from page 4)

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

(Contd. on page 6)

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture

(Contd. from page 5)

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Structural Formula	C4H5NOS • C4H4CINOS
Molecular Weight	264.7 g/mol
Odor threshold:	Not determined.
Formulation	A 14% w/v aqueous solution
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	-
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	86.0 %
VOC content:	
	0.0 g/l / 0.00 lb/gal
Solids content:	14.0 %
Other information	No further relevant information available.

(Contd. on page 7)

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture

(Contd. from page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acu	ATE (Acute Toxicity Estimate)	
Oral	LD50	714 mg/kg
	LD50	714 mg/kg 357 mg/kg
Inhalative	LC50/4 h	0.357 mg/l

55965-84-9 Methylchloroisothiazolinone/Methylisothiazolinone Mixture

Oral LD50 53 mg/kg (rat)

LD50 55 HIg/kg

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

Irritant

Very toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 8)

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture

(Contd. from page 7)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN3287
 UN proper shipping name DOT, IATA 	Toxic liquid, inorganic, n.o.s (Methylchloroisothiazolinone/Methylisothiazolinon Mixture)
·IMDG	TOXIC LIQUID, INORGANIC, N.O.S (Methylchloroisothiazolinone/Methylisothiazolinon Mixture), MARINE POLLUTANT
· Transport hazard class(es)	
DOT	
TOXIC	
· Class	6.1 Toxic substances
	(Contd. on page

Printing date 06/05/2023

Revision date 06/05/2023

	(Contd. from pag
Label	6.1
IMDG	
Class	6.1 Toxic substances
Label	6.1
ΙΑΤΑ	
5 C C C C C C C C C C C C C C C C C C C	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	
	Deschust sontains, spuinswerstelle, barrent
Environmental hazards: Marine pollutant:	Product contains environmentally hazardo substances: Methylchloroisothiazolino Methylisothiazolinone Mixture Symbol (fish and tree)
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-A
Stowage Category	B SW2 Clear of living quarters
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	0
Limited quantities (LQ) Excepted quantities (EQ)	0 Code: E5
LASSPICE quantilies (LW)	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 300 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1
	or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled
	Dangerous Goods/Excepted Quantity.

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture

(Contd. from page 9)

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
7732-18-5 Water ACTIVE
· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· TLV (Threshold Limit Value)
None of the ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

Printing date 06/05/2023

Revision date 06/05/2023

Trade name: Methylchloroisothiazolinone/Methylisothiazolinone Mixture

Department issuing SDS: Environment protection department. Contact: - Date of preparation / last revision 06/05/2023 Abbreviations and acronyms: MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELNCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VFPA: National Fire Protection Association (USA) HMS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) C50: Lethal concentration, 50 percent D50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent D50: Lethal dose, 50 percent D50: Lethal concentration and Toxic /PVB: very Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety D5HA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Acute Toxicity - Oral 4: Acute toxicity - Category 3 Acute Toxicity - Inhalation 2: Acute toxicity - Category 1 Shin Corrosion 1C: Skin corrosion/irritation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1		(Contd. from page 10
Contact: - Date of preparation / last revision 06/05/2023 Abbreviations and acronyms: MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) .C50: Lethal concentration, 50 percent .D50: Lethal concentration, 50 percent .D50: Lethal dose, 50 percent .D51: Very Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety .D5HA: Occupational Safety & Health .TLV: Threshold Limit Value .EL: Permissible Exposure Limit .ReL: Recommended Exposure Limit .ReL: Recommended Exposure Limit .ReL: Recommended Exposure Limit .ReL: Recommended Exposure Limit .Acute Toxicity - Oral 4: Acute toxicity – Category 4 .Acute Toxicity - Dermal 3: Acute toxicity – Category 2 .Skin Corrosion 1C: Skin corrosion/irritation – Category 1C .Eye Damage 1: Serious eye damage/eye irritation – Category 1	Department issuing SDS: Environment protection department	
Date of preparation / last revision 06/05/2023 Abbreviations and acronyms: MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation ATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HIS: Hazardous Materials Identification System (USA) /OC: Volatile Organic Compounds (USA, EU) .C50: Lethal concentration, 50 percent .D50: Lethal cose, 50 percent .L50: Lethal cose, 50		
Abbreviations and acronyms: MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation ATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VFPA: National Fire Protection Association (USA) MOC: Volatile Organic Compounds (USA, EU) .CS0: Lethal concentration, 50 percent .D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety .DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 10: Skin corrosion/irritation – Category 1C Sympage 1: Serious eye damage/eye irritation – Category 1		
MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) COS: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /VPS: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1	• •	
DOT: US Department of Transportation ATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSH: Accupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit ReL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Skin Corrosion 1C: Skin corrosion/irritation – Category 1		
ATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) /OC: Volatile Organic Compounds (USA, EU) .C50: Lethal concentration, 50 percent .D50: Lethal dose, 50 percent .D51: Lethal dose, 50 percent .D55: Lethal dose, 50 percent .D55: Lethal dose, 50 percent .D55: Lethal dose, 50 percent .D56: Lethal dose, 50 percent .D57: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety .DS4A: Occupational Safety & Health .LV: Threshold Limit Value .PEL: Permissible Exposure Limit .Acute Toxicity - Oral 4: Acute toxicity – Category 4 .Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 .Skin Corrosion 1C: Skin corrosion/irritation – Category 1	0	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) /OC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) /OC: Volatile Organic Compounds (USA, EU) .C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) /OC: Volatile Organic Compounds (USA, EU) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 1 Skin Corrosion 1C: Skin corrosion/irritation – Category 1		
HMIS: Hazardous Materials Identification System (USA) /OC: Volatile Organic Compounds (USA, EU) .C50: Lethal concentration, 50 percent .D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health FLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1		
VOC: Volatile Organic Compounds (USA, ÉU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1		
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1		
D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 1C Skin Corrosion 1C: Skin corrosion/irritation – Category 1		
PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1		
VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
NIOSH: National Institute for Óccupational Safety OSHA: Occupational Safety & Health ILV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1		
Eye Damage 1: Serious eye damage/eye irritation – Ćategory 1		
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	