

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 07/27/2023 Revision date 07/27/2023

1 Identification

- · Product identifier
- · Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite
- · Synonym

(S)-4-(3-((1-methoxy-3,3-dimethyl-1-oxobutan-2-yl)carbamoyl)-1H-indazol-1-yl)butanoic acid; 4-fluoro MDMB-BINACA N-butanoic acid metabolite

- · Article number: 28941
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/27/2023 Revision date 07/27/2023

Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite

Hazard pictograms





GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Methyl acetate

· Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 3)

Printing date 07/27/2023 Revision date 07/27/2023

Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite

· **vPvB:** Not applicable.

(Contd. from page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 79-20-9 RTECS: Al9100000	Methyl acetate	99.0%		
· Other ingredients				
4-fluoro MDMB-BUTINACA N-butanoic acid metabolite		1.0%		

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

Printing date 07/27/2023 Revision date 07/27/2023

Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite

(Contd. from page 3)

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
79-20-9 Methyl acetate	250 ppm	
PAC-2:		
79-20-9 Methyl acetate	1,700 ppm	
· PAC-3:		
79-20-9 Methyl acetate	10000* ppm	

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and flame.

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit	values that requir	re monitorina	at the works	olace:
-------------------------	--------------------	---------------	--------------	--------

79-20-9 Methyl acetate

PEL Long-term value: 610 mg/m³, 200 ppm
REL Short-term value: 760 mg/m³, 250 ppm
Long-term value: 610 mg/m³, 200 ppm

TLV Short-term value: 250 ppm Long-term value: 200 ppm

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 07/27/2023 Revision date 07/27/2023

Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite

(Contd. from page 4)

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
 Structural Formula C19H25N3O5
 Molecular Weight 375.4 g/mol
 Odor threshold: Not determined.

• **Formulation** A solution in methyl acetate

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: -98 °C (-144.4 °F)

(Contd. on page 6)

Printing date 07/27/2023 Revision date 07/27/2023

Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite

	(Contd. from page	
Boiling point/Boiling range:	57 °C (134.6 °F)	
Flash point:	-13 °C (8.6 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	454 °C (849.2 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.	
Explosion limits: Lower: Upper:	3.1 Vol % 16 Vol %	
Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F):	220 hPa (165 mm Hg) 800 hPa (600 mm Hg)	
Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)	
Bulk density: Relative density Vapor density Evaporation rate	1 kg/m³ Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water at 20 °C (68 °F):	330 g/l	
Partition coefficient (n-octanol/water): Not determined.		
Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY	0.381 mPas Not determined. DMF: 20 mg/ml; DMSO: 5 mg/ml; Ethanol: 20 mg/ml	
Solvent content: Organic solvents: VOC content:	99.0 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 07/27/2023 Revision date 07/27/2023

Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite

(Contd. from page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

79-20-9 Methyl acetate

Oral LD50 6,482 mg/kg (rat)
Inhalative LC50/4 h >49.2 mg/l (rabbit)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

. ..

Printing date 07/27/2023 Revision date 07/27/2023

Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite

(Contd. from page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA UN1231 UN proper shipping name DOT, IATA IMDG Transport hazard class(es) DOT Class Label 3 IMDG, IATA Class Ja Flammable liquids 3 IMDG, IATA Elevironmental hazards: Special precautions for user Hazard identification number (Kemler code): Stowage Category Transport in bulk according to Annex II of MADDI 27/77 and the IBC Codes UN1231 UN1231 Wethyl acetate solution METHYL ACETATE solution METHYL ACETATE solution I ETHYL ACETATE solution I E		
DOT, IMDG, IATA UN1231 UN proper shipping name DOT, IATA IMDG METHYL ACETATE solution Transport hazard class(es) DOT Class Label 3 IMDG, IATA II Environmental hazards: Special precautions for user Hazard identification number (Kemler code): Stowage Category Wethyl acetate solution METHYL ACETATE solution METHYL	4 Transport information	
DOT, IATA IMDG Transport hazard class(es) DOT Class Label Slabel Slab		UN1231
Class 3 Flammable liquids Label 3 IMDG, IATA Class 3 Flammable liquids Label 3 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of	DOT, IATA	
Class Label Class Substitute of the state o	· Transport hazard class(es)	
Label 3 · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group · DOT, IMDG, IATA II · Environmental hazards: Not applicable. · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D · Stowage Category B · Transport in bulk according to Annex II of	· DOT	
Label 3 · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group · DOT, IMDG, IATA II · Environmental hazards: Not applicable. · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D · Stowage Category B · Transport in bulk according to Annex II of	RAMABLE LOUID	
· IMDG, IATA · Class · Class · Label · Packing group · DOT, IMDG, IATA · Environmental hazards: · Special precautions for user · Hazard identification number (Kemler code): 33 - EMS Number: · Stowage Category · Transport in bulk according to Annex II of		·
Class 3 Flammable liquids Label 3 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of	· Label	3
Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of	· IMDG, IATA	
Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of		
Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of		
DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage Category Transport in bulk according to Annex II of		3
Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage Category Transport in bulk according to Annex II of		II
Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage Category Transport in bulk according to Annex II of	· · · ·	
Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of	Special precautions for user	
EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of		
· Transport in bulk according to Annex II of		
	· Stowage Category	В
MARPOL <i>1311</i> 6 and the IBC Code Not applicable.	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	· Transport/Additional information:	
· DOT		
• Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L		

Printing date 07/27/2023 Revision date 07/27/2023

Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite

(Contd. from page 8) · IMDG · Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IATA When sold in quantities of less than or equal to 1 mL, · Remarks: or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1231 METHYL ACETATE SOLUTION, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 10)

Revision date 07/27/2023 Printing date 07/27/2023

Trade name: 4-fluoro MDMB-BUTINACA N-butanoic acid metabolite

(Contd. from page 9)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · **Department issuing SDS:** Environment protection department.
- · Contact: -
- Date of preparation / last revision 07/27/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.