

Printing date 06/30/2023

Revision date 06/30/2023

Page 1/10

## **1** Identification

- · Product identifier
- · Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 2
- · Article number: 29355
- Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

#### • **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.


· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department

Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification



Printing date 06/30/2023

Revision date 06/30/2023

Trade name: Long-	chain Saturated Fatty Acid Methyl	Ester Mixture 2	
			(Contd. from page 1)
Skin Irritation 2		H315 Causes skin irritation.	
Specific Target (	Organ Toxicity - Single Exposure 3	H335 May cause respiratory irr	itation
· Label elements			
GHS label elem			
The product is cl	assified and labeled according to the	e Globally Harmonized System	(GHS).
<ul> <li>Hazard pictogra</li> </ul>	ams		
	<b>^</b>		
P T			
GHS05 GHS0	7 GHS08		
· <b>Signal word</b> Da	nger		
· Hazard-determi	ning components of labeling:		
Dichloromethane			
Tridecanoic Acid	-		
Pentadecanoic A			
Hazard stateme			
H315 Causes sk	in irritation.		
H318 Causes se	rious eye damage.		
	of causing genetic defects.		
	l of causing cancer.		
	e respiratory irritation.		
H372 Causes da	mage to organs through prolonged	or repeated exposure.	
<ul> <li>Precautionary s</li> </ul>			
P201	Obtain special instructions before	use.	
P202	Do not handle until all safety prec		derstood.
P260	Do not breathe dust/fume/gas/mis	st/vapors/spray.	
P264	Wash thoroughly after handling.		
P270	Do not eat, drink or smoke when	using this product.	
P271	Use only outdoors or in a well-ver	ntilated area.	
P280	Wear protective gloves/protective	clothing/eye protection/face pro	otection.
P302+P352	If on skin: Wash with plenty of wa	ter.	
P304+P340	IF INHALED: Remove person to f		
P305+P351+P33	38 If in eyes: Rinse cautiously with w	ater for several minutes. Remo	ve contact lenses, if
	present and easy to do. Continue		
P310	Immediately call a poison center/o		
P308+P313	IF exposed or concerned: Get me		
P321	Specific treatment (see on this lat		
P314	Get medical advice/attention if you		
P362+P364	Take off contaminated clothing ar		
P332+P313	If skin irritation occurs: Get medic		
P403+P233	Store in a well-ventilated place. Ke	eep container tightly closed.	
P405	Store locked up.		
P501	Dispose of contents/container in a regulations.	accordance with local/regional/r	auonal/International
· Classification s			
· NFPA ratings (s			
• · ·			
	alth = 3		
	e = 1		
	activity = 0		
			(Contd. on page 3)
			US

Printing date 06/30/2023

Revision date 06/30/2023

#### Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 2

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

### **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous compon	ents:	
CAS: 75-09-2 RTECS: PA8050000	Dichloromethane	75.0%
CAS: 124-10-7	Tetradecanoic acid, Methyl ester	5.0%
CAS: 1731-88-0 RTECS: YD3950000	Tridecanoic Acid methyl ester	5.0%
CAS: 7132-64-1	Pentadecanoic Acid methyl ester	5.0%
<ul> <li>Other ingredients</li> </ul>		
CAS: 112-39-0 RTECS: ML9720000	Palmitic Acid methyl ester	5.0%
CAS: 1731-92-6	Heptadecanoic Acid methyl ester	5.0%

## **4 First-aid measures**

#### · Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.

(Contd. on page 4)

US

Printing date 06/30/2023

Revision date 06/30/2023

#### Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 2

67-56-10 • <b>Advice f</b>	(Contr hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. or firefighters ve equipment: Mouth respiratory protective device.	l. from page 3)
6 Accide	ntal release measures	
Mount re Wear pro Environ Dilute wi Do not a Methods Absorb v Use neu Dispose Ensure a Referen See Sec See Sec See Sec	I precautions, protective equipment and emergency procedures spiratory protective device. otective equipment. Keep unprotected persons away. mental precautions: th plenty of water. low to enter sewers/ surface or ground water. s and material for containment and cleaning up: <i>v</i> ith liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust rralizing agent. contaminated material as waste according to section 13. dequate ventilation. ce to other sections tion 7 for information on safe handling. tion 8 for information on personal protection equipment. tion 13 for disposal information. <i>ve</i> Action Criteria for Chemicals	·).
· PAC-1:		000
	Dichloromethane	200 ppm
· PAC-2:		<b>500</b> mmm
	Dichloromethane	560 ppm
• <b>PAC-3:</b> 75-09-2	Dichloromethane	6,900 ppm

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

Revision date 06/30/2023

## Printing date 06/30/2023 Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 2 (Contd. from page 4) · Control parameters Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits. 75-09-2 Dichloromethane PEL Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052 REL See Pocket Guide App. A TLV Long-term value: 50 ppm BEI. A3 · Ingredients with biological limit values: 75-09-2 Dichloromethane BEI 0.3 mg/L Medium: urine Time: end of shift Parameter: Dichloromethane (semi-guantitative) • Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. (Contd. on page 6)

us

Printing date 06/30/2023

Revision date 06/30/2023

## Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 2

(Contd. from page 5)

• <b>Eye protection:</b> Safety glasses	(Contd. from page
Tightly sealed goggles	
Physical and chemical prope	ortios
· Information on basic physical and	
· General Information	
· Appearance:	
Form: Color:	Liquid Not determined.
· Odor:	Characteristic
· Odor threshold:	Not determined.
· Formulation	A solution in dichloromethane
<sup>·</sup> pH-value:	Not determined.
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. 40 °C (104 °F)
Flash point:	>110 °C (>230 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	605 °C (1,121 °F)
Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	13 Vol %
Upper:	22 Vol %
Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)
· Density at 20 °C (68 °F):	1.20825 g/cm³ (10.08285 lbs/gal)
Bulk density:	1,208 kg/m <sup>3</sup>
· Relative density · Vapor density	Not determined. Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
SOLUBILITY	Dichloromethane: soluble

(Contd. on page 7)

US

Printing date 06/30/2023

#### Revision date 06/30/2023

#### Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 2

	(Contd. from page 6
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	75.0 % 0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	10.0 %
· Other information	No further relevant information available.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **<u>11 Toxi</u>cological information**

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 \	· LD/LC50 values that are relevant for classification:		
ATE (Acut	ATE (Acute Toxicity Estimate)		
Oral	LD50	2,133 mg/kg (rat)	
75-09-2 Di	75-09-2 Dichloromethane		
Oral	LDLO	357 mg/kg (hmn)	
	LD50	1,600 mg/kg (rat)	
	TDLO	1,429 μL/kg (man)	
Inhalative	LC50/4 h	88 mg/l (rat)	
	Intraperitoneal LD50	916 mg/kg (rat)	
	Subcutaneous LD50	6,460 mg/kg (mouse)	
Drimony initest offects			

#### • Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

75-09-2 Dichloromethane

### NTP (National Toxicology Program)

75-09-2 Dichloromethane

(Contd. on page 8)

2A

R

US

Printing date 06/30/2023

Revision date 06/30/2023

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 2

(Contd. from page 7)

### · OSHA-Ca (Occupational Safety & Health Administration)

75-09-2 Dichloromethane

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	

Printing date 06/30/2023

#### Revision date 06/30/2023

#### Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 2

	(Contd. from page 8)
· Special precautions for user No	t applicable.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code No</li> </ul>	t applicable.
· UN "Model Regulation": not	t regulated

## **15 Regulatory information**

 $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

75-09-2 Dichloromethane

### • TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

- All components have the value ACTIVE.
- · Hazardous Air Pollutants

75-09-2 Dichloromethane

Proposition 65

· Chemicals known to cause cancer:

75-09-2 Dichloromethane

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

75-09-2 Dichloromethane

· TLV (Threshold Limit Value)

75-09-2 Dichloromethane

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

75-09-2 Dichloromethane

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to (Contd. on page 10)

\_\_\_\_\_US

L

A3

Printing date 06/30/2023

Revision date 06/30/2023

## Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 2

(Contd. from page 9) be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1