

Printing date 06/30/2023

Revision date 06/30/2023

Page 1/10

## **1** Identification

- · Product identifier
- · Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 3
- · Article number: 29356
- · Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

#### • **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.


· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department

Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification



- US

Printing date 06/30/2023

Revision date 06/30/2023

de name: Long	-chain Saturated Fatty Acid Methyl E	Ester Mixture 3
		(Contd. from page 1
Skin Irritation 2	F	H315 Causes skin irritation.
Specific Target	Organ Toxicity - Single Exposure 3 F	H335 May cause respiratory irritation
Label elements		
GHS label elen		
	classified and labeled according to the	Globally Harmonized System (GHS).
Hazard pictogr	ams	
E T		
$\vee$ $\vee$		
GHS05 GHS	07 GHS08	
Signal word Da	anger	
Hazard-determ	ining components of labeling:	
Dichloromethan		
Tridecanoic Aci	-	
	Acid methyl ester	
Hazard statem	5	
H315 Causes s		
	erious eye damage.	
	d of causing genetic defects.	
	d of causing cancer.	
	e respiratory irritation.	
	amage to organs through prolonged or	r repeated exposure
Precautionary		Tepeated exposure.
P201	Obtain special instructions before u	160
P202		utions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/	
P264	Wash thoroughly after handling.	/vapors/spray.
P270	Do not eat, drink or smoke when us	sing this product
P271	Use only outdoors or in a well-ventil	
P280		clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of wate	
P304+P340		esh air and keep comfortable for breathing.
P305+P351+P3		ater for several minutes. Remove contact lenses,
D040	present and easy to do. Continue ri	
P310	Immediately call a poison center/do	
P308+P313	IF exposed or concerned: Get medi	
P321	Specific treatment (see on this labe	
P314	Get medical advice/attention if you	
P362+P364	Take off contaminated clothing and	
P332+P313	If skin irritation occurs: Get medical	
P403+P233	Store in a well-ventilated place. Kee	ep container tightly closed.
P405	Store locked up.	
P501		ccordance with local/regional/national/internationa
	regulations.	
<b>Classification</b>		
NFPA ratings (	scale 0 - 4)	
	ealth = 3	
	e = 1	
Fir	e = 1 eactivity = 0	
Fir	e = 1 eactivity = 0	

Printing date 06/30/2023

Revision date 06/30/2023

#### Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 3

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

### **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

75.0%	
5.0%	
5.0%	
5.0%	
5.0%	
6064-90-0 Heneicosanoic Acid methyl ester 5.0%	

### **4 First-aid measures**

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- $\cdot$  Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

(Contd. on page 4)

US

Printing date 06/30/2023

Revision date 06/30/2023

#### Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 3

(C • Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced. • Advice for firefighters • Protective equipment: Mouth respiratory protective device.	contd. from page 3)
6 Accidental release measures	
<ul> <li>Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.</li> <li>Wear protective equipment. Keep unprotected persons away.</li> <li>Environmental precautions: Dilute with plenty of water.</li> <li>Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawo Use neutralizing agent.</li> <li>Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.</li> <li>Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li> <li>Protective Action Criteria for Chemicals</li> </ul>	łust).
• PAC-1:	
75-09-2 Dichloromethane	200 ppm
PAC-2:	
75-09-2 Dichloromethane	560 ppm
· PAC-3:	
75-09-2 Dichloromethane	6,900 ppm

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

Revision date 06/30/2023

## Printing date 06/30/2023 Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 3 (Contd. from page 4) · Control parameters Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits. 75-09-2 Dichloromethane PEL Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052 REL See Pocket Guide App. A TLV Long-term value: 50 ppm BEI. A3 · Ingredients with biological limit values: 75-09-2 Dichloromethane BEI 0.3 mg/L Medium: urine Time: end of shift Parameter: Dichloromethane (semi-guantitative) • Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. (Contd. on page 6)

us

Printing date 06/30/2023

· Eye protection:

Revision date 06/30/2023

## Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 3

(Contd. from page 5)

9 Physical and chemical properties          • Information on basic physical and chemical properties         • General Information         • Appearance:         Form:       Liquid	
General Information Appearance: Form: Liquid	
· Appearance: Form: Liquid	
Form: Liquid	
Color: Not determined.	
Odor: Characteristic	
· Odor threshold: Not determined.	
• Formulation A solution in dichloromethane	
· <b>pH-value:</b> Not determined.	
· Change in condition         Melting point/Melting range:       Undetermined.         Boiling point/Boiling range:       40 °C (104 °F)	
• Flash point: >110 °C (>230 °F)	
• Flammability (solid, gaseous): Not applicable.	
• Auto igniting: 605 °C (1,121 °F)	
Decomposition temperature: Not determined.	
· Ignition temperature: Product is not selfigniting.	
Danger of explosion: Product does not present an explosion haze	ard.
· Explosion limits:	
Lower: 13 Vol %	
Upper: 22 Vol %	
· Vapor pressure at 20 °C (68 °F):         453 hPa (339.8 mm Hg)	
• Density: Not determined.	
Relative density Not determined.	
Vapor density Not determined.	
• Evaporation rate Not determined.	
<ul> <li>Solubility in / Miscibility with Water:</li> <li>Fully miscible.</li> </ul>	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic: Not determined.	
Kinematic: Not determined.	
SOLUBILITY Dichloromethane: soluble	

Printing date 06/30/2023

#### Revision date 06/30/2023

#### Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 3

	(Contd. from page 6	<b>i</b> )
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	75.0 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	15.0 %	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **<u>11 Toxi</u>cological information**

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acu	te Toxicity Estimate)	
Oral	LD50	2,133 mg/kg (rat)
75-09-2 D	ichloromethane	
Oral	LDLO	357 mg/kg (hmn)
	LD50	1,600 mg/kg (rat)
	TDLO	1,429 μL/kg (man)
Inhalative	LC50/4 h	88 mg/l (rat)
	Intraperitoneal LD50	916 mg/kg (rat)
	Subcutaneous LD50	6,460 mg/kg (mouse)

#### • Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

75-09-2 Dichloromethane

### NTP (National Toxicology Program)

75-09-2 Dichloromethane

(Contd. on page 8)

2A

R

US

Printing date 06/30/2023

Revision date 06/30/2023

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 3

(Contd. from page 7)

### · OSHA-Ca (Occupational Safety & Health Administration)

75-09-2 Dichloromethane

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	

Printing date 06/30/2023

#### Revision date 06/30/2023

#### Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 3

itd. from page 8)

## **15 Regulatory information**

 $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  Sara

<ul> <li>Section 355 (extremely</li> </ul>	hazardous substances):
--	------------------------

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

75-09-2 Dichloromethane

#### • TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

· Hazardous	s Air Pollutants	
7132-64-1	Pentadecanoic Acid methyl ester	ACTIVE
1731-92-6	Heptadecanoic Acid methyl ester	ACTIVE
1731-88-0	Tridecanoic Acid methyl ester	ACTIVE
75-09-2	Dichloromethane	ACTIVE

75-09-2 Dichloromethane

Proposition 65

· Chemicals known to cause cancer:

75-09-2 Dichloromethane

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

75-09-2 Dichloromethane

#### • TLV (Threshold Limit Value)

75-09-2 Dichloromethane

A3

L

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

#### 75-09-2 Dichloromethane

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes (Contd. on page 10)

Printing date 06/30/2023

Revision date 06/30/2023

## Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 3

(Cantol from more 0)
(Contd. from page 9) contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.
· Department issuing SDS: Environment protection department.
· Contact: -
• Date of preparation / last revision 06/30/2023
<ul> <li>Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods</li> </ul>
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Damage 1: Serious eye damage/eye irritation – Category 1 Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2
Carcinogenicity 2: Carcinogenicity – Category 2
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1
- US