

Printing date 04/12/2023

Revision date 04/12/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Plant Sterol Mixture
- · Article number: 29364
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

 Classification of the substance or mixture 	
GHS06 Skull and crossbones	
Acute Toxicity - Dermal 2	H310 Fatal in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
Carcinogenicity 2 Toxic to Reproduction 2	H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the
0	
	unborn child.
Specific Target Organ Toxicity - Repeated Exposur 1	e H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.
	(Contd. on page 2)

Printing date 04/12/2023

Revision date 04/12/2023

Trade name: Plant Sterol Mixture

		(Contd. from page 1)
GHS07	7	
Acute Toxicity - (Oral 4	H302 Harmful if swallowed.
Skin Irritation 2		H315 Causes skin irritation.
Eye Irritation 2A		H319 Causes serious eye irritation.
Label elements		
GHS label elem		
 He product is cl Hazard pictogra 		o the Globally Harmonized System (GHS).
	41115	
\land		
GHS06 GHS0	7 GHS08	
· Signal word Da	nger	
-	-	
Chloroform	ning components of labeling:	
Stigmasterol		
(24R)-ergost-5-e	n-36-0	
Brassicasterol	11-5 9 -01	
· Hazard stateme	ints	
H302 Harmful if		
H310 Fatal in co		
H331 Toxic if inh		
H315 Causes sk		
	rious eye irritation.	
	of causing cancer.	
	of damaging fertility or the unbo	
		stem, the kidneys, the liver and the respiratory system
	olonged or repeated exposure.	
Precautionary s		
P201	Obtain special instructions be	
P202		precautions have been read and understood.
P260	Do not breathe dust/fume/gas	
P262 P264	Do not get in eyes, on skin, o	
P270	Wash thoroughly after handlin Do not eat, drink or smoke wi	
P271	Use only outdoors or in a wel	
P280		ctive clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison ce	
P302+P352	If on skin: Wash with plenty o	
P304+P340		to fresh air and keep comfortable for breathing.
P305+P351+P33		ith water for several minutes. Remove contact lenses, if
	present and easy to do. Conti	nue rinsing.
P310	Immediately call a poison cer	
P308+P313	IF exposed or concerned: Ge	
P321	Specific treatment (see on thi	
P314	Get medical advice/attention	it you teel unwell.
P330	Rinse mouth.	and a standard state in a standard state of the state of
P361+P364	i ake off immediately all conta	aminated clothing and wash it before reuse. (Contd. on page 3)

Printing date 04/12/2023

Revision date 04/12/2023

Trade name: Plant Sterol Mixture

	(Contd. from page 2)
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
OI 101 11	(

· Classification system:

NFPA ratings (scale 0 - 4)

	Health = 3
	Fire = 0
$\overline{3}$	Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 3	Health = 3
FIRE 0	1.110 0
REACTIVITY 0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

CAS: 67-66-3 RTECS: FS9100000 Chloroform 90.0% CAS: 83-48-7 RTECS: WJ2447500 Stigmasterol 2.5% (24R)-ergost-5-en-3β-ol ≤2.5% CAS: 474-67-9 Brassicasterol 2.5% • Other ingredients 2.5%	[·] Dangerous components:		
RTECS: WJ2447500 22.5% (24R)-ergost-5-en-3β-ol ≤2.5% CAS: 474-67-9 Brassicasterol 2.5%		Chloroform	90.0%
CAS: 474-67-9 Brassicasterol 2.5%			2.5%
		(24R)-ergost-5-en-3β-ol	≤2.5%
· Other ingredients	CAS: 474-67-9	Brassicasterol	2.5%
	· Other ingredients		

CAS: 83-46-5	24α-ethyl Cholesterol	2.5%
RTECS: WJ2600000		

• Additional information:

The specific chemical identity of composition and exact percentage is being withheld as a trade secret. The specific chemical identity and exact percentage is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

(Contd. on page 4)

⁻ US

Printing date 04/12/2023

67-66-3 Chloroform

Revision date 04/12/2023

Trade name: Plant Sterol Mixture

(Contd. from page 3) In case of irregular breathing or respiratory arrest provide artificial respiration. · After inhalation: Supply fresh air or oxygen; call for doctor. In case of unconsciousness place patient stably in side position for transportation. • After skin contact: Immediately wash with water and soap and rinse thoroughly. · After eve contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Immediately call a doctor. · Information for doctor: · Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. **5** Fire-fighting measures · Extinguishing media · Suitable extinguishing agents: Use fire fighting measures that suit the environment. A solid water stream may be inefficient. Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced. Advice for firefighters · **Protective equipment:** Mouth respiratory protective device. 6 Accidental release measures · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-66-3 Chloroform 2 ppm · PAC-2: 67-66-3 Chloroform 64 ppm · PAC-3:

3,200 ppm

(Contd. on page 5)

Printing date 04/12/2023

Revision date 04/12/2023

Trade name: Plant Sterol Mixture

(Contd. from page 4)

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-66-3 Chloroform

- PEL Ceiling limit value: 240 mg/m³, 50 ppm
- REL Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A
- TLV Long-term value: 10 ppm
 - A3

· Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)

- ÚS

Printing date 04/12/2023

Revision date 04/12/2023

Trade name: Plant Sterol Mixture

(Contd. from page 5) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and General Information	
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
Formulation	A solution in chloroform
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	62 °C (143.6 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	982 °C (1,799.6 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.

Printing date 04/12/2023

Revision date 04/12/2023

Trade name: Plant Sterol Mixture

	(C	ontd. from page 6
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	10.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents, strong bases
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute To	xicity Estimate)		
Oral	LD50	513 mg/kg	
Dermal	LD50	82.9 mg/kg	
Inhalative	LC50/4 h	2.86 mg/l	
67-66-3 Chloro	form		
Oral	LDLO	2,514 mg/kg (man)	
	LD50	300 mg/kg (rat)	
Dermal	LD50	>20 g/kg (rabbit)	
	LD50	75 mg/kg (rat)	
Inhalative	LC50	47,702 mg/m³/4h (rat)	
	TCLO	5,000 mg/m³/7m (hmn)	
Irritation of skin	Irritation	10 mg/24h (rabbit) mild	
Irritation of eyes	Irritation	20 mg/24h (rabbit) moderate	

Printing date 04/12/2023

Revision date 04/12/2023

Trade name: Plant Sterol Mixture

	(Contd. from page 7)
	Intraperitoneal LD50 623 mg/kg (mouse)
83-48-7	Stigmasterol
	Intraperitoneal TDLO 10 mg/kg (rat)
Primar	/ irritant effect:
	skin: Irritant to skin and mucous membranes.
	eye: Irritating effect.
	zation: No sensitizing effects known.
	nal toxicological information:
	oduct shows the following dangers according to internally approved calculation methods for
prepara Toxic	uons.
Harmfu	
Irritant	
Carolin	annia antonomian
	ogenic categories
•	nternational Agency for Research on Cancer)
67-66-3	Chloroform 2B
· NTP (N	ational Toxicology Program)
67-66-3	Chloroform R
· OSHA-	Ca (Occupational Safety & Health Administration)
None of	the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 9)

US

Printing date 04/12/2023

Revision date 04/12/2023

(Contd. from page 8)

Trade name: Plant Sterol Mixture

• Recommended cleansing agent: Water, if necessary with cleansing agents.

•	
· UN-Number · DOT, IMDG, IATA	UN2810
· UN proper shipping name · DOT · IMDG · IATA	Toxic, liquids, organic, n.o.s. (Chloroform) TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM Toxic liquid, organic, n.o.s. (CHLOROFORM)
· Transport hazard class(es)	
·DOT	
TOXIC	
Class	6.1 Toxic substances
· Label	6.1
· Class · Label	6.1 Toxic substances 6.1
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Toxic substances 60 F-A,S-A (SGG10) Liquid halogenated hydrocarbons B SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
 Transport/Additional information: DOT Quantity limitations 	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
[·] IMDG [·] Limited quantities (LQ) [·] Excepted quantities (EQ)	100 ml Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml

____US

Printing date 04/12/2023

Revision date 04/12/2023

Trade name: Plant Sterol Mixture

	(Contd. from page 9)
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM), 6.1, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

 Section 355 (extremely hazardous substances): 	
67-66-3 Chloroform	
Section 313 (Specific toxic chemical listings):	
67-66-3 Chloroform	
· TSCA (Toxic Substances Control Act):	
67-66-3 Chloroform	ACTIVE
· Hazardous Air Pollutants	
67-66-3 Chloroform	
Proposition 65	
· Chemicals known to cause cancer:	
67-66-3 Chloroform	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-66-3 Chloroform	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
67-66-3 Chloroform	B2, L, NL
TLV (Threshold Limit Value)	
67-66-3 Chloroform	A3
NIOSH-Ca (National Institute for Occupational Safety and Health)	
67-66-3 Chloroform	

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes (Contd. on page 11)

Printing date 04/12/2023

Revision date 04/12/2023

Trade name: Plant Sterol Mixture

(Contd. from page 10) contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.
· Department issuing SDS: Environment protection department.
Contact: -
 Date of preparation / last revision 04/12/2023
Abbreviations and acronyms:
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Acute Toxicity - Dermal 2: Acute toxicity – Category 2 Acute Toxicity - Inhalation 3: Acute toxicity – Category 3
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Carcinogenicity 2: Carcinogenicity – Category 2
Toxic to Reproduction 2: Reproductive toxicity – Category 2
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1
US