

Printing date 03/08/2023

Revision date 03/08/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Isotonitazene (CRM)
- · Article number: 30880
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

· Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	

Printing date 03/08/2023

Revision date 03/08/2023

Trade name: Isotonitazene (CRM)

	(Contd. from page 1)
· Label element	S
· GHS label eler	
	classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictog	
GHS02 GHS	06 GHS08
· Signal word D	anger
•	•
Methanol	nining components of labeling:
· Hazard statem	onte
H225	Highly flammable liquid and vapor.
	331 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
· Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
F3037F3017F3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
 Classification 	
 NFPA ratings 	(scale 0 - 4)
	ealth = 2 re = 3
	eactivity = 0
	eactivity – 0
· HMIS-ratings ((scale 0 - 4)
HEALTH *2 H	
	lealth = *2 Fire = 2
	Fire = 3
REACTIVITY 0	Reactivity = 0
	(Contd. on page 3)
	US

Printing date 03/08/2023

Revision date 03/08/2023

(Contd. from page 2)

99.9%

0.1%

Trade name: Isotonitazene (CRM)

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- CAS: 67-56-1 Methanol
- RTECS: PC1400000

Other ingredients

14188-81-9 Isotonitazene

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

67-56-1During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

Printing date 03/08/2023

*

Revision date 03/08/2023

Trade name: Isotonitazene (CRM)

(Contd. from page 3)

	precautions, protective equipment and emergency procedures	
	precations, protective equipment and emergency procedures	
	tective equipment. Keep unprotected persons away.	
· Environm	nental precautions:	
	n plenty of water.	
	ow to enter sewers/ surface or ground water. and material for containment and cleaning up:	
	th liquid-binding material (sand, diatomite, acid binders, universal binders, saw	(dust)
	contaminated material as waste according to item 13.	
Ensure ad	dequate ventilation.	
	e to other sections	
	on 7 for information on safe handling. on 8 for information on personal protection equipment.	
	on 13 for disposal information.	
	e Action Criteria for Chemicals	
PAC-1:		
67-56-1 N	<i>A</i> ethanol	530 ppm
PAC-2:		
67-56-1 N	<i>A</i> ethanol	2,100 ppm
PAC-3:		
67-56-1 N	Aethanol	7200* ppm
67-56-1 N	Methanol Ig and storage	7200* ppm
67-56-1 N	g and storage	7200* ppm
67-56-1 M Handlin Handling	<mark>g and storage</mark> : ons for safe handling	7200* ppm
67-56-1 M Handling Handling Precautio Ensure go	g and storage : ons for safe handling bod ventilation/exhaustion at the workplace.	7200* ppm
67-56-1 M Handling Handling Precautio Ensure gc Open and	g and storage : ons for safe handling pod ventilation/exhaustion at the workplace. I handle receptacle with care.	7200* ppm
67-56-1 M Handling • Handling • Precautio Ensure gc Open and Prevent fc	g and storage : ons for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. formation of aerosols.	7200* ppm
67-56-1 M Handling Handling Precaution Ensure go Open and Prevent for Information	g and storage : ons for safe handling pod ventilation/exhaustion at the workplace. I handle receptacle with care.	7200* ppm
67-56-1 M Handling Handling Precaution Ensure go Open and Prevent for Information Keep ignit Protect ag	ig and storage is ons for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. ormation of aerosols. on about protection against explosions and fires: tion sources away - Do not smoke. gainst electrostatic charges.	7200* ppm
67-56-1 M Handling Precautio Ensure go Open and Prevent fo Informatio Keep ignit Protect ag Keep resp	g and storage : ons for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. ormation of aerosols. on about protection against explosions and fires: tion sources away - Do not smoke. gainst electrostatic charges. biratory protective device available.	7200* ppm
67-56-1 M Handling Precaution Ensure go Open and Prevent for Information Keep ignit Protect ag Keep resp	g and storage : ons for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. brmation of aerosols. on about protection against explosions and fires: tion sources away - Do not smoke. gainst electrostatic charges. biratory protective device available. hs for safe storage, including any incompatibilities	7200* ppm
67-56-1 M Handling • Handling • Precaution Ensure go Open and Prevent fo • Information Keep ignit Protect ag Keep resp • Condition Keep awa	g and storage : ons for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. brmation of aerosols. on about protection against explosions and fires: tion sources away - Do not smoke. gainst electrostatic charges. biratory protective device available. ns for safe storage, including any incompatibilities by from heat, sparks and flame.	7200* ppm
67-56-1 M Handling • Handling • Precaution Ensure go Open and Prevent for • Information Keep ignit Protect ag Keep resp • Condition Keep awa Keep cont	g and storage : ons for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. brmation of aerosols. on about protection against explosions and fires: tion sources away - Do not smoke. gainst electrostatic charges. biratory protective device available. ns for safe storage, including any incompatibilities by from heat, sparks and flame. tainer tightly closed.	7200* ppm
67-56-1 M Handling Handling Precautio Ensure go Open and Prevent fo Informati Keep ignit Protect ag Keep resp Conditior Keep awa Keep conf Store in ad	is and storage is post for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. formation of aerosols. on about protection against explosions and fires: tion sources away - Do not smoke. gainst electrostatic charges. biratory protective device available. In for safe storage, including any incompatibilities by from heat, sparks and flame. tainer tightly closed. ccordance with information listed on the product insert.	7200* ppm
67-56-1 M Handling Handling Precautio Ensure gc Open and Prevent fc Informati Keep ignit Protect ag Keep resp Conditior Keep awa Keep conf Store in ac	g and storage : ons for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. brmation of aerosols. on about protection against explosions and fires: tion sources away - Do not smoke. gainst electrostatic charges. biratory protective device available. ns for safe storage, including any incompatibilities by from heat, sparks and flame. tainer tightly closed.	7200* ppm
67-56-1 Handling Handling Precautio Ensure gc Open and Prevent foc Informatic Keep ignit Protect ag Keep resp Condition Keep awa Keep cont Store in ac Storage: Requirem	g and storage sons for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. formation of aerosols. on about protection against explosions and fires: tion sources away - Do not smoke. gainst electrostatic charges. biratory protective device available. Ins for safe storage, including any incompatibilities by from heat, sparks and flame. tainer tightly closed. ccordance with information listed on the product insert. Store in accordance with information listed on the product insert. Store in accordance with information listed on the product insert. nents to be met by storerooms and receptacles: Store in a cool location. on about storage in one common storage facility: Not required.	7200* ppm
67-56-1 Handling Handling Precautio Ensure gc Open and Prevent fo Informatic Keep ignit Protect ag Keep resp Condition Keep awa Keep cont Store in ac Storage: Requirem Informatic Further in	g and storage mage of the storage	7200* ppm
67-56-1 M Handling Precautio Ensure go Open and Prevent fo Informatio Keep ignit Protect ag Keep resp Condition Keep awa Keep conf Store in ac Storage: Requirem Informatio Further in Keep rece	g and storage sons for safe handling bod ventilation/exhaustion at the workplace. I handle receptacle with care. formation of aerosols. on about protection against explosions and fires: tion sources away - Do not smoke. gainst electrostatic charges. biratory protective device available. Ins for safe storage, including any incompatibilities by from heat, sparks and flame. tainer tightly closed. ccordance with information listed on the product insert. Store in accordance with information listed on the product insert. Store in accordance with information listed on the product insert. nents to be met by storerooms and receptacles: Store in a cool location. on about storage in one common storage facility: Not required.	7200* ppm

Printing date 03/08/2023

Revision date 03/08/2023

Trade name: Isotonitazene (CRM)

(Contd. from page 4)

8 Exposure controls/personal protection · Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: 67-56-1 Methanol PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³. 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI · Ingredients with biological limit values: 67-56-1 Methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 03/08/2023

Revision date 03/08/2023

(Contd. from page 5)

Trade name: Isotonitazene (CRM)

· Eye protection:

Kinematic:



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Liquid Color: According to product specification · Odor: Characteristic · Structural Formula C23H30N4O3 · Molecular Weight 410.5 g/mol · Odor threshold: Not determined. · Formulation A 1 mg/ml solution in methanol · pH-value: Not determined. · Change in condition Melting point/Melting range: -98 °C (-144.4 °F) **Boiling point/Boiling range:** 64.7 °C (148.5 °F) · Flash point: 11 °C (51.8 °F) · Flammability (solid, gaseous): Highly flammable. 455 °C (851 °F) · Auto igniting: · Decomposition temperature: Not determined. · Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. · Explosion limits: 5.5 Vol % Lower: 44 Vol % Upper: · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm3 (6.59255 lbs/gal) Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscositv: **Dynamic:** Not determined.

Not determined.

(Contd. on page 7)

- US

Printing date 03/08/2023

Revision date 03/08/2023

Trade name: Isotonitazene (CRM)

	(Contd. from page 6
 Solvent content: Organic solvents: VOC content: 	99.9 % 99.90 % 789.2 g/l / 6.59 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Tox	cicity Estimate)		
Oral	LD50	100 mg/kg	
Dermal	LD50	300 mg/kg	
Inhalative	LC50/4 h	3 mg/l	
67-56-1 Methan	ol		
Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	
	Data	20 mg/24h (rabbit)	

• on the skin: No irritant effect.

(Contd. on page 8)

[–] US

Printing date 03/08/2023

Revision date 03/08/2023

Trade name: Isotonitazene (CRM)

(Contd. from page 7)

- on the eye: No irritating effect.
 Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN1230

(Contd. on page 9)

US

Printing date 03/08/2023

Revision date 03/08/2023

Trade name: Isotonitazene (CRM)

IN proper chipping nome	(Contd. from pa
UN proper shipping name DOT, IATA IMDG	Methanol solution METHANOL solution
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids 3, 6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
ΙΑΤΑ	
Class	3 Flammable liquids
Label	3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids 336 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information: DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
	(Contd. on pag

Printing date 03/08/2023

Revision date 03/08/2023

Trade name: Isotonitazene (CRM)	
---------------------------------	--

(Contd. from page 9)

ACTIVE

· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

• TSCA (Toxic Substances Control Act):

67-56-1 Methanol

· Hazardous Air Pollutants

67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes (Contd. on page 11)

Printing date 03/08/2023

Revision date 03/08/2023

Trade name: Isotonitazene (CRM)

(Contd. from page 10) no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.
 Department issuing SDS: Environment protection department. Contact: - Date of preparation / last revision 03/08/2023 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Isitute for Occupational Safety SHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit El: Biological Exposure Limit Flammable Liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1