

Printing date 04/25/2023

Revision date 04/25/2023

Page 1/11

#### **1** Identification

- · Product identifier
- · Trade name: Lithocholic Acid MaxSpec® Standard
- · Article number: 31353
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

#### · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

# 2 Hazard(s) identification

• • • • • • • • • • • • • • • • • • •	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin. H331 Toxic if inhaled.
Acute Toxicity - Inhalation 3	
Grisoo Health Hazard	
Specific Target Organ Toxicity - Single Exposure	1 H370 Causes damage to the central nervou system and the visual organs.

Printing date 04/25/2023

Revision date 04/25/2023

# Trade name: Lithocholic Acid MaxSpec® Standard

	(Contd. from page 1)
· Label elements	
GHS label elem	
The product is c • Hazard pictogra	lassified and labeled according to the Globally Harmonized System (GHS). <b>ams</b>
$\wedge$	
GHS02 GHS0	06 GHS08
· Signal word Da	inger
· Hazard-determi	ining components of labeling:
Methanol	
• Hazard stateme	
H225	Highly flammable liquid and vapor.
	31 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
<ul> <li>Precautionary s</li> <li>P210</li> </ul>	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P240 P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P3	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
P304+P340	water/shower.
P307+P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
<ul> <li>Classification s</li> </ul>	
<ul> <li>NFPA ratings (s</li> </ul>	scale 0 - 4)
	alth = 0
	alth = 2 e = 3
	activity = 0
	adivity – 0
· HMIS-ratings (s	scale 0 - 4)
	ealth = *2
	re = 3
REACTIVITY 0 RO	eactivity = 0
	(Contd. on page 3)
	US-

Printing date 04/25/2023

Revision date 04/25/2023

(Contd. from page 2)

99.99%

0.01%

#### Trade name: Lithocholic Acid MaxSpec® Standard

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

#### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

	Methanol
RTECS: PC1400000	

#### Other ingredients

CAS: 434-13-9 Lithocholic acid RTECS: FZ2275000

### 4 First-aid measures

#### Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US –

Printing date 04/25/2023

#### Revision date 04/25/2023

(Contd. from page 3)

#### Trade name: Lithocholic Acid MaxSpec® Standard

#### • Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

<ul> <li>Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.</li> <li>Wear protective equipment. Keep unprotected persons away.</li> <li>Environmental precautions: Dilute with plenty of water.</li> <li>Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.</li> <li>Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.</li> </ul>	st).
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
67-56-1 Methanol	530 ppm
PAC-2:	
67-56-1 Methanol	2,100 ppm
· PAC-3:	
67-56-1 Methanol	7200* ppm

### 7 Handling and storage

· Handling: · Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. · Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert. • Storage: Store in accordance with information listed on the product insert. • Requirements to be met by storerooms and receptacles: Store in a cool location. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Protect from exposure to the light.

(Contd. on page 5)

US

Printing date 04/25/2023

Revision date 04/25/2023

(Contd. from page 4)

#### Trade name: Lithocholic Acid MaxSpec® Standard

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control pa	· Control parameters			
• Components with limit values that require monitoring at the workplace:				
67-56-1 Methanol PEL Long-term value: 260 mg/m³, 200 ppm				
			REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
Long	rt-term value: 250 ppm g-term value: 200 ppm ; BEI			
· Ingredient	· Ingredients with biological limit values:			
67-56-1 M	ethanol			
BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)				
· Additional	• Additional information: The lists that were valid during the creation were used as basis.			
General p Keep away Immediate Wash hand Store prote Avoid cont	e controls protective equipment: protective and hygienic measures: y from foodstuffs, beverages and feed. ely remove all soiled and contaminated clothing. ids before breaks and at the end of work. ective clothing separately. tact with the eyes and skin. g equipment:			

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

US

Printing date 04/25/2023

Revision date 04/25/2023

(Contd. from page 5)

### Trade name: Lithocholic Acid MaxSpec® Standard

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

General Information Appearance:	
Appearance.	
Form:	Liquid
Color:	According to product specification
Odor:	Alcohol-like
Structural Formula	C24H40O3
Molecular Weight	376.6 g/mol
Odor threshold:	Not determined.
Formulation	A solution in methanol at 100 μg/ml
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
Flash point:	9.7 °C (49.5 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water at 20 °C (68 °F):	1000 g/l

Printing date 04/25/2023

#### Revision date 04/25/2023

#### Trade name: Lithocholic Acid MaxSpec® Standard

	(Contd. f	rom page 6)
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	99.99 %	
	999.9 g/l / 8.34 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral	LD50	100 mg/kg (rat)
	LD50	300 mg/kg (rabbit)
Inhalative	LC50/4 h	3.1 mg/l (rat)

#### 67-56-1 Methanol

Г

Oral	LD50	100.1 mg/kg (rat)
		(Expert judgment)
		Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table
		3.1/3.2)
		Symptoms: Nausea, Vomiting
Dermal	LD50	300.1 mg/kg (rabbit)
		(Expert judgment)
		Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table
		3.1/3.2)
Inhalative	LC50/4 h	3.1 mg/l (rat)
		(Expert judgment)
		Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table
		3.1/3.2)
		Symptoms: Irritation symptoms in the respiratory tract.

• on the skin: No irritant effect.

(Contd. on page 8)

US

Printing date 04/25/2023

Revision date 04/25/2023

#### Trade name: Lithocholic Acid MaxSpec® Standard

(Contd. from page 7)

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

# **14 Transport information**

- · UN-Number
- · DOT, IMDG, IATA

UN1230

(Contd. on page 9)

US

Printing date 04/25/2023

Revision date 04/25/2023

# Trade name: Lithocholic Acid MaxSpec® Standard

	(Contd. from pag
UN proper shipping name DOT, IATA	Methanol solution
IMDG	METHANOL solution
Transport hazard class(es)	
DOT	
RAMAGE LOUD 3 6	
Class	3 Flammable liquids
Label	3, 6.1
Class	3 Flammable liquids
Label	3/6.1
ΙΑΤΑ	
Class Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	336 F-E,S-D
Stowage Category	Б
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum pat quantity par inpar packaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
	(Contd. on page

Printing date 04/25/2023

Revision date 04/25/2023

#### Trade name: Lithocholic Acid MaxSpec® Standard

(Contd. from page 9)

ACTIVE

· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

# **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

#### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

• TSCA (Toxic Substances Control Act):

67-56-1 Methanol

· Hazardous Air Pollutants

67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes (Contd. on page 11)

Printing date 04/25/2023

Revision date 04/25/2023

# Trade name: Lithocholic Acid MaxSpec® Standard

(Contd. from page 10) no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.
<ul> <li>Department issuing SDS: Environment protection department.</li> <li>Contact: -</li> <li>Date of preparation / last revision 04/25/2023</li> <li>Abbreviations and acronyms:</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>DOT: US Department of Transportation</li> <li>IATA: International Air Transport Association</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notfified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>NFPA: National Fire Protection Association (USA)</li> <li>HMIS: Hazardous Materials Identification System (USA)</li> <li>VOC: Volatile Organic Compounds (USA, EU)</li> <li>LC50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPVB: very Persistent and very Bioaccumulative</li> <li>NIOSHA: Occupational Safety &amp; Health</li> <li>TLV: Threshold Limit Value</li> <li>PEL: Permissible Exposure Limit</li> <li>REL: Recommended Exposure Limit</li> <li>REL: Recommended Exposure Limit</li> <li>Flemmable Liquids – Category 2</li> <li>Acute Toxicity - Oral 3: Acute toxicity – Category 3</li> <li>Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1</li> </ul>