



Printing date 02/20/2021 Revision date 02/20/2021

1 Identification

- · Product identifier
- · Trade name: Polyethylene Glycol Rabbit Monoclonal Antibody Biotinylated
- · Synonym PEG
- · Article number: 32381
- · Application of the substance / the mixture For research use only, not for human or veterinary use.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

Printing date 02/20/2021 Revision date 02/20/2021

Trade name: Polyethylene Glycol Rabbit Monoclonal Antibody - Biotinylated

(Contd. from page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions

Description. Mixture	of the substances listed below with normazardous additions.	
· Dangerous compone	ents:	
CAS: 56-81-5 RTECS: MA8050000	Glycerol	50.0%
CAS: 9048-46-8 RTECS: MT6446000	Albumin, bovine	1.0%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	47.919%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	0.85%
CAS: 7558-79-4 RTECS: WC4500000	Sodium phosphate, Dibasic	0.106%
CAS: 26628-22-8 RTECS: VY8050000	Sodium azide	0.09%
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	0.03%
	Polyethylene Glycol Rabbit Monoclonal Antibody - Biotinylated	0.005%

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

Indication of any immediate medical attention and special treatment needed. No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

US

Printing date 02/20/2021 Revision date 02/20/2021

Trade name: Polyethylene Glycol Rabbit Monoclonal Antibody - Biotinylated

(Contd. from page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
56-81-5	Glycerol	45 mg/m³
26628-22-8	Sodium azide	0.026 mg/m ^s
7778-77-0	Potassium phosphate, Monobasic	9.6 mg/m³
PAC-2:		
56-81-5	Glycerol	180 mg/m³
26628-22-8	Sodium azide	0.29 mg/m
7778-77-0	Potassium phosphate, Monobasic	110 mg/m³
· PAC-3:		
56-81-5	Glycerol	1,100 mg/m
26628-22-8	Sodium azide	5.3 mg/m³
7778-77-0	Potassium phosphate, Monobasic	630 mg/m ³

7 Handling and storage

- Handling:
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

(Contd. on page 4)

Printing date 02/20/2021 Revision date 02/20/2021

Trade name: Polyethylene Glycol Rabbit Monoclonal Antibody - Biotinylated

(Contd. from page 3)

At this time, the remaining constituent has no known exposure limits.

56-81-5 Glycerol

PEL Long-term value: 15* 5** mg/m³
mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

· Information on	basic phys	sical and c	hemical pr	operties
------------------	------------	-------------	------------	----------

· General Information

· Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic

• Storage Buffer PBS with 50% glycerol, 1% BSA, and 0.09% sodium azide

· Odor threshold: Not determined.

• **Formulation** 50 μg of protein A-affinity purified monoclonal antibody

· **pH-value:** Not determined.

Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)

• Flash point: 199 °C (390.2 °F)

Flammability (solid, gaseous): Not applicable.

• **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 5)

Printing date 02/20/2021 Revision date 02/20/2021

Trade name: Polyethylene Glycol Rabbit Monoclonal Antibody - Biotinylated

	(Contd. from page 4
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	0.99795–1.00205 g/cm³ (8.32789–8.36211 lbs/gal)
· Bulk density:	998–1,002 kg/m³
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	50.0 %
Water:	47.9 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	2.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 valu	es that are releva	ant for classification:	
ATE (Acute To	oxicity Estimate)		
Oral	LD50	50,000 mg/kg	
56-81-5 Glyce	rol		
Oral	LD50	12,600 mg/kg (rat)	
Irritation of ski	n Irritation	500 mg/24h (rabbit)	
		<u> </u>	(Contd. on page 6)

(Contd. on page 6)

Printing date 02/20/2021 Revision date 02/20/2021

Trade name: Polyethylene Glycol Rabbit Monoclonal Antibody - Biotinylated

		(Contd. from page 5)
Irritation of eyes	Irritation	500 mg/24h (rabbit)
	Intraperitoneal LD50	4,420 mg/kg (rat)
	Subcutaneous LD50	100 mg/kg (rat)
9048-46-8 Albur	nin, bovine	
	Intraperitoneal TDLO	0.2 pph (mouse)
26628-22-8 Sod	ium azide	
Oral	LDLO	27 mg/kg (rat)
	TDLO	3 ml/kg (wmn)
	LD50	27 mg/kg (rat)
	Subcutaneous LD50	45,100 μg/kg (rat)
Dermal	LD50	50 mg/kg (rat)
		20 mg/kg (rabbit)
Inhalative	LC50	37 mg/m³ (rat)
	Subcutaneous LD50	45,100 μg/kg (rat)
	Interperitoneal LDLO	30 mg/kg (rat)
	Intraperitoneal LD50	28 mg/kg (mouse)
	Subcutaneous LD50	45 mg/kg (rat)
	Data	5,500 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 7)

Printing date 02/20/2021 Revision date 02/20/2021

Trade name: Polyethylene Glycol Rabbit Monoclonal Antibody - Biotinylated

(Contd. from page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 4			4 4			
14 T	ran	spo	rt II	ntol	rmai	tion

· UN-Number	
· DOT, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
Class	not regulated
· Packing group	
· DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

26628-22-8 Sodium azide

· Section 313 (Specific toxic chemical listings):

26628-22-8 Sodium azide

· TSCA (Toxic Substances Control Act):

56-81-5 Glycerol ACTIVE

(Contd. on page 8)

Printing date 02/20/2021 Revision date 02/20/2021

Trade name: Polyethylene Glycol Rabbit Monoclonal Antibody - Biotinylated

		(Contd. from page
7732-18-5		ACTIV
	Albumin, bovine	ACTIV
7647-14-5	Sodium chloride	ACTIV
	Sodium phosphate, Dibasic	ACTIV
	Sodium azide	ACTIV
7778-77-0	Potassium phosphate, Monobasic	ACTIV
Hazardous	Air Pollutants	
None of the	ingredients is listed.	
Proposition	n 65	
Chemicals	known to cause cancer:	
None of the	ingredients is listed.	
Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals	known to cause developmental toxicity:	
None of the	ingredients is listed.	
Carcinoge	nic categories	
EPA (Envir	onmental Protection Agency)	
None of the	ingredients is listed.	
TLV (Thres	hold Limit Value established by ACGIH)	
26628-22-8	Sodium azide	Α
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
moon oa		

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- Contact: -
- Date of preparation / last revision 02/20/2021 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 9)

Printing date 02/20/2021 Revision date 02/20/2021

Trade name: Polyethylene Glycol Rabbit Monoclonal Antibody - Biotinylated

(Contd. from page 8)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

* Data compared to the previous version altered.

10