

Printing date 03/27/2023

Revision date 03/27/2023

Page 1/9

#### **1** Identification

- · Product identifier
- · Trade name: Mn-SOD (human) Polyclonal Antibody
- · Article number: 33129
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH0Health = 0FIRE1Fire = 1REACTIVITY0Reactivity = 0

(Contd. on page 2)

US

Printing date 03/27/2023

Revision date 03/27/2023

(Contd. from page 1)

#### Trade name: Mn-SOD (human) Polyclonal Antibody

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 56-81-5 RTECS: MA8050000	Glycerol	50.0%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	48.82%
	PBS	0.99%
	Mn-SOD (human) Polyclonal Antibody	0.1%
CAS: 26628-22-8 RTECS: VY8050000	Sodium azide	0.09%

#### **4 First-aid measures**

Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

Printing date 03/27/2023

Revision date 03/27/2023

### Trade name: Mn-SOD (human) Polyclonal Antibody

		(Contd. from page 2)	
· Environme	· Environmental precautions:		
	lenty of water.		
	to enter sewers/ surface or ground water.		
	id material for containment and cleaning up:		
	liquid-binding material (sand, diatomite, acid binders, universal binders,	sawdust).	
	o other sections		
	7 for information on safe handling.		
	8 for information on personal protection equipment.		
	13 for disposal information.		
· Protective /	Action Criteria for Chemicals		
· PAC-1:			
56-81-5	Glycerol	45 mg/m <sup>3</sup>	
26628-22-8	Sodium azide	0.026 mg/m <sup>3</sup>	
· PAC-2:			
56-81-5	Glycerol	180 mg/m <sup>3</sup>	
26628-22-8	Sodium azide	0.29 mg/m <sup>3</sup>	
· PAC-3:			
56-81-5	Glycerol	1,100 mg/m <sup>3</sup>	
26628-22-8	Sodium azide	5.3 mg/m <sup>3</sup>	

### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities Keep container tightly closed.
- Store in accordance with information listed on the product insert.
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

#### Control parameters

· Components with limit values that require monitoring at the workplace:

56-81-5 Glycerol

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Printing date 03/27/2023

Revision date 03/27/2023

#### Trade name: Mn-SOD (human) Polyclonal Antibody

(Contd. from page 3)

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

Information on basic physical and o	chemical properties
General Information	• •
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Storage Buffer	PBS, pH 7.4, with 50% glycerol and 0.09% sodium azide
Odor threshold:	Not determined.
Formulation	25 or 100 µg of protein A-affinity purified polyclonal antibody
pH-value at 20 °C (68 °F):	7.4
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	199 °C (390.2 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	400 °C (752 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)

Printing date 03/27/2023

Revision date 03/27/2023

#### Trade name: Mn-SOD (human) Polyclonal Antibody

	(Contd. from pag
<sup>.</sup> Vapor pressure at 50 °C (122 °F):	~0 hPa
· Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	50.0 %
Water:	48.8 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

56-81-5 Glycerol		
Oral	LD50	12,600 mg/kg (rat)
Irritation of skin	Irritation	500 mg/24h (rabbit)
Irritation of eyes	Irritation	500 mg/24h (rabbit)
	Intraperitoneal LD50	4,420 mg/kg (rat)
	Subcutaneous LD50	100 mg/kg (rat)

#### · Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

US

Printing date 03/27/2023

#### Revision date 03/27/2023

#### Trade name: Mn-SOD (human) Polyclonal Antibody

#### · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number	
· DOT, IMDG, IATA	UN1760
· UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Glycerol)
·IMDG	CORROSIVE LIQUID, N.O.S. (Glycerol)

#### (Contd. from page 5)

Printing date 03/27/2023

Revision date 03/27/2023

## Trade name: Mn-SOD (human) Polyclonal Antibody

Transport hazard class(es)         DOT         Impose         Class       8 Corrosive substances         Label       8         IMDG, IATA         Impose       8         Class       8 Corrosive substances         Label       8         Packing group       00T, IMDG, IATA         III       Environmental hazards:         Not applicable.       Special precautions for user         Hazard identification number (Kemler code): 80         FMS Number:       F-A,S-B         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of       Not applicable.         MARPOL73778 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       SL         Excepted quantities (EQ)       SL       Code: E1         Maximum net quantity per inner packaging: 30 ml       Maximum net quantity per outer packaging: 30 ml         Maximum net quantities of less than or equal to 1 m       Or 1 g, with an Excepted Quantity Cod of E1, E2, E4, o E5, this item meets the De Minim Quantities exemption, per iATA 2.6.10.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	14 <b>7</b> 4	(Contd. from page
DOT Class 8 8 Corrosive substances 8 IMDG, IATA Class 8 8 Corrosive substances 8 IMDG, IATA Class 8 8 Corrosive substances 8 Label 8 8 Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (EQ) 5L Excepted quantities (EQ) 5L Excepted quantities (EQ) 5L Excepted quantities (EQ) 5L Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity. UN "Model Regulation": UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		Corrosive liquid, n.o.s. (Glycerol)
Class 8 Corrosive substances 8 IMDG, IATA Class 8 IMDG, IATA Class 8 IMDG, IATA Class 8 Class 8 Corrosive substances 8 Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user F-A,S-B Special precautions for user F-A,S-B Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations Or passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity. UN "Model Regulation": UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	Transport hazard class(es)	
Label       8         IMDG, IATA       IMDG, IATA         Imbox       8         Class       8 Corrosive substances         Label       8         Packing group       007, IMDG, IATA         DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Imited quantities (LQ)       SL         Excepted quantities (EQ)       SL         Excepted quantities (EQ)       SL         Karmur net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled at Dangerous Good	DOT	
Label       8         IMDG, IATA       IMDG, IATA         IMDG, IATA       8         Class       8 Corrosive substances         Label       8         Packing group       00T, IMDG, IATA         DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       5L         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled a Dangerous GoodS/Kzcepted Quantity.		
Label       8         IMDG, IATA       IMDG, IATA         IMDG, IATA       8         Class       8 Corrosive substances         Label       8         Packing group       00T, IMDG, IATA         DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       5L         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled a Dangerous GoodS/Kzcepted Quantity.	CORROSIVE	
Label       8         IMDG, IATA       IMDG, IATA         IMDG, IATA       8         Class       8 Corrosive substances         Label       8         Packing group       00T, IMDG, IATA         DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       5L         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled a Dangerous GoodS/Kzcepted Quantity.		
IMDG, IATA         Class       8 Corrosive substances         Label       8         Packing group       DOT, IMDG, IATA         DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of       Not applicable.         Transport/Additional information:       DOT         DOT       Quantity limitations         On passenger aircraft/rail: 5 L       On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       5L         Excepted quantities (EQ)       Code: E1         Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1 f. E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous GoodS/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	Class	8 Corrosive substances
IMDG, IATA         Class       8 Corrosive substances         Label       8         Packing group       11         DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       5L         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at Dangerous GoodS/Kzecpted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	Label	
Label       8         Packing group DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       SL         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	IMDG, IATA	
Label       8         Packing group DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       SL         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		
Label       8         Packing group DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       SL         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		
Label       8         Packing group DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       SL         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	0	
Label       8         Packing group DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       SL         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	Class	8 Corrosive substances
DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)         Excepted quantities (EQ)       5L         Code: E1       Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:         When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		
DOT, IMDG, IATA       III         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)         Excepted quantities (EQ)       5L         Code: E1       Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:         When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	Packing group	
Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         EMS Number:       F-A,S-B         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       5L         Excepted quantities (EQ)       Summer aircraft/rail: 5 l (code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		III
Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L       IMDG         Limited quantities (LQ)       5L         Excepted quantities (EQ)       Scode: E1         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	Environmental hazards:	Not applicable.
Hazard identification number (Kemler code): 80         EMS Number:       F-A,S-B         Stowage Category       A         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:         When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	Special precautions for user	
Stowage Category Stowage CodeA SW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		
Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)         Excepted quantities (EQ)       5L         Code: E1       Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG Limited quantities (LQ)       5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		
MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 5 L         DOT       On passenger aircraft/rail: 5 L         Quantity limitations       On passenger aircraft/rail: 5 L         IMDG       SL         Limited quantities (LQ)       5L         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml         IATA       When sold in quantities of less than or equal to 1 ml         or 1 g, with an Excepted Quantity Code of       E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.       Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	-	
Transport/Additional information:         DOT         Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L         IMDG         Limited quantities (LQ)       5L         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 ml         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		Not applicable
DOT       Quantity limitations       On passenger aircraft/rail: 5 L         Quantity limitations       On cargo aircraft only: 60 L         IMDG       SL         Limited quantities (LQ)       5L         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IATA       Remarks:         When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		
Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	•	
On cargo aircraft only: 60 L         IMDG         Limited quantities (LQ)       5L         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 ml         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":	-	On passanger circroft/rail: 5 l
IMDG       Limited quantities (LQ)       5L         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 ml         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":		
Limited quantities (LQ)       5L         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 ml         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":	IMDG	
Excepted quantities (EQ)Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		5L
IATA         Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		Code: E1
IATA       Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		
Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		waximum net quantity per outer packaging: 1000 ml
or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		When cold in quantities of loss than an equal to 1 m
E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL	Remarks:	
Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":         UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		E1, E2, E4, or E5, this item meets the De Minimi
Dangerous Goods/Excepted Quantity.           UN "Model Regulation":         UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		Quantities exemption, per IATA 2.6.10.
UN "Model Regulation": UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL		
	UN "MODEL REGULATION":	

(Contd. on page 8)

Printing date 03/27/2023

#### Revision date 03/27/2023

#### Trade name: Mn-SOD (human) Polyclonal Antibody

(Contd. from page 7)

	Ith and environmental regulations/legislation specific for the elevant information available.	
· Section 355	o (extremely hazardous substances):	
26628-22-8	Sodium azide	
	B (Specific toxic chemical listings):	
26628-22-8	Sodium azide	
· TSCA (Toxi	c Substances Control Act):	
	Glycerol	ACTIVI
7732-18-5		ACTIVI
26628-22-8	Sodium azide	ACTIVI
· Hazardous	Air Pollutants	
	ingredients is listed.	
· Propositior		
	known to cause cancer:	
None of the	ingredients is listed.	
	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
· Chemicals	known to cause developmental toxicity:	
None of the	ingredients is listed.	
· Carcinoger	ic categories	
-	onmental Protection Agency)	
	ingredients is listed.	
· TLV (Thres	hold Limit Value)	
26628-22-8	Sodium azide	A
	National Institute for Occupational Safety and Health)	

## **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

• Date of preparation / last revision 03/27/2023

Printing date 03/27/2023

Revision date 03/27/2023

## Trade name: Mn-SOD (human) Polyclonal Antibody

	(Contd. from page 8)
<ul> <li>Abbreviations and acronyms:</li> </ul>	、
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
* * Data compared to the previous version altered.	
Duta compared to the previous version altered.	
	0s