

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/18/2024

Revision date 03/18/2024

Page 1/11

1 Identification

- · Product identifier
- · Trade name: <u>1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA</u>
- · Synonym

hexadecanoic acid-13,13,14,14,15,15,16,16,16-d9, 2R-hydroxy-3-(phosphonooxy)propyl ester;1-Hexadecanoyl-d9-2-hydroxy-sn-glycero-3-phosphate; 16:0-d9 LPA; LPA 16:0-d9; PA(16:0-d9/0:0); 1-Palmitoyl-d9 LPA;

- · Article number: 33479
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture	
GHS06 Skull and crossbones	
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Carcinogenicity 2	H351 Suspected of causing cancer.
Toxic to Reproduction 2	H361 Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity - Repeated Exposure 1	H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.
	(Contd. on page 2

Printing date 03/18/2024

_ _

Revision date 03/18/2024

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA


		(Contd. from page 1)
\wedge		
GHS07	,	
Acute Toxicity - 0	Dral 4	H302 Harmful if swallowed.
Skin Irritation 2	-	H315 Causes skin irritation.
Eye Irritation 2A		H319 Causes serious eye irritation.
	raon Toxicity Single Exposure 2	-
	Jigan Toxicity - Single Exposure 3	H336 May cause drowsiness or dizziness.
Label elements		
• GHS label eleme		a Clabelly Harmanized System (CHC)
• Hazard pictogra		e Globally Harmonized System (GHS).
GHS06 GHS0	7 GHS08	
· Signal word Dar	-	
	ning components of labeling:	
Chloroform		
· Hazard stateme		
H302 Harmful if s H331 Toxic if inh		
H315 Causes ski		
	rious eye irritation.	
	of causing cancer.	
	of damaging fertility or the unborn	child.
	drowsiness or dizziness.	
		m, the kidneys, the liver and the respiratory system
· Precautionary s	blonged or repeated exposure.	
P201	Obtain special instructions before	
P202		cautions have been read and understood.
P260	Do not breathe dust/fume/gas/m	
P264	Wash thoroughly after handling.	
P270	Do not eat, drink or smoke when	
P271	Use only outdoors or in a well-ve	
P280 P301+P312	If swallowed: Call a poison cente	e clothing/eye protection/face protection.
P330	Rinse mouth.	
P302+P352	If on skin: Wash with plenty of w	ater.
P304+P340		fresh air and keep comfortable for breathing.
P305+P351+P33		water for several minutes. Remove contact lenses, if
	present and easy to do. Continue	
P308+P313	IF exposed or concerned: Get m	
P321 P314	Specific treatment (see on this la Get medical advice/attention if yo	
P362+P364	Take off contaminated clothing a	
P332+P313	If skin irritation occurs: Get medi	
P337+P313	If eye irritation persists: Get med	
P403+P233	Store in a well-ventilated place.	
		(Contd on page 3)

(Contd. on page 3) US

Printing date 03/18/2024

Revision date 03/18/2024

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA



CAS: 67-66-3 Chloroforr RTECS: FS9100000

· Other ingredients

2830282-77-2 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 4)

0.01%

U

Printing date 03/18/2024

Revision date 03/18/2024

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

Extinguishing media

- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture
 Can release vaners that form explosive mixtures at temperature
- Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.
- Container explosion may occur under fire conditions.
- Emits toxic fumes under fire conditions.
- Sensitive to static discharge.
- Vapors can travel to a source of ignition and flash back.
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
 Protective Action Criteria for Chemicals
- · PAC-1:
 2 ppm

 67-66-3
 Chloroform
 2 ppm

 · PAC-2:
 67-66-3
 Chloroform

 67-66-3
 Chloroform
 64 ppm

 · PAC-3:
 67-66-3
 Chloroform

 67-66-3
 Chloroform
 3,200 ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.

(Contd. on page 5)

(Contd. from page 3)

US -

Printing date 03/18/2024

Revision date 03/18/2024

(Contd. from page 4)

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA

• **Information about protection against explosions and fires:** Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities Keep container tightly closed.

Store in accordance with information listed on the product insert.

- **Storage:** Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

- PEL Ceiling limit value: 240 mg/m³, 50 ppm
- REL Short-term value: 9.78* mg/m³, 2* ppm
- *60-min; See Pocket Guide App. A TLV Long-term value: 10 ppm
 - A3

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

[–] US

Printing date 03/18/2024

Revision date 03/18/2024

(Contd. from page 5)

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Structural Formula	C19H30D9O7P
Molecular Weight	419.5 g/mol
Odor threshold:	Not determined.
Formulation	A solution in chloroform
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-63.5 °C (-82.3 °F)
Boiling point/Boiling range:	61 °C (141.8 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	982 °C (1,799.6 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	211 hPa (158.3 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	0 //
Water at 20 °C (68 °F):	8 g/l

Printing date 03/18/2024

Revision date 03/18/2024

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA

(Contd. from page	ige 6)
0.56 mPas	
Not determined.	
Ethanol: 10 mg/ml	
0.00 %	
0.0 g/l / 0.00 lb/gal	
0.0 %	
No further relevant information available.	
	0.56 mPas Not determined. Ethanol: 10 mg/ml 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 908 mg/kg (rat) Inhalative LC50/4 h 3.1 mg/l (rat)

67-66-3 Chloroform

• • • •		908 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	3.1 mg/l (rat) Expert judgment

Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Toxic
- Harmful
- Irritant

(Contd. on page 8)

US –

Printing date 03/18/2024

Revision date 03/18/2024

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA

(Contd. from page 7)

2B

R

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

67-66-3 Chloroform

NTP (National Toxicology Program)

67-66-3 Chloroform

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information • UN-Number • DOT, IMDG, IATA UN1888 • UN proper shipping name • DOT, IATA Chloroform solution • IMDG CHLOROFORM solution • IMDG CHLOROFORM solution

Printing date 03/18/2024

Revision date 03/18/2024

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA

Label 6.1 IMDG, IATA IMDG, IATA IMDG, IATA 6.1 Tass 6.1 Label 6.1 Packing group 007, IMDG, IATA DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 EMS Number: F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Not applicable. Transport/Additional information: DO DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) SL Excepted quantities (EQ) SL Karay Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity code of E1, E2, E4, or E5, this item meets the De Minim	_	(Contd. from page
Class 6.1 Toxic substances 6.1 IMDG, IATA Class 6.1 IMDG, IATA Class 6.1 Class 6.1 Class 6.1 Class 6.1 Class 6.1 Class 6.1 Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 60 EMS Number: F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) 5L Excepted quantities (EQ) 5L Excepted Quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this litem meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging: 1000 ml	• • • • •	
Class 6.1 Toxic substances Label 6.1 IMDG, IATA IMDG, IATA IMDG, IATA Image: Construct of the system of	DOT	
Class 6.1 Toxic substances Label 6.1 IMDG, IATA IMDG, IATA IMDG, IATA Imit of the substances Label 6.1 Toxic substances 6.1 Label 6.1 Packing group 6.1 DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 F-A.S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) SL Excepted quantities (LQ) SL Excepted quantities (EQ) Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Label 6.1 IMDG, IATA IMDG, IATA IMDG, IATA 6.1 Tass 6.1 Label 6.1 Packing group 007, IMDG, IATA DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 EMS Number: F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Not applicable. Transport/Additional information: DO DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) SL Excepted quantities (EQ) SL Karay Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity code of E1, E2, E4, or E5, this item meets the De Minim	TOXIC	
Label 6.1 IMDG, IATA IMDG, IATA IMDG, IATA 6.1 Tass 6.1 Label 6.1 Packing group 007, IMDG, IATA DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 EMS Number: F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Not applicable. Transport/Additional information: DO DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) SL Excepted quantities (EQ) SL Karay Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity code of E1, E2, E4, or E5, this item meets the De Minim	6	
IMDG, IATA Vertice Class 6.1 Toxic substances Label 6.1 Packing group DOT, IMDG, IATA DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT DOT On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA When sold in quantities of less than or equal to 1 m Remarks: When sold in quantities of less than or equal to 1 m Or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	Class	6.1 Toxic substances
Class 6.1 Toxic substances Label 6.1 Packing group DOT, IMDG, IATA DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 FAS.A Segregation groups Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of Not applicable. MARPOL-73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L On cargo aircraft only: 220 L IMDG SL Limited quantities (LQ) SL Excepted quantities (EQ) Scle: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 ml Out quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Label	6.1
Label6.1Packing group DOT, IMDG, IATAIIIEnvironmental hazards:Not applicable.Special precautions for user Hazard identification number (Kemler code): 60Warning: Toxic substances 60EMS Number: Segregation groups Stowage Category A Stowage CodeF-A,S-A SGG10) Liquid halogenated hydrocarbons AStowage CodeTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ) Excepted quantities (EQ)SL Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.0. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	IMDG, IATA	
Label6.1Packing group DOT, IMDG, IATAIIIEnvironmental hazards:Not applicable.Special precautions for user Hazard identification number (Kemler code): 60Warning: Toxic substances 60EMS Number: Segregation groups Stowage Category A Stowage CodeF-A,S-A SGG10) Liquid halogenated hydrocarbons AStowage CodeTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ) Excepted quantities (EQ)SL Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.0. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) SL Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Class	6.1 Toxic substances
DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 EMS Number: F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled at Dangerous Goods/Excepted Quantity.	Label	6.1
Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG SL Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Packing group	
Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 60 EMS Number: F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	DOT, IMDG, IATA	III
Hazard identification number (Kemler code): 60 EMS Number: F-A,S-A Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Environmental hazards:	Not applicable.
EMS Number:F-A,S-ASegregation groups(SGG10) Liquid halogenated hydrocarbonsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:DOT Quantity limitationsDOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Special precautions for user	
Segregation groups (SGG10) Liquid halogenated hydrocarbons Stowage Category A Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L On cargo aircraft only: 220 L IMDG SL Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at Dangerous Goods/Excepted Quantity.	· · · · ·	
Stowage Category Stowage CodeÁ SW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) 5L IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L On cargo aircraft only: 220 L IMDG SL Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Stowage Code	
Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable
DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	•	
IMDG Limited quantities (LQ) Excepted quantities (EQ) IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
IMDG 5L Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Quantity limitations	
Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	IMDC	
Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		51
IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Excepted quantities (EQ)	
IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		Maximum net quantity per inner packaging: 30 ml
Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		Maximum net quantity per outer packaging: 1000 ml
or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	ΙΑΤΑ	
UN 1888 CHI OROFORM SOLUTION 6.1 III	Remarks:	or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a
	UN "Model Regulation":	UN 1888 CHLOROFORM SOLUTION, 6.1, III

(Contd. on page 10)

Printing date 03/18/2024

Revision date 03/18/2024

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA

(Contd. from page 9)

	tory information	
	nealth and environmental regulations/legislation specific for the substance or er relevant information available.	mixture
· Sara	a relevant mormation available.	
	355 (extremely hazardous substances):	
	Chloroform	
· Section	313 (Specific toxic chemical listings):	
	Chloroform	
· TSCA (T	oxic Substances Control Act):	
67-66-3	Chloroform	ACTI
· Hazardo	us Air Pollutants	
67-66-3	Chloroform	
· Proposi		
	als known to cause cancer:	
67-66-3	Chloroform	
· Chemica	als known to cause reproductive toxicity for females:	
None of	the ingredients is listed.	
· Chemica	als known to cause reproductive toxicity for males:	
None of	the ingredients is listed.	
· Chemica	als known to cause developmental toxicity:	
67-66-3	Chloroform	
· Carcino	genic categories	
· EPA (En	vironmental Protection Agency)	
67-66-3	Chloroform	B2, L, I
· TLV (Th	reshold Limit Value)	
67-66-3	Chloroform	1
· NIOSH-C	Ca (National Institute for Occupational Safety and Health)	
67-66-3	Chloroform	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 03/18/2024 / -
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

US

Printing date 03/18/2024

Revision date 03/18/2024

Trade name: 1-Palmitoyl-d9-2-hydroxy-sn-glycero-3-PA

	(Contd. from page 10)
IATA: International Air Transport Association	· · · · · · · · · · · · · · · · · · ·
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Carcinogenicity 2: Carcinogenicity – Category 2	
Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exp	osure) – Category 3
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeat	ed exposure) – Category 1
* Data compared to the previous version altered.	
	US