

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 07/27/2022

Revision date 07/27/2022

1 Identification

- · Product identifier
- · Trade name: 2-(1-Piperazinyl)pyrimidine
- · Article number: 34091
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/27/2022 Revision date 07/27/2022

Trade name: 2-(1-Piperazinyl)pyrimidine

· Hazard pictograms





GHS02 GHS05

· Signal word Danger

· Hazard-determining components of labeling:

2-(1-Piperazinyl)pyrimidine

· Hazard statements

H225 Highly flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 3 Reactivity = 0

REACTIVITY

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 3)

Printing date 07/27/2022 Revision date 07/27/2022

Trade name: 2-(1-Piperazinyl)pyrimidine

· **vPvB:** Not applicable.

(Contd. from page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:					
CAS: 64-17-5 RTECS: KQ6300000	ethanol	50.0%			
CAS: 20980-22-7 RTECS: UV9702000	2-(1-Piperazinyl)pyrimidine	50.0%			

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

(Contd. on page 4)

Printing date 07/27/2022 Revision date 07/27/2022

Trade name: 2-(1-Piperazinyl)pyrimidine

(Contd. from page 3)

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:	
64-17-5 ethanol	1,800 ppm
· PAC-2:	
64-17-5 ethanol	3300* ppm
· PAC-3:	
64-17-5 ethanol	15000* ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

64-17	64-17-5 ethanol				
PEL	Long-term value: 1900 mg/m³, 1000 ppm				
REL	Long-term value: 1900 mg/m³, 1000 ppm				
TLV	Short-term value: 1000 ppm A3				

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 07/27/2022 Revision date 07/27/2022

Trade name: 2-(1-Piperazinyl)pyrimidine

(Contd. from page 4)

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
 Structural Formula C8H12N4
 Molecular Weight 164.2 g/mol
 Odor threshold: Not determined.
 Formulation A solution in ethanol

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 6)

Printing date 07/27/2022 Revision date 07/27/2022

Trade name: 2-(1-Piperazinyl)pyrimidine

Boiling point/Boiling range: 78 °C (172.4 °F) · Flash point: 13 °C (55.4 °F) · Flammability (solid, gaseous): Not applicable. · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting.		(O-mbd forms manne
Flash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml Solivent content: Organic solvents: 50.0 % VOC content: 50.00 % 500.0 g/l / 4.17 lb/gal Solids content:	D	(Contd. from page
Flammability (solid, gaseous): Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive all vapor mixtures are possible. Explosion limits: Lower: Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): Ponsity: Not determined. Not determined. Relative density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Not determined. Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml Solivent content: Organic solvents: Organic solvents: Sol.00 % Sol.00 g/l / 4.17 lb/gal Solids content: 50.0 %		,
Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive an export mixtures are possible. Explosion limits: Lower: Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): Pendition coefficient (n-octanol/water): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Solvent content: Organic solvents: Voc content: Not determined. Solub determined. Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Not determined. Not determined. Not determined. Not determined. Solublity in / Miscibility with with water: Partition coefficient (n-octanol/water): Not determined. Solublity in / More determined. Not determined. Not determined. Not determined. Not determined. Solumg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml Solvent content: Organic solvents: Solum (pH 7.2): 10mg/ml Solvent content: Organic solvents: Solum (pH 7.4.17 lb/gal) Solids content:	· Flash point:	13 °C (55.4 °F)
Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive and vapor mixtures are possible. Explosion limits: Lower: Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. SOLUBILITY DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml VPB VOC content: Solub (pH 7.2): 10mg/ml Solids content: Solub (pH 7.1) b/gal Solids content:	· Flammability (solid, gaseous):	Not applicable.
Danger of explosion: Product is not explosive. However, formation of explosive at vapor mixtures are possible. Explosion limits: Lower: Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. SOLUBILITY DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml Organic solvents: Organic solvents: Solvent content: Organic solvents: Solvent content: Solvent content	· Decomposition temperature:	Not determined.
vapor mixtures are possible. Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density: Not determined. Relative density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml Solvent content: Organic solvents: 50.0 % VOC content: 50.00 % Solids content: 50.0 %	· Auto igniting:	Product is not selfigniting.
Lower: Upper: 3.5 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml Solvent content: Organic solvents: 50.0 % VOC content: 50.00 % Solids content: 50.0 %	· Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Density: Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml Solvent content: Organic solvents: VOC content: Solubic solvents: Solubic	Lower:	0.0 . 0. / /
Relative density Vapor density Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Not determined. Mot determined. Not determined. SOLUBILITY DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml Organic solvents: Organic solvents: Solvent content: Organic solvents: Solvent content: Solvent	· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml PSolvent content: Organic solvents: 50.0 % VOC content: 50.00 % 500.0 g/l / 4.17 lb/gal Solids content: 50.0 %	Relative density Vapor density	Not determined. Not determined.
· Viscosity: Dynamic: Kinematic: SOLUBILITY Solvent content: Organic solvents: VOC content: Solids content: Solids content: Dynamic: Not determined. Not determined. Not determined. Not determined. Solwert content: Sol		Fully miscible.
Dynamic: Kinematic: Not determined. Not determined. DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB (pH 7.2): 10mg/ml Solvent content: Organic solvents: VOC content: 50.0 % 500.0 g/l / 4.17 lb/gal Solids content: 50.0 %	· Partition coefficient (n-octanol/wat	er): Not determined.
Organic solvents: 50.0 % VOC content: 50.00 % 500.0 g/l / 4.17 lb/gal Solids content: 50.0 %	Dynamic: Kinematic:	Not determined. DMF: 10mg/ml; DMSO: 10mg/ml; Ethanol: 10mg/ml; PB
2000	Organic solvents:	50.00 %
· Other information No further relevant information available.	Solids content:	50.0 %
	· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon oxides, nitrogen oxides

US

Printing date 07/27/2022 Revision date 07/27/2022

Trade name: 2-(1-Piperazinyl)pyrimidine

(Contd. from page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	Acute toxicity.						
· LD/LC50 value:	· LD/LC50 values that are relevant for classification:						
64-17-5 ethano	l						
Oral	TDLO	1.14 ml/kg (man)					
	LD50	7,060 mg/kg (rat)					
	TDLO	650 (man)					
Dermal	LD50	40,000 mg/kg (rat)					
Inhalative	TCLO	1,800 (hmn)					
	LC50	10 h - 20,000 mg/m³ (rat)					
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)					
Irritation of skin	TDLO	1,800 mg/kg (wmn)					
	Intraperitoneal LD50	280 mg/kg (rat)					
20980-22-7 2-(1	20980-22-7 2-(1-Piperazinyl)pyrimidine						
	Intraperitoneal TDLO	12.2 mg/kg (mouse)					
		1 mg/kg (rat)					

- Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
64-17-5 ethanol	1
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	

12 Ecological information

None of the ingredients is listed.

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 07/27/2022 Revision date 07/27/2022

Trade name: 2-(1-Piperazinyl)pyrimidine

· Additional ecological information:

(Contd. from page 7)

- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

•	-	_							1		_ /	•								
-		•	ra	100		-		14		•	-1	.	٠,	12	 т.	ъ.	41	_	٧.	- 1
										•			•							ш
				_	_	-	•						-				ш	•	4	ш

· UN-Number	
· DOT, IMDG, IATA	UN1170

· UN proper shipping name

· **DOT** Ethanol solutions

· IMDG ETHANOL SOLUTION (ETHYL ALCOHOL

SOLUTION)
Ethanol solution

- · Transport hazard class(es)
- · DOT

· IATA



· Class 3 Flammable liquids

· Label 3

· IMDG, IATA



· Class 3 Flammable liquids

· Label 3

(Contd. on page 9)

Printing date 07/27/2022 Revision date 07/27/2022

Trade name: 2-(1-Piperazinyl)pyrimidine

	(Contd. from page 8
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 33 F-E,S-D A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 ((extremely	/ hazardous	substances)):
-----------------	------------	-------------	-------------	----

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

64-17-5 ethanol ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 10)

Printing date 07/27/2022 Revision date 07/27/2022

Trade name: 2-(1-Piperazinyl)pyrimidine

(Contd. from page 9)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

64-17-5 ethanol

А3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 07/27/2022 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1