

Printing date 01/12/2023

Revision date 10/12/2022

Page 1/9

### **1** Identification

- · Product identifier
- · Trade name: Transglutaminase Assay Positive Control
- Article number: 400543
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: 0FIRE1FIRE1REACTIVITY Image: 0

(Contd. on page 2)

US

Printing date 01/12/2023

Revision date 10/12/2022

(Contd. from page 1)

## Trade name: Transglutaminase Assay Positive Control

- · Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## **3 Composition/information on ingredients**

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

<sup>·</sup> Dangerous components:		
CAS: 56-81-5 RTECS: MA8050000	Glycerol	10.0%
CAS: 7365-45-9 RTECS: TL6809000	HEPES, free acid	1.1976%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	87.864%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	0.8941%
CAS: 60-00-4 RTECS: AH4025000	EDTA	0.029%
CAS: 3483-12-3 RTECS: EK1610000	DL-Dithiothreitol	0.015%
	TG2 (human recombinant)	0.0002%

### **4 First-aid measures**

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **5 Fire-fighting measures**

- Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US -

Printing date 01/12/2023

Revision date 10/12/2022

(Contd. from page 2)

#### Trade name: Transglutaminase Assay Positive Control

#### · Advice for firefighters

• Protective equipment: No special measures required.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
   Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.
   Protective Action Criteria for Chemicals

· PAC-1:		
56-81-5	Glycerol	45 mg/m³
7365-45-9	HEPES, free acid	30 mg/m³
60-00-4	EDTA	4.1 mg/m <sup>3</sup>
· PAC-2:		
56-81-5	Glycerol	180 mg/m³
7365-45-9	HEPES, free acid	330 mg/m³
60-00-4	EDTA	45 mg/m³
· PAC-3:		
56-81-5	Glycerol	1,100 mg/m³
7365-45-9	HEPES, free acid	2,000 mg/m <sup>3</sup>
60-00-4	EDTA	200 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 01/12/2023

Revision date 10/12/2022

## Trade name: Transglutaminase Assay Positive Control

<ul> <li>Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.</li> <li>At this time, the remaining constituent has no known exposure limits.</li> <li><b>56-81-5 Glycerol</b></li> <li>PEL Long-term value: 15° 5°* mg/m<sup>3</sup> mist, "total dust "respirable fraction</li> <li>TLV withdrawn-insufficient data human occup. exp.</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li><b>Exposure controls</b></li> <li>Personal protective and hygienic measures:</li> <li>The usual protective and hygienic measures for handling chemicals should be followed.</li> <li>Breathing equipment: Not required.</li> <li>Protection of hands:</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation day aviares from manufacture to manufacture.</li> <li>Penetration time of gloves material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Personal protective and the suitable glove material.</li> <li>Penetration time of gloves material and chemical properties</li> <li>General properties</li> <li>Information on basic physical and chemical properties.</li> <li>General Information</li> <li>Apperance:         <ul></ul></li></ul>		(Contd. from page 3)
56-81-5 Glycerol         PEL       Long-term value: 15* 5** mg/m³         mixt: 'total dust''respirable fraction         TLV         TLV         TLV         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment:         General protective equipment:         The usual proceutionary measures for handling chemicals should be followed.         Breathing equipment: Not required.         Protection of hands:         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of the suitable glove does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.         Sye protection: Goggles recommended during refilling.	Components with limit values that r The following constituent is the onl recommended exposure limit.	ly constituent of the product which has a PEL, TLV or other
PEL       Long-term value: 15* 5** mg/m³ mist; "total dust **respirable fraction TLV         TLV       TLV withdrawn-insufficient data human occup. exp.         • Additional information: The lists that were valid during the creation were used as basis.         • Exposure controls         • Personal protective equipment:         • General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.         • Breathing equipment: Not required.         • Protection of hands:         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.         • Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         • Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         • Ponetration time of glove material         • The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.         • Eye protection: Goggles recommended during refilling.         • Information on basic physical and chemical properties General Information	-	nas no known exposure limits.
mist," total dust **respirable fraction         TLV       TLV withdrawn-insufficient data human occup. exp.         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment:         General protective and hygienic measures:         The usual precautionary measures for handling chemicals should be followed.         Protection of hands:         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.         Eye protection: Goggles recommended during refilling.         Information on basic physical and chemical properties         General Information         'Appearance:	-	
• Additional information: The lists that were valid during the creation were used as basis.         • Exposure controls         • Personal protective equipment:         • General protective and hygienic measures:         • The usual precautionary measures for handling chemicals should be followed.         • Protection of hands:         • Protection of hands:         • The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         • Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.         • Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         • Material of gloves         • The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         • Penetration time of glove material         • The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.         • Eye protection: Goggles recommended during refilling.         • Physical and chemical properties         • General Information         • Appearance:         • Form:       Liquid         Color:       Cha		ion
<ul> <li>Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>The usual precautionary measures for handling chemicals should be followed.</li> <li>Breathing equipment: Not required.</li> <li>Protection of hands:</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of gloves material can not be calculated in advance and has therefore to be observed.</li> <li>Eye protection: Goggles recommended during refilling.</li> </ul>	TLV TLV withdrawn-insufficient data h	numan occup. exp.
<ul> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>The usual precautionary measures for handling chemicals should be followed.</li> <li>Breathing equipment: Not required.</li> <li>Protection of hands:</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: Goggles recommended during refilling.</li> </ul>	<ul> <li>Additional information: The lists that</li> </ul>	were valid during the creation were used as basis.
<ul> <li>Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance:         <ul> <li>Form:</li> <li>Liquid</li> <li>Color:</li> <li>According to product specification</li> </ul> </li> <li>Odor:</li> <li>Odor threshold:</li> <li>Not determined.</li> <li>pH-value:</li> <li>Not determined.</li> <li>Change in condition         <ul> <li>Melting point/Melting range:</li> <li>Undetermined.</li> <li>Boiling point/Boiling range:</li> <li>100 °C (212 °F)</li> </ul> </li> <li>Flash point:</li> <li>199 °C (390.2 °F)</li> <li>Flammability (solid, gaseous):</li> <li>Not applicable.</li> </ul>	<ul> <li>General protective and hygienic me The usual precautionary measures for</li> <li>Breathing equipment: Not required.</li> <li>Protection of hands: The glove material has to be imperment Due to missing tests no recommend preparation/ the chemical mixture. Selection of the glove material on co degradation</li> <li>Material of gloves The selection of the suitable gloves do quality and varies from manufacture substances, the resistance of the glov be checked prior to the application.</li> <li>Penetration time of glove material The exact break through time has to b to be observed.</li> </ul>	handling chemicals should be followed. able and resistant to the product/ the substance/ the preparation. dation to the glove material can be given for the product/ the onsideration of the penetration times, rates of diffusion and the pes not only depend on the material, but also on further marks of er to manufacturer. As the product is a preparation of several re material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has
General Information       Information         Appearance:       Liquid         Form:       Liquid         Color:       According to product specification         Odor:       Characteristic         Odor threshold:       Not determined.         • pH-value:       Not determined.         • Change in condition       Undetermined.         Melting point/Melting range:       Undetermined.         Boiling point/Boiling range:       100 °C (212 °F)         • Flash point:       199 °C (390.2 °F)         • Flammability (solid, gaseous):       Not applicable.	9 Physical and chemical proper	ties
· pH-value:Not determined.· Change in condition Melting point/Melting range:Undetermined. 100 °C (212 °F)· Flash point:199 °C (390.2 °F)· Flammability (solid, gaseous):Not applicable.	General Information Appearance: Form: Color: Odor:	Liquid According to product specification Characteristic
· Change in condition       Undetermined.         Melting point/Melting range:       Undetermined.         Boiling point/Boiling range:       100 °C (212 °F)         · Flash point:       199 °C (390.2 °F)         · Flammability (solid, gaseous):       Not applicable.	· pH-value:	Not determined.
• Flammability (solid, gaseous): Not applicable.	· · Change in condition Melting point/Melting range:	Undetermined.
	· Flash point:	199 °C (390.2 °F)
· Ignition temperature: 400 °C (752 °F)	· Flammability (solid, gaseous):	Not applicable.
	· Ignition temperature:	400 °C (752 °F)

(Contd. on page 5)

US

Printing date 01/12/2023

Revision date 10/12/2022

## Trade name: Transglutaminase Assay Positive Control

	(Contd. from page
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	10.0 %
Water:	87.9 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	2.1 %
· Other information	No further relevant information available.

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

	on toxicological e	ffects	
Acute toxicit	•	nt for classification:	
	Foxicity Estimate)		
Oral	LD50	41,749 mg/kg	
Inhalative	LC50/4 h	125 mg/l	

Printing date 01/12/2023

Revision date 10/12/2022

### Trade name: Transglutaminase Assay Positive Control

		(Contd. from page 5)
56-81-5 Glycero		
Oral	LD50	12,600 mg/kg (rat)
Irritation of skin	Irritation	500 mg/24h (rabbit)
Irritation of eyes	Irritation	500 mg/24h (rabbit)
	Intraperitoneal LD50	4,420 mg/kg (rat)
	Subcutaneous LD50	100 mg/kg (rat)
<ul> <li>on the eye: No irritating effect.</li> <li>Sensitization: No sensitizing effects known.</li> <li>Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.</li> </ul>		
· Carcinogenic categories		
•	onal Agency for Rese	earch on Cancer)
None of the ingredients is listed.		
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

US

Printing date 01/12/2023

Revision date 10/12/2022

(Contd. from page 6)

## Trade name: Transglutaminase Assay Positive Control

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Glycerol)
IMDG	CORROSIVE LIQUID, N.O.S. (Glycerol)
ΙΑΤΑ	Corrosive liquid, n.o.s. (Glycerol)
Transport hazard class(es)	
DOT	
CORROSIVE	
8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler co	
EMS Number:	F-A,S-B
Stowage Category Stowage Code	A SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	51
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1
LACEPTEU QUAITILIES (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 m

Printing date 01/12/2023

Revision date 10/12/2022

## Trade name: Transglutaminase Assay Positive Control

	(Contd. from page 7)
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL), 8, III

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

<ul> <li>Section 355 (extremely hazardous substances):</li> </ul>	
None of the ingredients is listed.	
<ul> <li>Section 313 (Specific toxic chemical listings):</li> </ul>	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
7732-18-5 Water	ACTIVE
56-81-5 Glycerol	ACTIVE
7365-45-9 HEPES, free acid	ACTIVE
7647-14-5 Sodium chloride	ACTIVE
60-00-4 EDTA	ACTIVE
3483-12-3 DL-Dithiothreitol	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
<ul> <li>NIOSH-Ca (National Institute for Occupational Safety and Health)</li> </ul>	
None of the ingredients is listed.	

(Contd. on page 9)

Printing date 01/12/2023

#### Revision date 10/12/2022

#### Trade name: Transglutaminase Assay Positive Control

(Contd. from page 8)

#### • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 10/12/2022

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit**