

Printing date 02/24/2023

Revision date 02/24/2023

Page 1/8

1 Identification

- · Product identifier
- · Trade name: Resorufin Standard
- · Article number: 700023
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms None
- Signal word Warning
- · Hazard statements

H227 Combustible liquid.

· Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

• NFPA ratings (scale 0 - 4)

Health = 0 Fire = 2 Reactivity = 0

(Contd. on page 2)

US

Printing date 02/24/2023

Revision date 02/24/2023

Trade name: Resorufin Standard

(Contd. from page 1)

99.96%

0.04%

· HMIS-ratings (scale 0 - 4)



Fire = 2 Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| Dangerous components: | | | |
|---|--------------------|--|--|
| CAS: 67-68-5 RTECS: PV6210000 | Dimethyl sulfoxide | | |
| · Other ingredients | | | |
| CAS 635-78-9 | Resorufin | | |

JAS: 635-78-5 RTECS: SP7698000

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

US

Printing date 02/24/2023

Revision date 02/24/2023

Trade name: Resorufin Standard

| | Contd. from page 2) | | |
|--|---------------------|--|--|
| · Environmental precautions: | | | |
| Dilute with plenty of water. | | | |
| Do not allow to enter sewers/ surface or ground water. | | | |
| Methods and material for containment and cleaning up: | | | |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). | | | |
| Dispose contaminated material as waste according to item 13. | | | |
| Ensure adequate ventilation. | | | |
| Reference to other sections | | | |
| See Section 7 for information on safe handling. | | | |
| See Section 8 for information on personal protection equipment. | | | |
| See Section 13 for disposal information. | | | |
| Protective Action Criteria for Chemicals | | | |
| · PAC-1: | | | |
| 67-68-5 Dimethyl sulfoxide | 150 ppm | | |
| · PAC-2: | | | |
| 67-68-5 Dimethyl sulfoxide | 290 ppm | | |
| · PAC-3: | | | |
| 67-68-5 Dimethyl sulfoxide | 1,800 ppm | | |
| | | | |

7 Handling and storage

· Handling:

Precautions for safe handling
 No special precautions are necessary if used correctly.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Avoid prolonged or repeated exposure.
 Keep away from sources of ignition.
 Take precautionary measures against static discharge.re.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Control parameters

• Components with limit values that require monitoring at the workplace:

67-68-5 Dimethyl sulfoxide

WEEL Long-term value: 250 ppm

· Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Wash hands before breaks and at the end of work.

(Contd. on page 4)

Printing date 02/24/2023

Revision date 02/24/2023

(Contd. from page 3)

Trade name: Resorufin Standard

• Breathing equipment: Not required.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

| Information on basic physical and chemical properties | | | |
|---|---|--|--|
| General Information | | | |
| Appearance: Form: | Liquid | | |
| Color: | According to product specification | | |
| Odor: | Odorless | | |
| Odor threshold: | Not determined. | | |
| Formulation | This vial contains 100 μ l or 500 μ l of 2 mM resorufin in DMSC | | |
| pH-value: | Not determined. | | |
| Change in condition | | | |
| Melting point/Melting range: | 18.45 °C (65.2 °F) | | |
| Boiling point/Boiling range: | 189 °C (372.2 °F) | | |
| Flash point: | 89 °C (192.2 °F) | | |
| Flammability (solid, gaseous): | Not applicable. | | |
| Ignition temperature: | 270 °C (518 °F) | | |
| Decomposition temperature: | Not determined. | | |
| Auto igniting: | Product is not selfigniting. | | |
| Danger of explosion: | Not determined. | | |
| Explosion limits: | | | |
| Lower: | 1.8 Vol % | | |
| Upper: | 63 Vol % | | |
| Vapor pressure at 20 °C (68 °F): | 2.5 hPa (1.9 mm Hg) | | |
| Density at 20 °C (68 °F): | 1.1 g/cm³ (9.1795 lbs/gal) | | |

US

Printing date 02/24/2023

Revision date 02/24/2023

Trade name: Resorufin Standard

| | (Contd. fro | m page |
|--------------------------------------|--|--------|
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| • Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| · Partition coefficient (n-octanol/w | rater): Not determined. | |
| · Viscosity: | | |
| Dynamic at 20 °C (68 °F): | 198 mPas | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Organic solvents: | 100.0 % | |
| VOC content: | 99.96 % | |
| | 999.6 g/l / 8.34 lb/gal | |
| Solids content: | 0.0 % | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

| LD/LC50 values that are relevant for classificat | | | | |
|--|----------------------|----------------------|--|--|
| 67-68-5 Dimethyl sulfoxide | | | | |
| Oral | LD50 | 7,200 mg/kg (mouse) | | |
| | | 14,500 mg/kg (rat) | | |
| | Intraperitoneal LD50 | 2,500 mg/kg (mouse) | | |
| | Subcutaneous LD50 | 14,000 mg/kg (mouse) | | |
| | Intravenous LD50 | 3,100 mg/kg (mouse) | | |

· Primary irritant effect:

- on the skin: No irritant effect.
- · on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

(Contd. on page 6)

US

Printing date 02/24/2023

Revision date 02/24/2023

(Contd. from page 5)

Trade name: Resorufin Standard

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

· Additional toxicological information:

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| · UN-Number | | |
|---------------------------|---------------------------|--|
| ·DOT | NA1993 | |
| · IMDG, IATA | not regulated | |
| · UN proper shipping name | | |
| DOT | COMBUSTIBLE LIQUID, N.O.S | |
| · IMDG, IATA | not regulated | |

Printing date 02/24/2023

Revision date 02/24/2023

Trade name: Resorufin Standard

| | (Contd. from page 6 |
|---|---|
| Transport hazard class(es) | |
| · DOT | |
| COMBUSTIBLE 3 | |
| · Class | 3 Combustible liquids |
| · Label | 3 |
| · ADN/R Class: | not regulated |
| · Packing group | |
| ·DOT | III |
| · IMDG, IATA | not regulated |
| • Environmental hazards: | Not applicable. |
| Special precautions for user | Not applicable. |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. |
| · Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 60 L |
| - | On cargo aircraft only: 220 L |
| ·IATA | |
| · Remarks: | When sold in quantities of less than or equal to 1 mL, or |
| | 1 g, with an Excepted Quantity Code of |
| | E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. |
| | Therefore packaging does not have to be labeled as |
| | Dangerous Goods/Excepted Quantity. |
| · UN "Model Regulation": | not regulated |
| | |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

| Section 355 (extremely hazardous substances): | | | | |
|---|--------------------|--|--|--|
| None of the ingredients is listed. | | | | |
| Section 313 (Specific toxic chemical listings): | | | | |
| None of the ingredients is listed. | | | | |
| · TSCA (Toxic Substances Control Act): | | | | |
| 67-68-5 Dimethyl sulfoxide | ACTIVE | | | |
| 635-78-9 Resorufin | INACTIVE | | | |
| · Hazardous Air Pollutants | | | | |
| None of the ingredients is listed. | | | | |
| | (Contd. on page 8) | | | |

Printing date 02/24/2023

· Proposition 65

Revision date 02/24/2023

Trade name: Resorufin Standard

(Contd. from page 7)

| · | Chemicals | known | to | cause | cancer |
|---|-----------|-------|----|-------|--------|
| | | | | | |

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

- · Date of preparation / last revision 02/24/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 4: Flammable liquids – Category 4 * * Data compared to the previous version altered.