

Revision: 06/10/2019

	Contion 1	dentification of the Substance/Minture and of th	o Company/Undertaking						
	Section 1. 1	dentification of the Substance/Mixture and of the	ne Company/Undertaking						
	Product Code:	701535							
	Product Name:	Protein Carbonyl Wash Solution							
	Relevant identified uses of the substance or mixture and uses advised against:								
	Relevant identified uses:	For research use only, not for human or vetering	nary use.						
	Details of the Supplier of the Safety Data Sheet:								
	Company Name:	Cayman Chemical Company							
		1180 E. Ellsworth Rd.							
	Web site address:	Ann Arbor, MI 48108							
	Information:	www.caymanchem.com Cayman Chemical Company	1 (724)071 2225						
			+1 (734)971-3335						
	Emergency telephone nun		4 (222) 424 2222						
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300						
_		CHEMTREC Outside USA and Canada:	+1 (703)527-3887						
		Section 2. Hazards Identific	ation						
	Classification of the Subst	ance or Mixture:							
	Flammable Liquids, Cate	egory 2							
	-								
	Serious Eye Damage/Ey	e Irritation, Category 2							
	Ochous Lyc Damage/Ly								
	Specific Target Organ To	oxicity (single exposure), Category 3							
2	Specific Target Organ To Label Elements:	oxicity (single exposure), Category 3							
2	Label Elements:								
2	Label Elements:	oxicity (single exposure), Category 3 Danger							
!	Label Elements:	Danger							
	Label Elements:	Danger sure may cause skin dryness or cracking.							
	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor.							
:	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation.							
2	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable line H319: Causes serious eyee H336: May cause drowsing	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness.							
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s:							
2	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lin H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {here	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking	ŀ						
2	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lie H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}.	ŀ						
2	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lin H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {here	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}.	L						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}.							
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapors/spray}. pughly after handling. poves/protective clothing/eye protection/face protecti							
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapors/spray}. pughly after handling. poves/protective clothing/eye protection/face protecti	on}.						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapors/spray}. oughly after handling. oves/protective clothing/eye protection/face protecti	on}.						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapors/spray}. oughly after handling. oves/protective clothing/eye protection/face protecti	on}. minated clothing. Rinse skin with						
2	Label Elements: Constraints of the second s	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking tst/fume/gas/mist/vapors/spray}. oughly after handling. oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all contact	on}. minated clothing. Rinse skin with ition comfortable for breathing.						
2	Label Elements: Constraints of the second s	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all contact Remove victim to fresh air and keep at rest in a pos	on}. minated clothing. Rinse skin with ition comfortable for breathing.						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking tst/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all contain Remove victim to fresh air and keep at rest in a post ES: Rinse cautiously with water for several minutes.	on}. minated clothing. Rinse skin with ition comfortable for breathing.						
2	Label Elements: Constraints of the second s	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protecti : CIN (or hair): Remove/take off immediately all contains Remove victim to fresh air and keep at rest in a pos ES: Rinse cautiously with water for several minutes.	on}. minated clothing. Rinse skin with ition comfortable for breathing.						
2	Label Elements: Constraints of the second s	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking tst/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all contai Remove victim to fresh air and keep at rest in a pos ES: Rinse cautiously with water for several minutes. NTER or doctor/physician if you feel unwell. persists, get medical advice/attention.	on}. minated clothing. Rinse skin with ition comfortable for breathing.						



2.3	Adverse Hum	an Health	Causes serious eve irritation					
2.5			Causes serious eye irritation.					
	Effects and Symptoms:		Material may be irritating to the mucous membranes and upper respiratory tract. May be harmful by inhalation, ingestion, or skin absorption.					
			May cause skin or respirator	-				
			May cause drowsiness or diz					
			-		cracking.			
			Repeated exposure may cause skin dryness or cracking. To the best of our knowledge, the toxicological properties have not been thoroughly investigated.					
		Sect	tion 3. Composition	/Information	on Ingredie	nts		
CAS	#/ Haza	rdous Com	oonents (Chemical Name)/	Concentration	EC No./	GHS Classification		
RTEC	CS# REAC	CH Registra	tion No.		EC Index No.			
67-	-64-1 Acetor	ne		100.0 %	200-662-2	Flam. Liq. 2: H225		
AL315	50000 01-21 ⁻	19471330-49			606-001-00-8	Eye Damage 2: H319		
						STOT (SE) 3: H336		
						EUH066		
			Section 4. Fi	rst Aid Meas	sures			
.1	Description o	f First Aid						
	Measures:							
	In Case of Inh	alation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.					
			Get immediate medical atten					
	In Case of Sk	in Contact:	-			5 minutes. Remove contaminate		
		• • • •	clothing. Get medical attentio		-			
	In Case of Ey	e Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examine					
			and tested by medical personnel. Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by					
	In Case of Ing	estion:						
			medical personnel.			ng unless directed to do so by		
4.2	Important Svi	nptoms and	-	ess. drowsiness. CN	NS depression, and	d narcosis.		
	Important Symptoms and Exposure may cause: dizziness, drowsiness, CNS depression, and narcosis. Effects, Both Acute and							
	Delayed:							
	_		Section 5. Fire	Fiahtina Me	asures			
5.1	Suitable Extir	guishing	Use alcohol-resistant foam, o			l spray.		
	Media:	0	Use water spray to cool fire-exposed containers.					
	Unsuitable Ex	tinguishind	A solid water stream may be	inefficient.				
	Media:	0 0						
5.2	Flammable P	operties an	dCan release vapors that form	n explosive mixture	s at temperatures a	at or above the flashpoint.		
	Hazards:	•	Container explosion may occ	cur under fire condit	tions.			
			Emits toxic fumes under fire					
			Sensitive to static discharge.					
			Vapors can travel to a source	e of ignition and flas	sh back.			
			No data available.					
	Flash Pt:		-18.00 C Method Used: C	losed Cup				
	Explosive Lin	nits:	LEL: 2.5% at 25.0 C		% at 25.0 C			
	Autoignition I		465.00 C		-			
5.3	-		s: As in any fire, wear self-cont	ained breathing an	paratus pressure-d	lemand (NIOSH approved or		
			equivalent), and full protectiv		-			
			Note: Flammable as diluted i			,		
				-				

Multi-region format



Revision: 06/10/2019

F E 5.2 E F 5.3 M C U 7.1 F i	Emergency Procedures: Environmental Precautions: Methods and Material Fo	Avoid breathing vapors an d As conditions warrant, we and appropriate personal Take steps to avoid releas or Contain spill and collect, a ngTransfer to a chemical wa	ental Release Measures and provide adequate ventilation. ar a NIOSH approved self-contained breathing ap protection (rubber boots, safety goggles, and hea se into the environment, if safe to do so. as appropriate. aste container for disposal in accordance with loca	avy rubber gloves).				
F E 5.2 E F 5.3 M C U 7.1 F i	Protective Equipment an Emergency Procedures: Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker	d As conditions warrant, we and appropriate personal Take steps to avoid releas or Contain spill and collect, a ngTransfer to a chemical wa	ar a NIOSH approved self-contained breathing ap protection (rubber boots, safety goggles, and hea se into the environment, if safe to do so.	avy rubber gloves).				
E 5.2 E F 5.3 M C U 7.1 F i	Emergency Procedures: Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker	and appropriate personal Take steps to avoid releas or Contain spill and collect, a ngTransfer to a chemical wa	protection (rubber boots, safety goggles, and hea se into the environment, if safe to do so. as appropriate.	avy rubber gloves).				
5.2 E F 5.3 M U 7.1 F i	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker	Take steps to avoid releas r Contain spill and collect, a ngTransfer to a chemical wa	se into the environment, if safe to do so.					
F 5.3 M C U 7.1 F i	Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker	r Contain spill and collect, a ngTransfer to a chemical wa	as appropriate.	Il regulations.				
5.3 M (() 7.1 F i	Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker	ngTransfer to a chemical wa		I regulations.				
7.1 F	Containment and Cleanin Up: Precautions To Be Taker	ngTransfer to a chemical wa		I regulations.				
7.1 F	Up: Precautions To Be Taker	-	ste container for disposal in accordance with loca	l regulations.				
7.1 F i	Precautions To Be Taker	Section 7. Ha						
i		Section 7. Ha						
i			andling and Storage					
i		Avoid breathing dust/fume	• •					
	5	Avoid prolonged or repeate						
70 5		Keep away from sources o						
70 F		Take precautionary measu	ures against static discharge.					
7.2 F	Precautions To Be Taker	Keep away from heat, span	rks, and flame.					
i	in Storing:	Keep container tightly clos	ed.					
	U U	Store in accordance with ir	nformation listed on the product insert.					
		tion 9 Exposure (Controls/Dorsonal Protoction					
3.1 E	Sec Exposure Parameters:		Controls/Personal Protection					
CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations				
67-64-1	Acetone	ACGIH TLV	TLV: 500 ppm STEL: 750 ppm					
		Europe	TWA: 1210 mg/m3 (500 ppm)					
		France VL	TWA: 1210 mg/m3 (500 ppm)					
			STEL: 2420 mg/m3 (1000 ppm)					
		OSHA PELs	PEL: 1000 ppm					
		Britain EH40	TWA: 1210 mg/m3 (500 ppm)					
			STEL: 3620 mg/m3 (1500 ppm)					
	Exposure Controls:							
	2.1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to cont							
((Ventilation etc.):	levels below recommended	d exposure limits.					
8.2.2 F	Personal protection equipment:							
E	Eye Protection:	Safety glasses						
F	Protective Gloves:	Compatible chemical-resistant gloves						
C	Other Protective Clothing:Lab coat							
F	Respiratory Equipment	NIOSH approved respirator, as conditions warrant.						
((Specify Type):							
V	Work/Hygienic/Maintenan Do not take internally.							
c	ce Practices:	Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower						
		Wash thoroughly after handling.						
		No data available.						

Multi-region format



Revision: 06/10/2019

Information on Basic Physical ar Physical States: Appearance and Odor: pH: Melting Point: Boiling Point: Flash Pt: Evaporation Rate: Flammability (solid, gas): Explosive Limits: Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity: Other Information	nd Chemical Properties [] Gas [X] Liquid [] Solid 100% acetone No data. No data. No data. -18.00 C Method Used: Closed Cup No data. No data available. LEL: 2.5% at 25.0 C UEL: 12.8% at 25.0 C 180 MM_HG at 20.0 C No data. No data. No data. No data. No data. No data. No data.
Appearance and Odor: pH: Melting Point: Boiling Point: Flash Pt: Evaporation Rate: Flammability (solid, gas): Explosive Limits: Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	100% acetone No data. No data. -18.00 C Method Used: Closed Cup No data. No data available. LEL: 2.5% at 25.0 C UEL: 12.8% at 25.0 C 180 MM_HG at 20.0 C No data. No data. No data. No data.
pH: Melting Point: Boiling Point: Flash Pt: Evaporation Rate: Flammability (solid, gas): Explosive Limits: Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data. No data. -18.00 C Method Used: Closed Cup No data. No data available. LEL: 2.5% at 25.0 C UEL: 12.8% at 25.0 C 180 MM_HG at 20.0 C No data. No data. No data. No data.
Melting Point: Boiling Point: Flash Pt: Evaporation Rate: Flammability (solid, gas): Explosive Limits: Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data. -18.00 C Method Used: Closed Cup No data. No data available. LEL: 2.5% at 25.0 C UEL: 12.8% at 25.0 C 180 MM_HG at 20.0 C No data. No data. No data. No data. No data.
Boiling Point: Flash Pt: Evaporation Rate: Flammability (solid, gas): Explosive Limits: Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data. -18.00 C Method Used: Closed Cup No data. No data available. LEL: 2.5% at 25.0 C UEL: 12.8% at 25.0 C 180 MM_HG at 20.0 C No data. No data. No data. No data. No data. A65.00 C
Flash Pt: Evaporation Rate: Flammability (solid, gas): Explosive Limits: Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	-18.00 C Method Used: Closed Cup No data. No data available. LEL: 2.5% at 25.0 C UEL: 12.8% at 25.0 C 180 MM_HG at 20.0 C No data. No data. No data. No data.
Evaporation Rate: Flammability (solid, gas): Explosive Limits: Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data. No data available. LEL: 2.5% at 25.0 C UEL: 12.8% at 25.0 C 180 MM_HG at 20.0 C No data. No data. No data. No data. No data.
Flammability (solid, gas): Explosive Limits: Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data available. LEL: 2.5% at 25.0 C UEL: 12.8% at 25.0 C 180 MM_HG at 20.0 C No data. No data. No data. No data. No data. A65.00 C
Explosive Limits: Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	LEL: 2.5% at 25.0 C UEL: 12.8% at 25.0 C 180 MM_HG at 20.0 C No data. No data. No data. No data.
Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	180 MM_HG at 20.0 C No data. No data. No data. No data.
Hg): Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data. No data. No data. No data.
Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data. No data. No data. 465.00 C
Specific Gravity (Water = 1): Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data. No data. No data. 465.00 C
Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data. No data. 465.00 C
Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	No data. 465.00 C
Coefficient: Autoignition Pt: Decomposition Temperature: Viscosity:	465.00 C
Autoignition Pt: Decomposition Temperature: Viscosity:	
Decomposition Temperature: Viscosity:	
Viscosity:	No data.
-	
Other Information	No data.
Percent Volatile:	No data.
Molecular Formula & Weight:	C3H6O 58.1
S	Section 10. Stability and Reactivity
	ata available.
	ble [] Stable [X]
•	e if stored in accordance with information listed on the product insert.
	ccur [] Will not occur [X]
-	flames, and sparks
	ing agents
	phorous oxychloride
	ing agents
	n dioxide
	n monoxide
Byproducts:	
	Reactivity: No da Stability: Unsta Stability Note(s): Stable Polymerization: Will o Conditions To Avoid: heat, Incompatibility - Materials bases To Avoid: oxidiz phosp reduc Hazardous carbo



Multi-region format

Revision: 06/10/2019

			Section 1	1. Toxicological	Informa	tion			
11.1		gical Effects:	Section 11. Toxicological InformationThe toxicological effects of this product have not been thoroughly studied.Acetone - Toxicity Data: Oral TDLO (man): 2857 mg/kg; Oral LD50 (rat): 5,800 mg/kg; Oral LD50(rabbit): 5,340 mg/kg; Oral LD50 (mouse): 3,000 mg/kg; Inhalation TCLO (human): 10 mg/m3 (6hr); Inhalation LC50 (rat): 50,100 mg/m3 (8 hr); Intraperitoneal LDLO (rat): 500 mg/kg;Acetone - Irritation Data: Eye (human): 186,300 ppm mild; Eye (rabbit): 20 mg (24h) moderate;Skin (rabbit): 500 mg (24 hr) mild;						
	Chronic Effects:	Toxicological	Acetone - Investigated as a mutagen, primary irritant, reproductive effector, and teratogen. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information. Acetone RTECS Number: AL3150000						
Carci	nogenicity	<i>'</i> :	NTP? No IA	RC Monographs? No	OSHA Re	gulated? No			
CAS	#	Hazardous Com	ponents (Chemic	cal Name)	NTP	IARC	ACGIH	OSHA	
67	'-64-1	Acetone			n.a.	n.a.	A4	n.a.	
		•	Section	12. Ecological I	nformati	on	·	•	
2.1 2.2	Toxicity: Persister Degrada	nce and		to the environment. control or dilution water n e.	nay cause po	Ilution.			
2.3	Bioaccu Potentia	mulative	No data available	e.					
2.4 2.5	Mobility Results assessm	of PBT and vPvB	No data available No data available						
2.6		verse effects:	No data available	e.					
2.0		verse enects.		-					
2.0		verse enects.		13. Disposal Cor	nsiderati	ons			
			Section 2	13. Disposal Cou dance with local, state, a					
			Section 2	•	nd federal re	gulations.			
3.1	Waste D		Section 2 Dispose in accor Section	dance with local, state, a	nd federal re	gulations.			
3.1	Waste D	isposal Method:	Section 7 Dispose in accor Section	dance with local, state, a	nd federal re	gulations.			
3.1 14.1 D	Waste D	isposal Method: RANSPORT (US I r Shipping Name:	Section 7 Dispose in accor Section	dance with local, state, a	nd federal re nformati	gulations.			
13.1 14.1 D D	Waste D LAND T	isposal Method: RANSPORT (US I r Shipping Name: d Class:	Section ² Dispose in accor Section DOT): Acetone	flamce with local, state, a 14. Transport I	nd federal re nformati	gulations.	II		
3.1 14.1 D U	Waste D LAND T OT Prope OT Hazard	isposal Method: RANSPORT (US I r Shipping Name: d Class:	Section 7 Dispose in accor Section DOT): Acetone 3 UN1090	flance with local, state, a 14. Transport I FLAMMABLE LIQUI Pa	nd federal re nformati	gulations.			
13.1 14.1 D U	Waste D LAND T OT Prope OT Hazard N/NA Num	isposal Method: RANSPORT (US I r Shipping Name: d Class: nber:	Section 7 Dispose in accor Section DOT): Acetone 3 UN1090	flance with local, state, a 14. Transport I FLAMMABLE LIQUI Pa	nd federal re nformati	gulations.	II		
13.1 14.1 D U 14.1	Waste D LAND T OT Prope OT Hazard N/NA Num	isposal Method: RANSPORT (US I r Shipping Name: d Class: nber: nber: RANSPORT (Euro hipping Name:	Section 2 Dispose in accor Section DOT): Acetone 3 UN1090	flamce with local, state, a 14. Transport I FLAMMABLE LIQUI Pa	nd federal re nformati	gulations. ON			



CHEMICAL								
	RANSPORT (ICAO/	IATA):						
ICAO/IATA Shipping Name:		Acetone						
UN Number:		1090	Packing Gr	-	II			
Hazard CI	ass:	3 - FLAMMABLE LIQUID	IATA Class	fication:	3			
Additional Tra	ansport	Transport in accordance with lo		-				
Information:		When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of						
		E1, E2, E4, or E5, this item me		•				
		Therefore packaging does not		-	Excepted Quantity.			
		Section 15. Regu	latory Information	ation				
EPA SARA (S	uperfund Amendm	nents and Reauthorization Act	of 1986) Lists					
CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)			
67-64-1	Acetone		No	Yes 5000 LB	No			
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA o	r State Lists				
67-64-1	Acetone	CAA HAP,ODC: No; CWA NPDES: No;			No; TSCA: Yes -			
			Inventory; CA P	ROP.65: No				
Regulatory Inf	formation	This SDS was prepared in acco	ordance with 29 CFF	R 1910.1200 and Re	gulation (EC)			
Statement:		No.1272/2008.						
		Section 16. Ot	her Informatio	מר				
Revision Date		06/10/2019						
	ormation About	No data available.						
This Product:	D ¹							
Sompany Poli	cy or Disclaimer:	DISCLAIMER: This information currently available to us. Howe		-				
		express or implied, with respec		-				
		use. Users should make their of						
		their particular purposes.	<u>j</u>		,			