

Printing date 10/19/2022

Revision date 10/19/2022

Page 1/10

1 Identification

- · Product identifier
- · Trade name: SPHK2 Inhibitor Positive Control
- Article number: 701872
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture	
GHS08 Health hazard	
Carcinogenicity 2	H351 Suspected of causing cancer.
Specific Target Organ Toxicity - Single Exposure 2	H371 May cause damage to organs.
Specific Target Organ Toxicity - Repeated Exposure 2	H373 May cause damage to organs through prolonged or repeated exposure.
GHS07	
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Single Exposure 3	H335 May cause respiratory irritation.
 Flammable Liquids 4	H227 Combustible liquid.
Label elements GHS label elements The product is classified and labeled according to the	e Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 10/19/2022

Revision date 10/19/2022

Trade name: SPHK2 Inhibitor Positive Control

· Hazard pictogr	(Contd. from page 1)
GHS07 GHS	08
· Signal word W	arning
	ining components of labeling:
Dimethyl sulfoxi	
· Hazard statem	
H227 Combusti	
H315 Causes s	
	erious eye irritation.
	d of causing cancer.
	e damage to organs.
	e respiratory irritation.
	e damage to organs through prolonged or repeated exposure.
· Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from flames and hot surfaces. – No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see on this label).
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
D000 - D040	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification	system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 2	Health = 2
FIRE 2	1110 2
REACTIVITY 0	Reactivity = 0

(Contd. on page 3)

US

Printing date 10/19/2022

Revision date 10/19/2022

(Contd. from page 2)

99.911%

0.089%

Trade name: SPHK2 Inhibitor Positive Control

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-68-5 Dimethyl sulfoxide

RTECS: PV6210000

Other ingredients

1870811-01-0 SLC5111312 (hydrochloride)

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US -

Printing date 10/19/2022

Revision date 10/19/2022

Trade name: SPHK2 Inhibitor Positive Control

· Advice for firefighters

• **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. 	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.).
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
· PAC-1:	
67-68-5 Dimethyl sulfoxide	150 ppm
PAC-2:	
67-68-5 Dimethyl sulfoxide	290 ppm
PAC-3:	
67-68-5 Dimethyl sulfoxide	,800 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in accordance with information listed on the product insert.
- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

(Contd. from page 3)

⁻ US

Printing date 10/19/2022

Revision date 10/19/2022

(Contd. from page 4)

Trade name: SPHK2 Inhibitor Positive Control

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-68-5 Dimethyl sulfoxide

WEEL Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- \cdot Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form:
- Color:
- Odor:
 Odor threshold:

Liquid According to product specification Characteristic Not determined.

(Contd. on page 6)

Printing date 10/19/2022

Revision date 10/19/2022

Trade name: SPHK2 Inhibitor Positive Control

		(Contd. from page
Formulation	SPHK1/2 Inhibitor (SLC5111312) in DMSO	
[·] pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	18.45 °C (65.2 °F) 189 °C (372.2 °F)	
· Flash point:	89 °C (192.2 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	270 °C (518 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
 Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): 	1.8 Vol % 63 Vol % 2.5 hPa (1.9 mm Hg)	
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.1 g/cm ³ (9.1795 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	198 mPas Not determined.	
 Solvent content: Organic solvents: VOC content: 	99.9 % 99.91 % 1,099.0 g/l / 9.17 lb/gal	
Solids content:	0.1 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.

· **Incompatible materials:** No further relevant information available.

(Contd. on page 7)

US -

Revision date 10/19/2022

Trade name: SPHK2 Inhibitor Positive Control

(Contd. from page 6) • Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

Printing date 10/19/2022

· LD/LC50 values that are relevant for classification:

67-68-5 Dimethyl sulfoxide

Oral LD50 7,200 mg/kg (mouse) 14,500 mg/kg (rat)

- Intraperitoneal LD50 2,500 mg/kg (mouse)
- Subcutaneous LD50 14,000 mg/kg (mouse)
- Intravenous LD50 3,100 mg/kg (mouse)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 10/19/2022

Revision date 10/19/2022

Trade name: SPHK2 Inhibitor Positive Control

(Contd. from page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG IATA	Flammable liquids, n.o.s. FLAMMABLE LIQUID, N.O.S. Flammable liquid, n.o.s.
Transport hazard class(es)	
DOT	
PLANMARE LODO	
Class	3 Flammable liquids
Label	3
Class Label	3 Flammable liquids 3
Packing group	
Packing group DOT, IMDG, IATA	111
	III Not applicable.
DOT, IMDG, IATA Environmental hazards: Special precautions for user	Not applicable. Warning: Flammable liquids
DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code):	Not applicable. Warning: Flammable liquids 30
DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): EMS Number:	Not applicable. Warning: Flammable liquids 30 F-E, <u>S-E</u>
DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Not applicable. Warning: Flammable liquids 30
DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): EMS Number:	Not applicable. Warning: Flammable liquids 30 F-E, <u>S-E</u>

Printing date 10/19/2022

Revision date 10/19/2022

Trade name: SPHK2 Inhibitor Positive Control

	(Contd. from page 8
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
·IMDG	
 Limited quantities (LQ) 	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
·IATA	
· Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. 3, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

67-68-5 Dimethyl sulfoxide

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 10/19/2022

Revision date 10/19/2022

Trade name: SPHK2 Inhibitor Positive Control

(Contd. from page 9)

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 10/19/2022

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 4: Flammable liquids - Category 4 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 * Data compared to the previous version altered.