

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/19/2024

Revision date 01/19/2024

Page 1/10

1 Identification

- · Product identifier
- · Trade name: Fluprostenol isopropyl ester-d4
- · Synonym


7-[(1R,2R,3R,5S)-3,5-dihydroxy-2-[(1E,3R)-3-hydroxy-4-[3-(trifluoromethyl)phenoxy]-1-buten-1-yl] cyclopentyl]-5Z-heptenoic-d4 acid, 1-methylethyl ester;Flu-Ipr-d4;16-m-trifluoromethylphenoxy tetranor PGF2α isopropyl ester-d4; Travoprost-d4

- Article number: 9000936
 Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Printing date 01/19/2024

Revision date 01/19/2024

Trade name: Fluprostenol isopropyl ester-d4

| | (Contd. from page 1) |
|--------------------------------------|---|
| · Label elements | |
| GHS label eleme | nts |
| | ssified and labeled according to the Globally Harmonized System (GHS). |
| Hazard pictogram | |
| | ∧ |
| | |
| | |
| | |
| GHS02 GHS07 | GHS08 |
| · Signal word Dan | ger |
| · Hazard-determin | ing components of labeling: |
| Methyl acetate | |
| Fluprostenol isopr | opyl ester-d4 |
| Hazard statement | its |
| | mable liquid and vapor. |
| H319 Causes ser | |
| | e fertility or the unborn child. |
| | drowsiness or dizziness. |
| • Precautionary st | |
| P201 | Obtain special instructions before use. |
| P202 P210 | Do not handle until all safety precautions have been read and understood. |
| P240 | Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. |
| P240 P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing dust/fume/gas/mist/vapors/spray |
| P264 | Wash thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P303+P361+P353 | 3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | 3 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if |
| | present and easy to do. Continue rinsing. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P312 | Call a poison center/doctor if you feel unwell. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P370+P378 | In case of fire: Use CO2, powder or water spray to extinguish. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 P405 | Store in a well-ventilated place. Keep cool. Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international |
| 1 301 | regulations. |
| · Classification sy | |
| • NFPA ratings (so | |
| ▲ · · | |
| | lth = 2 |
| Fire | |
| Read | ctivity = 0 |
| | (Contd. on page 3) |

US -

Printing date 01/19/2024

Revision date 01/19/2024

Trade name: Fluprostenol isopropyl ester-d4

(Contd. from page 2)

99.0%

1.0%

· HMIS-ratings (scale 0 - 4)



· Other hazards

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 79-20-9 Methyl acetate

RTECS: AI9100000

Fluprostenol isopropyl ester-d4

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

US

Printing date 01/19/2024

Revision date 01/19/2024

Trade name: Fluprostenol isopropyl ester-d4

| | (Contd. from page 3) |
|--|---|
| • Methods and material for containment and cleaning up: | (00111111111111111111111111111111111111 |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, | sawdust). |
| Dispose contaminated material as waste according to section 13. | , |
| Ensure adequate ventilation. | |
| Reference to other sections | |
| See Section 7 for information on safe handling. | |
| See Section 8 for information on personal protection equipment. | |
| See Section 13 for disposal information. | |
| Protective Action Criteria for Chemicals | |
| · PAC-1: | |
| 79-20-9 Methyl acetate | 250 ppm |
| · PAC-2: | |
| 79-20-9 Methyl acetate | 1,700 ppm |
| · PAC-3: | |
| 79-20-9 Methyl acetate | 10000* ppm |
| | |
| | |

7 Handling and storage

· Handling:

Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
 Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

79-20-9 Methyl acetate

- PEL Long-term value: 610 mg/m³, 200 ppm
- REL Short-term value: 760 mg/m³, 250 ppm

Long-term value: 610 mg/m³, 200 ppm

(Contd. on page 5)

US

Printing date 01/19/2024

Revision date 01/19/2024

Trade name: Fluprostenol isopropyl ester-d4

| | (Contd. from page 4) |
|--|---|
| TLV Short-term value: 250 ppm Long-term value: 200 ppm | |
| • Additional information: The lists that v | vere valid during the creation were used as basis. |
| Exposure controls Personal protective equipment: General protective and hygienic mea Keep away from foodstuffs, beverages a Immediately remove all soiled and conta Wash hands before breaks and at the e Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollut exposure use respiratory protective dev Protection of hands: | and feed. aminated clothing. nd of work. ion use respiratory filter device. In case of intensive or longer |
| Protective gloves | |
| Due to missing tests no recommendation preparation/ the chemical mixture. Selection of the glove material on condegradation Material of gloves The selection of the suitable gloves doe quality and varies from manufacturer substances, the resistance of the glove be checked prior to the application. Penetration time of glove material | ble and resistant to the product/ the substance/ the preparation. ation to the glove material can be given for the product/ the asideration of the penetration times, rates of diffusion and the es not only depend on the material, but also on further marks of to manufacturer. As the product is a preparation of several material can not be calculated in advance and has therefore to a found out by the manufacturer of the protective gloves and has |
| 9 Physical and chemical propert | ies |
| Information on basic physical and ch General Information Appearance: | emical properties |
| Form: | Liquid |

Form: Color: · Odor: · Structural Formula · Molecular Weight Liquid According to product specification Pleasant C26H31D4F3O6 504.6 g/mol

(Contd. on page 6)

⁻US

Printing date 01/19/2024

Revision date 01/19/2024

Trade name: Fluprostenol isopropyl ester-d4

| | (Contd. from page |
|--|--|
| Storage Buffer | DMF: 30 mg/ml; DMF:PBS(pH 7.2)(1:1): 0.5 mg/ml; DMSC 20 mg/ml;Ethanol: 25 mg/ml |
| Odor threshold: Formulation | Not determined. A solution in methyl acetate |
| · pH-value: | Not determined. |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | -98 °C (-144.4 °F) 57 °C (134.6 °F) |
| · Flash point: | -13 °C (8.6 °F) |
| · Flammability (solid, gaseous): | Highly flammable. |
| · Auto igniting: | 454 °C (849.2 °F) |
| · Decomposition temperature: | Not determined. |
| · Ignition temperature: | Product is not selfigniting. |
| [.] Danger of explosion: | Product is not explosive. However, formation of explosive air vapor mixtures are possible. |
| [·] Explosion limits: Lower: Upper: | 3.1 Vol % 16 Vol % |
| · Vapor pressure at 20 °C (68 °F): · Vapor pressure at 50 °C (122 °F): | 220 hPa (165 mm Hg) 800 hPa (600 mm Hg) |
| · Density at 20 °C (68 °F): | 0.93 g/cm³ (7.76085 lbs/gal) |
| Bulk density: Relative density Vapor density Evaporation rate | 1 kg/m³ Not determined. Not determined. Not determined. |
| Solubility in / Miscibility with Water at 20 °C (68 °F): | 330 g/l |
| · Partition coefficient (n-octanol/wate | r): Not determined. |
| Viscosity: Dynamic at 20 °C (68 °F): Kinematic: | 0.381 mPas Not determined. |
| Solvent content: Organic solvents: VOC content: | 99.0 % 0.00 % 0.0 g/l / 0.00 lb/gal |
| Solids content: | 1.0 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

· **Reactivity** No further relevant information available.

(Contd. on page 7)

US

Printing date 01/19/2024

Revision date 01/19/2024

(Contd. from page 6)

Trade name: Fluprostenol isopropyl ester-d4

· Chemical stability

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · **Incompatible materials:** strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 50,000 mg/kg

79-20-9 Methyl acetate

Oral LD50 6,482 mg/kg (rat)

Inhalative LC50/4 h >49.2 mg/l (rabbit)

Primary irritant effect:

- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

US -

Printing date 01/19/2024

Revision date 01/19/2024

Trade name: Fluprostenol isopropyl ester-d4

(Contd. from page 7)

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

| · UN-Number | | |
|---|----------------------------|--|
| · DOT, IMDG, IATA | UN1231 | |
| UN proper shipping name | | |
| | Methyl acetate solution | |
| ·IMDG | METHYL ACETATE solution | |
| Transport hazard class(es) | | |
| · DOT | | |
| | | |
| PLAMMABLE LIQUID | | |
| 3 | | |
| · Class | 3 Flammable liquids | |
| · Label | 3 | |
| · IMDG, IATA | | |
| | | |
| · Class | 3 Flammable liquids | |
| · Label | 3 | |
| · Packing group | | |
| · DOT, IMDG, IATA | II | |
| · Environmental hazards: | Not applicable. | |
| Special precautions for user | Warning: Flammable liquids | |
| · Hazard identification number (Ker | | |
| · EMS Number: | F-E,S-D | |
| Stowage Category Transport in bulk according to An | В | |
| Trenewert's built eccention to An | nex II of | |

Printing date 01/19/2024

Revision date 01/19/2024

Trade name: Fluprostenol isopropyl ester-d4

| | (Contd. from page 8) |
|-------------------------------------|--|
| · Transport/Additional information: | |
| · DOT | |
| · Quantity limitations | On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L |
| · IMDG | |
| · Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| · IATA | |
| Remarks: | When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. |
| UN "Model Regulation": | UN 1231 METHYL ACETATE SOLUTION, 3, II |

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 01/19/2024

Revision date 01/19/2024

Trade name: Fluprostenol isopropyl ester-d4

(Contd. from page 9)

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 01/19/2024

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 2: Flammable liquids - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Toxic to Reproduction 1A: Reproductive toxicity - Category 1A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 * * Data compared to the previous version altered.

115