

Printing date 01/31/2022

Revision date 01/31/2022

Page 1/11

1 Identification

- · Product identifier
- Trade name: (±)-Methamphetamine (hydrochloride) (CRM)
- · Article number: ISO60168
- · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department • Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

2 Hazard(S) Identification
· Classification of the substance or mixture
GHS02 Flame
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones
Acute Tox. 3 H301 Toxic if swallowed.
Acute Tox. 3 H311 Toxic in contact with skin.
Acute Tox. 3 H331 Toxic if inhaled.
GHS08 Health hazard
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.
(Contd. on page 2)

Printing date 01/31/2022

Revision date 01/31/2022

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

	(Contd. from page 1)
· Label elements	
• GHS label eleme	ents assified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictogra	
	▲ ▲
<u>**</u>	
GHS02 GHS06	GHS08
011002 011000	
· Signal word Dan	-
 Hazard-determin Methanol 	ning components of labeling:
	nine hydrochloride
· Hazard statemer	
H225	Highly flammable liquid and vapor.
	1 Toxic if swallowed, in contact with skin or if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H370	Causes damage to the central nervous system and the visual organs.
 Precautionary st P201 	Obtain special instructions before use.
P201 P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264 P270	Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P35	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405 P501	Store locked up. Dispose of contents/container in accordance with local/regional/national/international
1 301	regulations.
 Classification sy 	5
· NFPA ratings (se	cale 0 - 4)
Hea	lth = 0
Fire	
Rea	ctivity = 0
▼ ∨	(Contd. on page 3)
	(Conta. of page 3)

US

Printing date 01/31/2022

Revision date 01/31/2022

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)



· Other hazards

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-56-1 RTECS: PC1400000	Methanol	99.9%
CAS: 300-42-5 RTECS: SH5075000	DI-Methamphetamine hydrochloride	0.1%

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

Printing date 01/31/2022

Revision date 01/31/2022

(Contd. from page 3)

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	t).
PAC-1:	
67-56-1 Methanol	530 ppm
· PAC-2:	
67-56-1 Methanol	2,100 ppm
· PAC-3:	
67-56-1 Methanol	7200* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

(Contd. on page 5)

US

Printing date 01/31/2022

Revision date 01/31/2022

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

(Contd. from page 4)

8 Exp	osure controls/personal protection
· Addi	tional information about design of technical systems: No further data; see item 7.
Com The recor	rol parameters ponents with limit values that require monitoring at the workplace: following constituent is the only constituent of the product which has a PEL, TLV or other nmended exposure limit. s time, the remaining constituent has no known exposure limits.
67-56	5-1 Methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
· Ingre	edients with biological limit values:
67-56	6-1 Methanol
-	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
	tional information: The lists that were valid during the creation were used as basis.
Pers Gene Keep Imme Wasl Store Avoid Brea In ca expo	<pre>sure controls onal protective equipment: aral protective and hygienic measures: away from foodstuffs, beverages and feed. adiately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. protective clothing separately. contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer sure use respiratory protective device that is independent of circulating air. action of hands:</pre>
1115	
Due prepa Seleo degra	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the adation
The s quali subs	rial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of ty and varies from manufacturer to manufacturer. As the product is a preparation of several tances, the resistance of the glove material can not be calculated in advance and has therefore to necked prior to the application.

(Contd. on page 6)

⁻US

Printing date 01/31/2022

Revision date 01/31/2022

(Contd. from page 5)

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

 Appearance: Form: Liquid Color: Colorless Odor: Alcohol-like Structural Formula C10H15N • HCl Molecular Weight 185.7 g/mol Odor threshold: Not determined. Formulation A 1 mg/ml solution in methanol pH-value: Not determined. Change in condition Melting point/Melting range: -98 °C (-144.4 °F) Boiling point/Boiling range: 64.7 °C (148.5 °F) Flash point: I1 °C (51.8 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Product is not selfigniting. 	 Information on basic physical and General Information 	chemical properties
Form:LiquidColor:ColorlessOdor:Alcohol-likeStructural FormulaC10H15N • HClMolecular Weight185.7 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanolPH-value:Not determined.Change in condition-98 °C (-144.4 °F)Boiling point/Boiling range:-98 °C (-148.5 °F)Flash point:11 °C (51.8 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:A55 °C (851 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Explosion limits:5.5 Vol %Lower:5.5 Vol %Upper:44 Vol %Vapor pressure at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withHeat		
Odor:Alcohol-likeStructural FormulaC10H15N • HClMolecular Weight185.7 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanol• pH-value:Not determined.Change in condition Melting point/Melting range: Boiling point/Boiling range:-98 °C (-144.4 °F) 64.7 °C (148.5 °F)• Flash point:11 °C (51.8 °F)• Flammability (solid, gaseous):Not applicable.• Ignition temperature:455 °C (851 °F)• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product is not explosive. However, formation of explosive air vapor mixtures are possible.• Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %• Vapor pressure at 20 °C (68 °F):0.7 g/cm³ (6.59255 lbs/gal) Not determined.• Vapor densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility withNot determined.		Liquid
Structural FormulaC10H15N • HClMolecular Weight185.7 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanolpH-value:Not determined.° Change in condition-98 °C (-144.4 °F)melting point/Melting range:-98 °C (-144.5 °F)• Flash point:11 °C (51.8 °F)• Flash point:11 °C (51.8 °F)• Flash point:11 °C (51.8 °F)• Structural reperature:455 °C (851 °F)• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product is not explosive. However, formation of explosive air vapor mixtures are possible.• Kapper:5.5 Vol %Upper:44 Vol %• Vapor pressure at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility withNot determined.	Color:	
Molecular Weight185.7 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanolpH-value:Not determined.Change in condition Melting point/Melting range: Boiling point/Boiling range: 64.7 °C (148.5 °F)Flash point:11 °C (51.8 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:455 °C (851 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative density Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withNot determined.		Alcohol-like
Odor threshold: Not determined. Formulation A 1 mg/ml solution in methanol PH-value: Not determined. Change in condition -98 °C (-144.4 °F) Boiling point/Boiling range: 64.7 °C (148.5 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Vatermined.		
FormulationA 1 mg/ml solution in methanolpH-value:Not determined.Change in condition Melting point/Melting range: Boiling point/Boiling range: 64.7 °C (148.5 °F)-98 °C (-144.4 °F) 64.7 °C (148.5 °F)Flash point:11 °C (51.8 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:455 °C (851 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air vapor mixtures are possible.Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal))Relative density Vapor densityNot determined.Vapor density Vapor densityNot determined.Vapor density Vapor densityNot determined.Vapor density Vapor densityNot determined.Solubility in / Miscibility withHeat the set of		
 pH-value: Not determined. Change in condition Melting point/Melting range: -98 °C (-144.4 °F) Boiling point/Boiling range: 64.7 °C (148.5 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with 		
 Change in condition Melting point/Melting range: -98 °C (-144.4 °F) Boiling point/Boiling range: 64.7 °C (148.5 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with 	· Formulation	A 1 mg/ml solution in methanol
Melting point/Melting range: Boiling point/Boiling range:-98 °C (-144.4 °F) 64.7 °C (148.5 °F)• Flash point:11 °C (51.8 °F)• Flammability (solid, gaseous):Not applicable.• Ignition temperature:455 °C (851 °F)• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product is not explosive. However, formation of explosive air vapor mixtures are possible.• Explosion limits: Upper:5.5 Vol % 44 Vol %• Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)• Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal) Not determined.• Vapor density Vapor densityNot determined.• Solubility in / Miscibility withHouse and the provide th	· pH-value:	Not determined.
Boiling point/Boiling range: 64.7 °C (148.5 °F) • Flash point: 11 °C (51.8 °F) • Flammability (solid, gaseous): Not applicable. • Ignition temperature: 455 °C (851 °F) • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Not determined.		
Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Not determined.	Melting point/Melting range:	
Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.	Boiling point/Boiling range:	64.7 °C (148.5 °F)
Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.	· Flash point:	11 °C (51.8 °F)
• Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Vation temperature	· Flammability (solid, gaseous):	Not applicable.
· Auto igniting: Product is not selfigniting. · Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. · Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Solubility in / Miscibility with Vation of explosive air vapor air and the second of the second	· Ignition temperature:	455 °C (851 °F)
Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: 5.5 Vol % Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor anatom value Not determined. Solubility in / Miscibility with Vational determined.	· Decomposition temperature:	Not determined.
 vapor mixtures are possible. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with 	· Auto igniting:	Product is not selfigniting.
Lower: Upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Upper: 44 Vol % · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Solubility in / Miscibility with	· Explosion limits:	
· Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with		
• Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Evaporation rate Not determined. • Solubility in / Miscibility with	Upper:	44 Vol %
· Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Vation of the second s	[.] Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Vertical determined.		0.79 g/cm³ (6.59255 lbs/gal)
Evaporation rate Not determined. Solubility in / Miscibility with		
Solubility in / Miscibility with		
	· Evaporation rate	Not determined.
		Fully miscible.

Printing date 01/31/2022

Revision date 01/31/2022

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

	(Contd. from	n page 6)
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.9 %	
VOC content:	99.90 %	
	999.0 g/l / 8.34 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- \cdot Incompatible materials: reducing agents, oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:			
ATE (Acute To	ATE (Acute Toxicity Estimate)		
Oral	LD50	5,000 mg/kg	
Dermal	LD50 50,000 mg/kg		
Inhalative	LC50/4 h	500 mg/l	

67-56-1 Methanol			
Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	
	1	1	(Contd. on page

Printing date 01/31/2022

Revision date 01/31/2022

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

	Dete	(Contd. from page)
	Data	20 mg/24h (rabbit)
300-42-5 DI	-Methamphetamine hydro	
Oral	TDLO	17 ml/kg (hmn)
	LD50	29 mg/kg (rat)
	Subcutaneous LD50	79,700 μg/kg (rat)
	Intraperitoneal LD50	19 mg/kg (rat)
	Subcutaneous LD50	9 mg/kg (mouse)
Sensitization Additional to The product		
Sensitizatio Additional t The produc preparations Toxic Carcinogen	on: No sensitizing effects ki toxicological information t shows the following dan s: hic categories	: gers according to internally approved calculation methods fo
Sensitizatio Additional t The product preparations Toxic Carcinogen IARC (Intern	on: No sensitizing effects ki toxicological information t shows the following dan a: hic categories national Agency for Rese	: gers according to internally approved calculation methods f
Sensitizatio Additional t The product preparations Toxic Carcinogen IARC (Intern	on: No sensitizing effects ki toxicological information t shows the following dan s: hic categories	: gers according to internally approved calculation methods f
Sensitizatio Additional t The product preparations Toxic Carcinogen IARC (Intern None of the NTP (Nation	on: No sensitizing effects ki toxicological information t shows the following dan c categories national Agency for Rese ingredients is listed. nal Toxicology Program)	: gers according to internally approved calculation methods f
Sensitization Additional to The produce preparations Toxic Carcinogen IARC (Intern None of the NTP (Nation None of the	on: No sensitizing effects ki toxicological information t shows the following dan s: national Agency for Rese ingredients is listed. nal Toxicology Program) ingredients is listed.	gers according to internally approved calculation methods for a second s
Sensitizatio Additional t The produc preparations Toxic Carcinogen IARC (Intern None of the NTP (Nation None of the OSHA-Ca (C	on: No sensitizing effects ki toxicological information t shows the following dan c categories national Agency for Rese ingredients is listed. nal Toxicology Program)	gers according to internally approved calculation methods for a second s

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

US

Printing date 01/31/2022

Revision date 01/31/2022

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

(Contd. from page 8)

• Uncleaned packagings:
 • Recommendation: Disposal must be made according to official regulations.
 • Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG IATA	Flammable liquids, n.o.s. (Methanol) FLAMMABLE LIQUID, N.O.S. (METHANOL) Flammable liquid, n.o.s. (METHANOL)
· Transport hazard class(es)	
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 33 F-E, <u>S-E</u> B
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ)	1L
	(Contd. on page

Printing date 01/31/2022

Revision date 01/31/2022

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

	(Contd. from page 9)
 Excepted quantities (EQ) 	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

67-56-1 Methanol
• TSCA (Toxic Substances Control Act):

67-56-1 Methanol

· Hazardous Air Pollutants

67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 11)

ACTIVE

- US

Printing date 01/31/2022

Revision date 01/31/2022

Trade name: (±)-Methamphetamine (hydrochloride) (CRM)

(Contd. from page 10)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 01/31/2022 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity - Category 3 Repr. 2: Reproductive toxicity - Category 2 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

US-